created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 28151

CLASSIFICATION: 09 51 00 Acoustical Ceilings

PRODUCT DESCRIPTION: Elegant lightly textured white surface High sound absorption (NRC = 0.90 - 0.95) High fire performance High light reflectance (LR = 0.85) Optimal design freedom thanks to a large selection of edges (lay-in, tegular, direct mount, and concealed) Available in an array of sizes and formats, including planks. Ideal projects: Commercial, Educational, Healthcare, Hospitality, Institutional, Leisure & sport. No added antimicrobial treatment: Stone wool provides no sustenance to microorganisms and is naturally sag resistant. Rockfon is part of the ROCKWOOL

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- C 100 ppm
- ⊙ 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ROCKFON SONAR® [STONE WOOL, BIOSOLUBLE LT-UNK CAPROLACTAM LT-UNK | SKI | EYE LIMESTONE BM-3dg 2-PROPENOIC ACID, 2-METHYL-, C12-15-BRANCHED AND LINEAR ALKYL ESTERS, POLYMERS WITH CETYL METHACRYLATE, ME METHACRYLATE, POLYETHYLENE GLYCOL METHACRYLATE BRANCHED TRIDECYL ETHER AND STEARYL METHACRYLATE NoGS UNDISCLOSED NoGS UNDISCLOSED LT-UNK UREA, POLYMER WITH FORMALDEHYDE LT-P1 | RES TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-UNK POLYVINYL ALCOHOL LT-UNK CALCIUM **CARBONATE BM-3 HEXANEDIOIC ACID LT-UNK | EYE** HEXAMETHYLENEDIAMINE LT-P1 | END | SKI LAUROLACTAM NoGS DODECANEDIOIC ACID, POLYMER WITH DECANEDIOIC ACID, HEXAHYDRO-2H-AZEPIN-2-ONE, 1,6-HEXANEDIAMINE AND HEXANEDIOIC ACID NoGS UREA LT-UNK WATER BM-4 ALUMINUM **HYDROXIDE BM-2 PHENOL, POLYMER WITH FORMALDEHYDE LT-P1** RES GLUCOSE BM-3 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-4 FIBERGLASS LT-UNK 1

Number of Greenscreen BM-4/BM3 contents ... 4

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This product is not considered identified due to the proprietary nature of some chemicals within the product's formulation.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GREENGUARD Gold

LCA: Environmental Product Declaration (EPD)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

PREPARER: Self-Prepared VERIFIER: SCS Global Services VERIFICATION #: qGE-12479 SCREENING DATE: 2022-03-11 PUBLISHED DATE: 2022-04-11 EXPIRY DATE: 2025-03-11

YesNo

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ROCKFON SONAR®

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on provided supplier data.

OTHER PRODUCT NOTES: This declaration is based on a pre-cured breakdown of the material ingredients. A mixture of chemicals called binder is applied on the stone wool fibers to adhere them together. Paints are also applied to the product. The liquid binder and paints are solidified / dried after chemicals react during the curing process. Therefore, hazard warnings on the HPD might not be applicable as the physical state of a chemical changes during the curing process.

STONE WOOL, BIOSOLUBLE ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:15

%: 80.0000 - 85.0000 GS: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Stone wool products produced by ROCKWOOL are continually monitored and are in fulfilment of the CLP regulation Annex VI Note Q conditions (stone wool can also be referenced by the EC Number: 926-099-9). The pre-consumer recycled content comes primarily from recycled slag and / or briquettes. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

CAPROLACTAM ID: 105-60-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:20 %: Impurity/Residual GS: LT-UNK **RC: None** NANO: No SUBSTANCE ROLE: Impurity/Residual **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS SKI EU - GHS (H-Statements) Annex 6 Table 3-1 H315 - Causes skin irritation [Skin corrosion/irritation -Category 2] EYE EU - GHS (H-Statements) Annex 6 Table 3-1 H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

LIMESTONE ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:23

%: 0.0000 - 0.5000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

2-PROPENOIC ACID, 2-METHYL-, C12-15-BRANCHED AND LINEAR ALKYL ESTERS, POLYMERS WITH CETYL METHACRYLATE, ME METHACRYLATE, POLYETHYLENE GLYCOL METHACRYLATE BRANCHED TRIDECYL ETHER AND STEARYL METHACRYLATE

ID: 903501-20-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:23

%: 0.0000 - 0.3000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-04-30 13:48:33

%: 0.0000 - 0.3000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-04-30 13:48:33

%: 0.0000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UREA, POLYMER WITH FORMALDEHYDE

ID: 9011-05-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:16

%: 0.0000 - 0.5000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:17 %: 0.0000 - 0.5000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment AGENCY AND LIST TITLES **WARNINGS HAZARD TYPE** CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen CAN CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route CAN **IARC** Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources CAN MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value **END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor** CAN MAK Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels CAN EU - GHS (H-Statements) Annex 6 Table 3-1 H351 - Suspected of causing cancer [Carcinogenicity -Category 2]

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-04-30 13:48:32

%: 0.0000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

POLYVINYL ALCOHOL ID: 9002-89-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:18

%: 0.0000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

CALCIUM CARBONATE ID: 471-34-1

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by

HEXANEDIOIC ACID ID: 124-04-9 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:19 %: 0.0000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Monomer **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS EYE EU - GHS (H-Statements) Annex 6 Table 3-1 H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

HEXAMETHYLENEDIAMINE						ID: 124-09
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARI	SCR	EENING DATE:	2022-03-12 0:41:19	
%: 0.0000 - 0.5000	GS: LT-P1	RC: Nor	ne	NANO: No	SUBSTANCE ROLE: M	onomer
HAZARD TYPE	AGENCY AND LIST TITLES		WARI	NINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor			
SKI	EU - GHS (H-Statements) Annex 6 Tab			H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by

LAUROLACTAM				ID: Not Registered			
HAZARD SCREENING METHOD:	Toxnot Chemical Hazard Screening Library	HAZARD SCI	REENING DATE:	2021-04-30 13:48:31			
%: 0.0000 - 0.5000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Monomer			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS				
None found No warnings found on HPD Priority Hazard Lists							

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

DODECANEDIOIC ACID, POLYMER WITH DECANEDIOIC ACID, HEXAHYDRO-2H-AZEPIN-2-ONE, 1,6-HEXANEDIAMINE AND HEXANEDIOIC ACID

ID: 35912-47-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:20

this HPD.

this HPD.

%: 0.0000 - 0.5000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Adhesive

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UREA ID: 57-13-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:16

%: **0.0000 - 0.7000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

WATER ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:21

%: 0.0000 - 1.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The water will be evaporated during the curing process. There is no moisture content in the final Rockfon product. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

ALUMINUM HYDROXIDE ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:21

%: 0.0000 - 5.0000 GS: BM-2 RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

PHENOL, POLYMER WITH FORMALDEHYDE

ID: 9003-35-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:22

%: 0.0000 - 5.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

GLUCOSE ID: 50-99-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:22

%: 0.0000 - 5.0000 GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-04-30 13:48:29

%: 0.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-04-30 13:48:29

%: 0.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-04-30 13:48:29

%: 0.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-04-30 13:48:28

%: 0.0000 - 5.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

FIBERGLASS ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-12 0:41:24

%: 0.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

17

VOC EMISSIONS

GREENGUARD Gold

ISSUE DATE: 2013-09- EXPIRY DATE: 2022-

07-17

03-09

EXPIRY DATE: 2025-

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: https://spot.ul.com/main-

app/products/detail/5ad1ea7255b0e82d946a4ba6?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: Rockfon Sonar® is compliant under both the classroom and office scenario. Certificate Number:

ISSUE DATE: 2020-05-

42782-420.

LCA Environmental Product Declaration (EPD)

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: https://spot.ul.com/main-

app/products/detail/5ad1ea7255b0e82d946a4ba6?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: The environmental impact reference product was Artic® (15 mm). To calculate product-specific environmental impacts of the products covered by this HPD, apply the relevant scaling factor found on page 4 of the EPD.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD covers the following products: Sonar-A, Sonar-Conc, Sonar-ConcX, Sonar-SL/SLN, and Sonar-SLT and includes each product's formulation specifc to the Cigacice, Poland manufacturing facility. These products have very similar compositional chemistry with slight differences in terms of percent by weights as well as edge type and / or coatings. These variances are limited to 10% or less of the total mass of each product.

CERTIFIER OR LAB: UL

CERTIFIER OR LAB: UL

Environment

Environment

MANUFACTURER INFORMATION

MANUFACTURER: Rockfon ADDRESS: 4849 S. Austin Avenue Chicago Illinois 60638, USA

WEBSITE: rockfon.com

CONTACT NAME: Warren Dudding

TITLE: VP of Business PHONE: 1-800-323-7164

EMAIL: warren.dudding@rockfon.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.