created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 30041

CLASSIFICATION: 09 51 00 Acoustical Ceilings

PRODUCT DESCRIPTION: Smooth white surface Good sound absorption (NRC = 0.85) High fire performance High light reflectance (LR = 0.85) {We actually have one size in the SQ that has a .90 NRC} Available in square lay-in and tegular Ideal projects: Commercial, Educational, Healthcare, Hospitality, Institutional, Leisure & sport/Industry. No added antimicrobial treatment: Stone wool provides no sustenance to microorganisms and is naturally sag resistant. Rockfon is part of the ROCKWOOL Group.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm ⊙ 1,000 ppm

O Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

O Not Completed

Explanation(s) provided:

Yes O No.

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

⊙ Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified

Yes No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ROCKFON TROPIC® [STONE WOOL, BIOSOLUBLE LT-UNK | ALUMINUM HYDROXIDE BM-2 | SKI | EYE | FIBERGLASS LT-UNK SYRUPS, HYDROLYZED STARCH LT-UNK GLUCOSE BM-3 PHENOL, POLYMER WITH FORMALDEHYDE LT-P1 | LIMESTONE BM-3dg WATER BM-4 POLYVINYL ALCOHOL LT-UNK CAPROLACTAM LT-UNK | SKI | EYE | MAM | REP LAUROLACTAM NOGS DODECANEDIOIC ACID, POLYMER WITH DECANEDIOIC ACID, HEXAHYDRO-2H-AZEPIN-2-ONE, 1,6-HEXANEDIAMINE AND HEXANEDIOIC ACID NoGS HEXAMETHYLENEDIAMINE LT-P1 | END | SKI | MAM | EYE | REP HEXANEDIOIC ACID LT-UNK | EYE CALCIUM CARBONATE BM-3 | EYE | UREA LT-UNK | EYE UREA, POLYMER WITH FORMALDEHYDE LT-P1 | | SKI UNDISCLOSED NoGS 2-PROPENOIC ACID, 2-METHYL-, C12-15-BRANCHED AND LINEAR ALKYL ESTERS, POLYMERS WITH CETYL METHACRYLATE, ME METHACRYLATE, POLYETHYLENE **GLYCOL METHACRYLATE BRANCHED TRIDECYL ETHER AND** STEARYL METHACRYLATE NoGS RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED LT-1 | CAN | PBT | MUL | SKI | | DEV CLAY LT-UNK | CAN |]

Number of Greenscreen BM-4/BM3 contents ... 4

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This product is not considered identified due to the proprietary nature of some chemicals within the product's formulation.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Gold (previously Children & Schools) LCA: Environmental Product Declaration (EPD)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1. Third Party Verified?

O Yes
O No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2022-09-28 PUBLISHED DATE: 2022-10-04 EXPIRY DATE: 2025-09-28

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ROCKFON TROPIC®

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on provided supplier data.

OTHER PRODUCT NOTES: This declaration is based on a pre-cured breakdown of the material ingredients. A mixture of chemicals called binder is

applied on the stone wool fibers to adhere them together. Paints are also applied to the product. The liquid binder and paints are solidified / dried after chemicals react during the curing process. Therefore, hazard warnings on the HPD might not be applicable as the physical state of a chemical changes during the curing process.

STONE WOOL, BIOSOLUI	BLE			ID: 65997-17-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DAT	TE: 2022-09-28 10:06:18
%: 81.6420 - 84.1190	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATIO	DN
EXEMPT	European Union / European Cor	mmission	EU - REACH	Exemptions
	(20 20)		Exempted from safety	om REACH Annex V listing due to intrinsic
POSITIVE LIST	US Environmental Protection Aç EPA)	gency (US	US EPA - DfE	SCIL
	L1 / Y		Green Circle	- Verified Low Concern
SUBSTANCE NOTES:				

ALUMINUM HYDROXIDE				ID: 21645-51-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-09-28 10:06:19
%: 4.3500 - 5.9790	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKI	GHS - New Zealand		Skin irritation cate	egory 2
EYE	GHS - New Zealand		Eye irritation cate	egory 2
	EC - CEPA DSL		Persistent	

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered

FIBERGLASS				ID: 65997-17-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-09-28 10:06:19
%: 3.2660 - 5.2080	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
EXEMPT	European Union / European Cor (EU EC)	nmission	EU - REACH Exer	mptions
	(20 20)		Exempted from R safety	REACH Annex V listing due to intrinsic
POSITIVE LIST	US Environmental Protection Ag EPA)	gency (US	US EPA - DfE SC	IL

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

Green Circle - Verified Low Concern

SYRUPS, HYDROLYZED	STARCH			ID: 802	9-43-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-09-28 10:06:20	
%: 0.0000 - 1.6530	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warr	nings found on HPD Priority Hazard	Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
EXEMPT	European Union / European Cor (EU EC)	nmission	EU - REACH Exe	emptions	
	, ,		Exempted from safety	REACH Annex IV listing due to intri	nsic
POSITIVE LIST	US Environmental Protection Ag	jency (US	US EPA - DfE SC	CIL	
	LFA		Green Circle - Ve	erified Low Concern	

SUBSTANCE NOTES:

GLUCOSE				ID: 5	0-99-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-09-28 10:06:20	
%: 0.0000 - 1.5270	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warr	nings found on HPD Priority Hazard	Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
EXEMPT	European Union / European Cor (EU EC)	nmission	EU - REACH Exe	emptions	
	(20 20)		Exempted from safety	REACH Annex IV listing due to intri	nsic
POSITIVE LIST	US Environmental Protection Ag	ency (US	US EPA - DfE S0	CIL	
	EFA		Green Circle - Vo	erified Low Concern	

PHENOL, POLYMER WITH FORMALDEHYDE HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-28 10:06:21

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-09-28 10:06:21
%: 1.0160 - 1.4010	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precaution	nary List
			Watch List	
RESTRICTED LIST	International Living Future Institu	ute (ILFI)	Living Building C Chemicals	challenge 4.0 - Red List of Materials &
			Red List substan Challenge V4.0 p	ices to avoid in Living Building projects
RESTRICTED LIST	International Living Future Institu	ute (ILFI)	Living Building C Chemicals	challenge 4.0 - Red List of Materials &
				tances Considered for Inclusion in the challenge Red List

SUBSTANCE NOTES:

LIMESTONE ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-28 10:06:22

%: 0.7550 - 1.3110 GreenScreen: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL
	2.74	Green Circle - Verified Low Concern
SUBSTANCE NOTES:		

WATER				ID: 7732-18-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-09-28 10:06:22
%: 1.0070 - 1.2750	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Dedusting
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
EXEMPT	European Union / European Con	nmission	EU - REACH Exe	emptions
	(/		Exempted from safety	REACH Annex IV listing due to intrinsic
POSITIVE LIST	US Environmental Protection Ag EPA)	ency (US	US EPA - DfE So	CIL

SUBSTANCE NOTES: The water will be evaporated during the curing process. There is no moisture content in the final Rockfon product. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

Green Circle - Verified Low Concern

POLYVINYL ALCOHOL				I	D: 9002-89-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-09-28 10:06:23	
%: 0.0730 - 0.8540	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Bi	nder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warr	nings found on HPD Priority F	Hazard Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
POSITIVE LIST	US Environmental Protection Ag	ency (US	US EPA - DfE S0	DIL	
	=: 7 9		Croon Cirolo V	erified Low Concern	

CAPROLACTAM ID: 105-60-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-09-28 10:06:23
%: 0.0000 - 0.7110	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKI	EU - GHS (H-Statements) Annex	6 Table 3-1	H315 - Causes s Category 2]	kin irritation [Skin corrosion/irritation -
EYE	EU - GHS (H-Statements) Annex	6 Table 3-1		erious eye irritation [Serious eye ation - Category 2A]
SKI	GHS - New Zealand		Skin irritation cat	tegory 2
EYE	GHS - New Zealand		Eye irritation cate	egory 2
SKI	GHS - Australia		H315 - Causes si Category 2]	kin irritation [Skin corrosion/irritation -
EYE	GHS - Australia			erious eye irritation [Serious eye ation - Category 2A]
MAM	GHS - Japan		repeated exposu	amage to organs through prolonged or ire [Specific target organs/systemic repeated exposure - Category 1]
SKI	GHS - Japan		H315 - Causes s Category 2]	kin irritation [Skin corrosion / irritation -
SKI	GHS - New Zealand		Skin sensitisation	n category 1
МАМ	GHS - Japan		-	se damage to organs [Specific target toxicity following single exposure -
REP	GHS - Japan			d of damaging fertility or the unborn production - Category 2]
MAM	Québec CSST - WHMIS 1988		Class D1A - Very serious toxic effe	toxic material causing immediate and ects
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No I	istings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered

LAUROLACTAM				ID: Not Registered
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SC	REENING DATE:	2022-09-28 9:52:42
%: 0.0000 - 0.6910	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warnings	s found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY	NO	TIFICATION	
None found			No listir	ngs found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

DODECANEDIOIC ACID, POLYMER WITH DECANEDIOIC ACID, HEXAHYDRO-2H-AZEPIN-2-ONE, 1,6-HEXANEDIAMINE AND HEXANEDIOIC ACID

ID: 35912-47-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-09-28 10:06:24
%: 0.0000 - 0.6900	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-09-28 10:06:25		
%: 0.0000 - 0.6900	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Monomer		
70. 0.0000 - 0.0900	Greenscreen. EI-F	no. None	NANO. NO	SOBSTANCE ROLL. WONDING		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
END	TEDX - Potential Endocrine Disr	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
SKI	EU - GHS (H-Statements) Annex	6 Table 3-1	H314 - Causes severe skin burns and eye damage [Ski corrosion/irritation - Category 1A or 1B or 1C]			
MAM	GHS - Japan		amage to organs through prolonged or re [Specific target organs/systemic repeated exposure - Category 1]			
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]			
SKI	GHS - New Zealand	GHS - New Zealand		Skin corrosion category 1C		
EYE	GHS - New Zealand	GHS - New Zealand		Serious eye damage category 1		
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]			
SKI	GHS - Japan	GHS - Japan		evere skin burns and eye damage [Skin ion - Category 1]		
SKI	GHS - Japan	GHS - Japan		apan H317 - May cause an allergic skin reaction [Skin sensitizer - Category 1]		-
SKI	GHS - Australia	GHS - Australia		evere skin burns and eye damage [Skin on - Category 1A or 1B or 1C]		
REP	GHS - Japan		•	d of damaging fertility or the unborn production - Category 2]		

ADDITIONAL LISTINGS AGENCY NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

HEXANEDIOIC ACID ID: 124-04-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-09-28 10:06:25		
%: 0.0000 - 0.6900	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Monomer		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
EYE	EU - GHS (H-Statements) Annex	EU - GHS (H-Statements) Annex 6 Table 3-1		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
EYE	GHS - New Zealand	GHS - New Zealand		Eye irritation category 2		
EYE	GHS - Japan	GHS - Japan		H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]		
EYE	GHS - Australia	GHS - Australia		erious eye damage [Serious eye ation - Category 1]		
ADDITIONAL LISTINGS	AGENCY	AGENCY				
POSITIVE LIST	US Environmental Protection Ag	ency (US	US EPA - DfE SC	CIL		
	EFAJ		Green Circle - Ve	erified Low Concern		

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

CALCIUM CARBONATE ID: 471-34-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-09-28 10:06:26				
%: 0.0000 - 0.6030	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
EYE	GHS - New Zealand	HS - New Zealand		Eye irritation category 2		
	EC - CEPA DSL	EC - CEPA DSL		Persistent		
ADDITIONAL LISTINGS	AGENCY	AGENCY		NOTIFICATION		
POSITIVE LIST	US Environmental Protection Ag	gency (US	US EPA - DfE SCIL			
	LFA		Green Circle - Verif	ied Low Concern		

SUBSTANCE NOTES:

UREA ID: 57-13-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-28 10:06:26

%: 0.4360 - 0.6010	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
EYE	GHS - New Zealand		Eye irritation categ	gory 2	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
POSITIVE LIST	US Environmental Protection EPA)	Agency (US	US EPA - DfE SCIL	_	
	,		Green Circle - Veri	fied Low Concern	
SUBSTANCE NOTES:					

UREA, POLYMER WITH FORMALDEHYDE

ID: 9011-05-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-09-28 10:06:2	27
%: 0.2270 - 0.5880	GreenScreen: LT-P1	RC: None NANO: No SUBSTANCE I	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	EC - CEPA DSL	Persistent	
SKI	GHS - New Zealand	Skin sensitisation category 1	
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List	
		Precautionary list of substances recautionary	ommended for
RESTRICTED LIST	International Living Future Institu	(ILFI) Living Building Challenge 4.0 - Red I Chemicals	ist of Materials &
		Red List substances to avoid in Livir Challenge V4.0 projects	ng Building
RESTRICTED LIST	International Living Future Institu	(ILFI) Living Building Challenge 4.0 - Red I Chemicals	ist of Materials &
		Watch List Substances Considered the Living Building Challenge Red List	for Inclusion in the

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SCF	REENING DATE:	2022-09-28 9:52:50
%: 0.0730 - 0.4270	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WAI	RNINGS	
None found			No warnings	s found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS AGENCY NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

2-PROPENOIC ACID, 2-METHYL-, C12-15-BRANCHED AND LINEAR ALKYL ESTERS, POLYMERS WITH CETYL METHACRYLATE, ME METHACRYLATE, POLYETHYLENE GLYCOL METHACRYLATE BRANCHED TRIDECYL ETHER AND STEARYL METHACRYLATE

ID: 903501-20-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-09-28 10:06:28
%: 0.0230 - 0.2940	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED

ID: 64742-62-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-28 10:06:28

%: 0.0000 - 0.1740 GreenScreen: LT-1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
	EC - CEPA DSL	Persistent
	EC - CEPA DSL	Bioaccumulative
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

CLAY ID: 1332-58-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2	2022-09-28 10:06:29
%: 0.0000 - 0.1050	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	MAK		Carcinogen Group but not sufficient f	3B - Evidence of carcinogenic effects or classification
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Aç EPA)	jency (US	US EPA - DfE SCIL	-
	- 1.79		Green Circle - Veri	fied Low Concern
SUBSTANCE NOTES:				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

GreenGuard - Gold (previously Children & Schools)

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1ea7255b0e82d946a4baf? page_type=Products%20Catalog

ISSUE DATE: 2013-09-17 EXPIRY DATE: 2023-07-17 CERTIFIER OR LAB: UL

Environment

CERTIFICATION AND COMPLIANCE NOTES:

LCA **Environmental Product Declaration (EPD)**

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1ea7255b0e82d946a4baf?

page_type=Products%20Catalog

ISSUE DATE: 2020-05-27 CERTIFIER OR LAB: UL

EXPIRY DATE: 2025-03-09 Environment

CERTIFICATION AND COMPLIANCE NOTES: The environmental impact reference product was Artic® (15 mm). To calculate product-specific environmental impacts of the products covered by this HPD, apply the relevant scaling factor found on page 4 of the EPD.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD covers the following products: Tropic-A and Tropic-SL/SLN and includes each product's formulation specifc to the Marshall County, Mississippi, USA and Cigacice, Poland manufacturing facilities. These products have very similar compositional chemistry with slight differences in terms of percent by weights as well as edge type, coatings, and / or adhesives. These variances are limited to 10% or less of the total mass of each product.

MANUFACTURER INFORMATION

MANUFACTURER: Rockfon
ADDRESS: 4849 S. Austin Avenue
Chicago Illinois 60638, USA

WEBSITE: rockfon.com

CONTACT NAME: Warren Dudding

TITLE: VP of Business PHONE: 1-800-323-7164

EMAIL: warren.dudding@rockfon.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.