



CEE | VALID FROM 1 MARCH 2025

Pricelist 2025

Sounds Beautiful



Content

Customer Service	4
Deliveries	4
Product consulting	4
CUSTOMER SERVICE	4
Placing orders	5
Terms of delivery	5
Product and technical consulting	6
Creating a world that sounds good to everyone	8
Rockfon technical documents	9
Suspended grids	18
Sustainable development	20
Edges	22
The Performance of	
Rockfon Stone Wool Products	27
General terms of delivery	161

Tiles & Panels

Rockfon Blanka®	28
Rockfon Blanka® Activity	32
Rockfon Blanka® dB 35	34
Rockfon Blanka® dB 41	35
Rockfon Blanka® dB 43	36
Rockfon Blanka® dB 46	38
Rockfon Blanka® Bas	40
Rockfon Sonar®	41
Rockfon Sonar® Activity	44
Rockfon Sonar® dB 35	46
Rockfon Sonar® dB 41	47
Rockfon Sonar® dB 43	48
Rockfon Sonar® dB 46	49
Rockfon Sonar® Bas	50
Rockfon Color-all®	52
Rockfon Color-all® Special	56

Rockfon® Koral	57
Rockfon® Koral Tenor	59
Rockfon® Koral 100mm	60
Rockfon® Tropic	61
Rockfon® Artic	62
Rockfon Pacific®	63
Rockfon Pacific® 15mm	65
Rockfon® Sofit	66
Rockfon CleanSpace® Essential	67
Rockfon CleanSpace® Block	69
Rockfon CleanSpace® Air	70
Rockfon CleanSpace® Pure	71
Rockfon MediCare® Standard	72
Rockfon MediCare® Plus	73
Rockfon MediCare® Block	74
Rockfon MediCare® Air	75
Rockfon® Samson	76
Rockfon® Boxer	77
Rockfon® Facett	78
Rockfon® Industrial Black	79
Rockfon® Industrial Opal	80
Rockfon® Industrial Nature	80
Rockfon® Soundstop	81
Rockfon® Rocklux	81

Design solutions

Rockfon® Eclipse	82
Rockfon® Eclipse Colour	83
Rockfon Contour®	84
Rockfon® Universal Baffle	85
Rockfon Humitec® Baffle	86
Rockfon® Industrial Baffle	86
Rockfon VertiQ®	87
Rockfon® Eclipse Wall	90
Rockfon® Samson Wall panel	91
Rockfon® Senses	92
Rockfon® Lamella	94
Rockfon Canva® Wall Panel	96
Rockfon Canva® Floor Screen	98
Rockfon Canva® Hanging Divider	100
Rockfon Hub®	102



Suspended grids

Rockfon® System Fusion H	106
Rockfon® System T24 X	107
Rockfon® System T24 X DLC	108
Rockfon® System T24 Z	109
Rockfon® System T24 M	110
Rockfon® System T15 E	111
Rockfon® System T24 E	113
Rockfon® System Bandraaster Dznl/AEX	115
Rockfon® System Ultraline E	116
Rockfon® System T15 A	119
Rockfon® System T24 A	121
Rockfon® System Bandraaster A	123
Rockfon® System Maxispan T24 A, E	126
Rockfon® System B Adhesive	126
Rockfon® System T24 A, E ECR	127
Rockfon® System Olympia ^{Plus} A Impact 1A	129
Rockfon® System T24 A Impact 2A/3A	131
Rockfon® System dB T24 A, E	132
Rockfon® System dB Bandraaster A	133
Rockfon® System MediCare T24 A, E (ECR)	135
Rockfon® System CleanSpace T24 A, E (ECR)	137
Rockfon® System T24 Stepped Z D	139
Rockfon® System Eclipse Island	141
Rockfon® System Universal Baffle	142
Rockfon® System Humitec Baffle	143
Rockfon® System Industrial Baffle	144
Chicago Metallic Alugrey 2890	145
Chicago Metallic Matt White 2890	145
Chicago Metallic Matt White 2790	146
Chicago Metallic Matt Black 2890	146
Chicago Metallic Matt Black 2790	147
Chicago Metallic Alu 740	147
Chicago Metallic Alu Transitions	148
Chicago Metallic F Profiles	148
Chicago Metallic Flexible Wall Angles	149
Chicago Metallic J Profiles	149
Chicago Metallic C Profiles	149
Chicago Metallic Screenline	151
Rockfon OneFrame	153
Hangers	155
Corners	156
Accessories for different edges	157



Customer Service

We make every effort to offer our customers the highest quality of order processing. Rockfon Customer Service is at your disposal. In case of questions regarding placing orders or their status, please contact our Customer Service.

Product consulting

In case of any questions regarding our products, we encourage you to contact your local Rockfon representative. Contact data of our representatives to be found on our website and on page 6 of our price list.

We reserve the right to change prices. You can find current version of the price list on cee.rockfon.international

CUSTOMER SERVICE:

Monday - Friday 8:00 a.m. - 4:00 p.m.

Tel.: +48 22 843 38 10

E-mail: biuro@rockfon.com



Placing orders

To ensure the highest quality of order handling, please make sure that the following data has been indicated in your order:

- name and surname of the person placing an order,
- name and address of the ordering entity as well as delivery address and post code,
- name and surname as well as phone number of the person authorized to collect the order,
- assortment and dimensions of ordered products,
- quantity of goods,
- units of measure in accordance with

the price list,

- additional pricing conditions if applicable,
- customer's order number,
- in case of long-term deliveries, suggested delivery schedule,
- the smallest trade unit is full box if not indicated otherwise,
- if the ordered quantity does not match the quantity indicated in the price list, your order will be rounded up to full boxes.

Rockfon does not accept responsibility for errors in orders and has the right to charge customer with production and freight costs caused by the error.

Terms of delivery

Delivery date might differ depending on the product. If your order includes products from different delivery groups, your order will be delivered with the latest delivery date. Orders will be processed with self-collection (FCA) as shipment condition, unless indicated otherwise. Products without marking will be delivered from Poland. Products marked with * will be delivered from The Netherlands, ** from Belgium, *** from Denmark and **** from Germany. Rockfon reserves the right to change terms of delivery without prior notice. Please check the information provided in the confirmations.



Product and technical consulting

Key Account Manager
Latvia, Lithuania, Ukraine,
Kazakhstan, Azerbaijan, Moldova,
Uzbekistan, Georgia, Turkmenistan,
Tajikistan, Armenia, Kyrgyzstan


Sergii Shostak

Tel.: (+371) 254 17987

E-mail: sergey.shostak@rockfon.com

Library in Wales





Creating a world that sounds good to everyone

When we set out to create the most effective acoustic solutions on Earth we started with people. It inspired our beautiful range of colours and styles. It expanded our vision to go beyond acoustics and design products that improve visual comfort, reflect daylight, resists moisture and repel bacteria. And it drives continual innovation to transform human wellbeing.

Sounds Beautiful



Want to know more?
**Scan/click the QR
code**



ROCKFON TECHNICAL DOCUMENTS



Want to know more?
**Scan/click the QR
code**



Document library

Find all of our datasheets, DoPs, system descriptions, brochures and other documents in one place.



BIM objects library

We provide BIM objects for a range of acoustic ceiling tiles and baffles. Our files are compatible with both ArchiCAD and Revit software.



Video library

Discover a selection of case studies and installation videos that will inspire and share practical information about our products.



Product comparison tool

The Rockfon Product Comparison Tool enables you to compare product features and characteristics across multiple Rockfon ceiling tiles and wall panels. You can display all product characteristics or filter by the differences between them.



Product: Rockfon Color-all in Colours of Wellbeing palette: Seashell, Azure, Eucalyptus, Scarlet, Coral

Rockfon Color-all Special acoustic tiles are available in any NCS colours.

Project: 25 Hours Hotel, Copenhagen, Denmark.



Product: Rockfon Eclipse in colour

The Rockfon Eclipse Customised acoustic island is available in any shape and colour from the NCS palette.

Project: Restaurant in Linköping, Sweden.





Product: Rockfon Universal Baffle in Coral colour

Baffles are available in white and in 33 permanent colours, from delicate to bold.

Project: Youseum Museum in Amsterdam, The Netherlands.





Product: Rockfon VertiQ in Light grey colour

Impact-resistant acoustic panels with the highest performance in terms of sound absorption (Class A) are available in 4 colours.

Project: Sports and entertainment hall in Puławy, Poland.



Product: Rockfon Senses





Tickets
Sonderausstellung
Eintrittspreise
Erwachsene
Kinder (6y - 16 J.)
Familienpreis (2 Erwachsene + 2 Kinder)
Mittagessen für 2 Personen
www.museum-wuppertal.de

Info

Ausstellungen
Exhibitions

Product: Rockfon Mono Acoustic







Product: Rockfon Canva, Rockfon Lamella



Suspended grids

Chicago Metallic Matt White 11

Matt White 11 is an elegant modular ceiling grid that stays white from any angle, matching the ceiling tiles perfectly. Our most popular suspended ceiling systems are available in Matt White 11 variant, which makes it easy to combine different products. Whether you prefer a clip or hook mount, or a T15 instead of a T24, you can use your preferred solution in matt white colour.

More information at: <https://cee.rockfon.international/products/product-highlight/matt-white-11-highlights/>




Rockfon Color-all® and Rockfon Color-all® Special

The perfect match between the colour of the tile and the grid is now possible. The Chicago Metallic grid is available in 34 Rockfon Color-all colours as well as any NCS colour within the Rockfon Color-all Special product. Matt finish, any colour matching the colour of the ceiling tile will ensure unique visual and acoustic comfort.



Chicago Metallic Ultraline®

Delicate grid – narrow profiles with a gap allows you to create ceilings with an elegant, modern design. Possible combinations of colours of the outer surface of the profile and its gap will ensure a unique visual effect. The design allows for the attachment of advertising or safety signs.





Product: Rockfon Blanka
Project: Bialmed Pisz Office, Poland



Sustainable development

Positive impact on people and the planet


By working with Rockfon, you are getting much more than acoustic solutions. You contribute to a more sustainable future. Our core material is natural volcanic stone - one of nature's most abundant resources. When we create our products, we ensure that they have high recycled content, they are long lasting and they can be fully recyclable. They support the closed-loop circular economy and are certified to leave a positive impact on people and the planet, as our latest Cradle to Cradle certification shows.

This is how beautiful sustainability can sound.

Our sustainability certifications

Our contribution to sustainable development is extensively documented in the following documents: Environmental Product Declaration (EPD) and Product Sustainability Declarations (PSD). 90% of our products are Cradle to Cradle Certified® Silver or Bronze. Our certificates and documents related to sustainable development can be found at:

<https://cee.rockfon.international/sustainability/>



Our contribution in building rating schemes

Are you interested in getting your building LEED, DGNB, BREEAM or WELL certified? Find out how Rockfon products can help you earn credits toward your certification. More information at:

<https://cee.rockfon.international/sustainability/>



Our sustainability goals:

Energy Consumption

75%

Reduce energy consumption (kWh/m²) within own (non-renovated) offices by 75% by 2030

Reclaimed Waste

5 → 30

Increase the number of countries where we offer recycling services for our products to 30 by 2030

Landfill waste

85%

Reduce landfill waste (tonnes) from our manufacturing facilities by 85% by 2030.

Safety, health and well being

10%

Reduce LTI frequency rate by 10% and ensure zero fatalities annually.

CO₂ emissions

20%

Reduce CO₂ emission intensity (CO₂/t stone wool) from our stone wool production facilities by 2030

Water consumption

20%

Reduce water intensity (m³/t stone wool) within our manufacturing facilities by 20% by 2030.



Want to know more? **Scan/click the QR code**






EDGES

Our acoustic solutions are available in a wide range of edges, offering everything from traditional exposed, semi-concealed, or concealed grid systems to various free-hanging solutions. The edge design can help to conceal the grid with tightly fitted panels, to shadow the grid with beveled recesses, or to emphasize the grid with square or angled tegular designs.

Below you will find explanations of edge types.

Visible grid ceilings

A visible grid system shows the entire surface of the grid profiles and thus provides a standard, simple ceiling design. Our assortment gives you the opportunity to combine and match the colours of the panels to the colours of the grid by choosing the same colour, or highlighting, exposing the ceiling grid when choosing different colours. A ceiling with a visible grid can be obtained by using different types of tiles with an A edge.



INSTALLATION
GUIDE




Want to know
more? **Scan/click**
the **QR code**





Semi-concealed grid ceilings

Semi-concealed grid solutions minimize the visibility of the grid. Semi-concealed grid ceilings use the tile edges, light, shadow and colour of the grid to create distinctive appearances, contributing to the overall architectural expression of your room.




INSTALLATION
GUIDE



Want to know more? **Scan/click the QR code**

Concealed grid ceilings

These minimalistic edges conceal the suspension grid or when mounted directly to the soffit provide a near-seamless, aesthetic, minimalist and elegant appearance of the ceiling. When used as a suspended ceiling, it allows for easy integration of service installations such as lighting, ventilation, smoke detectors and sprinklers.



INSTALLATION
GUIDE




Want to know more? **Scan/click the QR code**





Islands and baffles

Free-hanging solutions provide an aesthetic appearance of the ceiling in situations where traditional suspended ceilings cannot be used. Ceiling islands come in many colours, shapes and sizes. Individually mounted acoustic elements can be used both as part of modernization and in new buildings.



INSTALLATION
GUIDE




Want to know more? **Scan/click the QR code**

INSTALLATION
GUIDE




Want to know more? **Scan/click the QR code**



Wall Panel systems:

INSTALLATION
GUIDE



Want to know more? **Scan/click the QR code**

Frameless wall panel systems:

INSTALLATION
GUIDE





Want to know more? **Scan/click the QR code**





Monolithic ceiling

The monolithic surface with no visible joints between the panels ensures acoustic comfort and elegant appearance. Rockfon® Mono® Acoustic is ideal for ceilings and walls.



INSTALLATION
GUIDE



Want to know
more? **Scan/click**
the QR code




Tiles & Panels

Rockfon Blanka®	28
Rockfon Blanka® Activity	32
Rockfon Blanka® dB 35	34
Rockfon Blanka® dB 41	35
Rockfon Blanka® dB 43	36
Rockfon Blanka® dB 46	38
Rockfon Blanka® Bas	40
Rockfon Sonar®	41
Rockfon Sonar® Activity	44
Rockfon Sonar® dB 35	46
Rockfon Sonar® dB 41	47
Rockfon Sonar® dB 43	48
Rockfon Sonar® dB 46	49
Rockfon Sonar® Bas	50
Rockfon Color-all®	52
Rockfon Color-all® Special	56
Rockfon® Koral	57
Rockfon® Koral Tenor	59
Rockfon® Koral 100mm	60
Rockfon® Tropic	61
Rockfon® Artic	62
Rockfon Pacific®	63
Rockfon Pacific® 15mm	65
Rockfon® Sofit	66
Rockfon CleanSpace® Essential	67
Rockfon CleanSpace® Pro	69
Rockfon CleanSpace® Block	70
Rockfon Cleanspace® Air	71
Rockfon CleanSpace® Pure	73
Rockfon MediCare® Standard	74
Rockfon MediCare® Plus	75
Rockfon MediCare® Block	76
Rockfon MediCare® Air	77
Rockfon® Samson	78
Rockfon® Boxer	79
Rockfon® Facett	80
Rockfon® Industrial Black	81
Rockfon® Industrial Opal	82
Rockfon® Industrial Nature	82
Rockfon® Soundstop	83
Rockfon® Rocklux	83

Design solutions

Rockfon® Eclipse	84
Rockfon® Eclipse Colour	85
Rockfon Contour®	86
Rockfon® Universal Baffle	87
Rockfon Humitec® Baffle	88
Rockfon® Industrial Baffle	88
Rockfon VertiQ®	89
Rockfon® Eclipse Wall	92
Rockfon® Samson Wall panel	93
Rockfon® Senses	94
Rockfon® Lamella	96
Rockfon Canva® Wall Panel	98
Rockfon Canva® Floor Screen	100
Rockfon Canva® Hanging Divider	102
Rockfon Hub®	104



The Performance of Rockfon Stone Wool Products

Below is an explanation of ALL the performance icons and certification for our complete range of Rockfon stone wool products. For individual, product specific performance, please refer to the information in the previous pages of this datasheet.



Sound Absorption

Sound absorption is measured in accordance with ISO 354. Sound absorption data α_p , α_w and absorption class are calculated in accordance with ISO 11654. Sound absorption properties of islands and baffles are quantified by the equivalent sound absorption area A_{eq} expressed as m^2 per item.



Room To Room Sound Insulation

Room-to-room sound insulation $D_{nfr,w}(C;C_{tr})$ is measured in accordance with ISO 10848-2.



Direct Sound Insulation

Sound reduction index $R_w(C;C_{tr})$ is measured in accordance with ISO 140-3.



Reaction To Fire

Reaction to fire is classified in accordance with EN 13501-1.



Fire Resistance

The stone wool core of Rockfon products is non-combustible with a melting point of more than 1000°C and provides fire protection. Some Rockfon ceilings have been tested and classified in accordance with European norm EN 13501-2 and/or national norms.



Light Reflection

Light reflection expressed in % is measured in accordance with ISO 7724-2.



Humidity And Sag Resistance

Our ceiling tiles are dimensionally stable and show no visible signs of deflection, even at humidity levels of up to 100% relative humidity. They can be installed at temperatures ranging from 0°C to 40°C and at the very early stages of construction (when windows are not yet fully sealed). Our acoustic solutions are lightweight, yet stable, and the non-hygroscopic product properties minimise the final weight of a fully-installed ceiling. In accordance with EN13964:2014, our ceiling tiles are, at a minimum, classified C/0N. This ensures that they are able to carry 2.5 times their own weight in a high humidity/high temperature environment (RH \geq 95%, 30°C).



Surface Durability

The surface of some of our products is specially treated to provide enhanced durability and dirt resistance.



Cleaning

Vacuum:
The surface can be vacuum cleaned with a soft brush attachment.

Damp cloth:
The surface can be cleaned using a damp cloth or sponge with a slightly alkaline detergent (pH between 7 and 9) without alcohol, ammonia or chlorine. This may render the surface slightly shinier, so we recommend cleaning the entire surface evenly.



Hygiene

Stone wool provides no sustenance to the following microorganisms tested in accordance with JIS Z 2801:2000 and ASTM C 1338-96:

- Escherichia coli
- Staphylococcus aureus
- Methicillinresistent staphylococcus aureus (MRSA)
- Stachybotrys chartarum
- Penicillium brevicompactum
- Alternaria tenuissima
- Aspergillus Brasiliensis
- Sporobolomyces roseum
- Rhodotorula rubra



Clean Room

Clean room classification is measured in accordance with ISO 14644-1.





Thermal Insulation

The thermal conductivity of products with a thickness \geq 30 mm is measured in accordance with EN 12667 and expressed in mW/mK. Thermal resistance is expressed in m^2K/W .







Rockfon Blanka®

- Smooth, deep-matt, super-white surface with high light reflection and light diffusion, which contributes to energy savings and a bright and comfortable indoor environment
- Highest sound absorption/Class A sound absorption and highest fire safety (Class A1)
- Full range of dimensions and edges for complete design freedom
- A non-directional surface that reduces installation time and an anti-static surface that withstands exposure to worksite dust and enhances the product lifetime





SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
188183	5901193262662	Rockfon Blanka®		600 x 600 x 20	24	8,64	1206x609x240	19,43	10	86,40	1220x1223x1342	206,32	26,64	m ²	1 box	
188184	5901193262679	Rockfon Blanka®		1200 x 600 x 20	12	8,64	1206x609x240	19,36	10	86,40	1220x1223x1342	205,68	26,64	m ²	1 box	
188183	5901193262662	Rockfon Blanka®		600 x 600 x 20	24	8,64	1206x609x240	19,43	10	86,40	1220x1223x1342	206,32	26,64	m ²	1 box	
188184	5901193262679	Rockfon Blanka®		1200 x 600 x 20	24	8,64	1206x609x240	19,43	10	86,40	1220x1223x1342	205,68	26,64	m ²	1 box	
215484	5901193245979	Rockfon Blanka®		1800 x 600 x 20	12	12,96	1812x612x250	29,51	8	103,68	1840x1224x1144	256,61	34,26	m ²	1 box	
-	-	Rockfon Blanka®		2400 x 600 x 20	-	-	-	-	-	-	-	-	-	34,26	m ²	75m ²
216397	5901193247010	Rockfon Blanka®		1200 x 1200 x 25	11	15,84	1212x1212x285	46,04	4	63,36	1220x1220x1278	195,63	34,72	m ²	75m ²	







SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
286779	5902565732134	Rockfon Blanka®		600 x 600 x 20	10	3,60	615x615x200	13,59	10	36,00	1260x630x1142	145,09	39,06	m ²	1 box
295180	5902565735784	Rockfon Blanka®		1200 x 600 x 20	10	7,20	1215x615x200	26,16	5	36,00	1260x630x1142	140,03	39,06	m ²	1 box
211526	5901193268855	Rockfon Blanka®		600 x 600 x 20	10	3,60	615x615x200	13,59	10	36,00	1260x630x1142	145,16	45,37	m ²	75m ²
211527	5901193268862	Rockfon Blanka®		1200 x 600 x 20	10	7,20	1215x615x200	26,22	5	36,00	1260x630x1142	140,29	45,37	m ²	1 box
204799	5901193268305	Rockfon Blanka®		600 x 600 x 20	10	3,60	615x622x200	13,73	10	36,00	1260x630x1142	146,54	42,39	m ²	1 box
211533	5901193268879	Rockfon Blanka®		1200 x 600 x 20	10	7,20	1215x622x200	26,45	5	36,00	1260x630x1142	141,43	42,39	m ²	1 box
211537	5901193268886	Rockfon Blanka®		1800 x 600 x 20	8	8,64	1853x660x168	34,09	6	51,84	1860x660x1142	219,51	46,15	m ²	1 box
326478	5902565754419	Rockfon Blanka®		900 x 900 x 25	6	4,86	915x922x150	21,69	14	68,04	1860x930x1194	322,08	50,76	m ²	75m ²
225199	5902565705541	Rockfon Blanka®		1200 x 600 x 20	10	7,20	1215x622x200	26,45	5	36,00	1260x630x1142	141,45	47,71	m ²	75m ²
223006	5902565703899	Rockfon Blanka®		1500 x 600 x 20	8	7,20	1553x660x168	28,60	7	50,40	1560x660x1310	213,58	52,48	m ²	1 box
216274	5901193246914	Rockfon Blanka®		1800 x 600 x 20	8	8,64	1853x660x168	34,10	7	60,48	1860x660x1310	253,63	52,48	m ²	1 box



Rockfon Blanka®

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
204556	5901193267995	Rockfon Blanka®		600 x 600 x 20	12	4,32	612x612x240	13,26	20	86,40	1229x1229x1342	277,33	37,55	m ²	1 box	
204570	5901193267964	Rockfon Blanka®		1200 x 600 x 20	12	8,64	1212x612x240	25,62	10	86,40	1220x1229x1342	268,29	37,55	m ²	1 box	
204587	5901193268008	Rockfon Blanka®		600 x 600 x 20	12	4,32	603x603x240	13,01	20	86,40	1220x1220x1342	272,26	37,55	m ²	1 box	
204578	5901193268565	Rockfon Blanka®		1200 x 600 x 20	12	8,64	1203x603x240	25,26	10	86,40	1220x1220x1342	264,68	37,55	m ²	1 box	
-	-	Rockfon Blanka®		1500 x 600 x 20	-	-	-	-	-	-	-	-	-	44,36	m ²	75m ²
219144	5902565700041	Rockfon Blanka®		1800 x 600 x 20	8	8,64	1838x638x168	27,82	7	60,48	1860x660x1310	209,70	44,36	m ²	1 box	
-	-	Rockfon Blanka®		2100 x 600 x 25	-	-	-	-	-	-	-	-	-	49,50	m ²	75m ²
-	-	Rockfon Blanka®		2400 x 600 x 25	-	-	-	-	-	-	-	-	-	49,50	m ²	75m ²
326412	5902565754440	Rockfon Blanka®		900 x 900 x 25	6	4,86	900x900x150	17,34	14	68,04	1870x900x1194	261,08	49,50	m ²	75m ²	
219146	5902565700058	Rockfon Blanka®		1200 x 1200 x 25	6	8,64	1238x1238x158	33,40	7	60,48	1260x1238x1240	250,35	49,50	m ²	75m ²	



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
235588	5902565710736	Blanka Fusion XH		600 x 600 x 20	10	3,60	615x615x200	13,65	10	36,00	1260x630x1142	145,69	Contact Rockfon	m ²	75m ²
231979	5902565708955	Blanka Fusion XH		1200 x 600 x 20	10	7,20	1213x620x200	26,30	6	43,20	1260x630x1338	167,00	Contact Rockfon	m ²	75m ²
232014	5902565708962	Blanka Fusion XH		1800 x 600 x 20	8	8,64	1853x656x168	33,91	7	60,48	1860x630x1310	33,91	Contact Rockfon	m ²	75m ²
210393	5901193268282	Rockfon Blanka®		600 x 600 x 20	10	3,60	607x607x200	13,30	10	36,00	1260x630x1142	142,21	42,39	m ²	1 box
213457	5901193245399	Rockfon Blanka®		1200 x 600 x 20	10	7,20	1207x607x200	25,75	5	36,00	1260x630x1142	137,94	42,39	m ²	1 box
261780	5902565722739	Rockfon Blanka®		1800 x 600 x 20	10	10,80	1845x645x208	41,12	5	54,00	1860x660x1174	220,55	46,15	m ²	75m ²
326453	5902565754396	Rockfon Blanka®		900 x 900 x 25	6	4,86	907x907x15	21,19	14	68,04	1860x930x1194	315,08	50,77	m ²	75m ²
204801	5901193267971	Rockfon Blanka®		600 x 600 x 22	10	3,60	615x615x220	14,82	10	36,00	1260x630x1242	157,38	42,39	m ²	1 box
204802	5901193268459	Rockfon Blanka®		1200 x 600 x 22	10	7,20	1215x615x220	28,58	5	36,00	1260x630x1242	152,11	42,39	m ²	1 box
211874	5901193268930	Rockfon Blanka®		1800 x 600 x 22	10	10,80	1853x653x228	45,37	5	54,00	1860x660x1274	241,80	46,15	m ²	1 box
236099	5902565711016	Rockfon Blanka®		2100 x 600 x 25	6	7,56	2153x653x158	36,29	7	52,92	2170x660x1240	271,90	50,76	m ²	75m ²
230619	5902565708658	Rockfon Blanka®		2400 x 600 x 25	6	8,64	2453x653x158	41,33	7	60,48	2453x660x1240	308,50	50,76	m ²	75m ²
207537	5901193246501	Rockfon Blanka®		600 x 600 x 20	10	3,60	615x607x200	13,43	10	36,00	1260x630x1142	143,46	42,39	m ²	1 box
207540	5901193268299	Rockfon Blanka®		1200 x 600 x 20	10	7,20	1215x607x200	25,93	5	36,00	1260x630x1142	138,86	42,39	m ²	1 box
215692	5901193246334	Rockfon Blanka®		1800 x 600 x 20	10	10,80	1853x645x208	41,28	5	54,00	1860x660x1174	221,32	46,15	m ²	75m ²



Rockfon Blanka® Activity

- Smooth, deep-matt, super-white surface with high light reflection and light diffusion, which contributes to energy savings and a bright and comfortable indoor environment
- Highest sound absorption/Class A sound absorption when installed both suspended and direct
- Designed for classrooms and open plan offices where speech intelligibility is crucial and noise and activity levels are very high
- The enhanced surface durability makes it more resistant to dirt and everyday wear and tear, enhancing the product lifetime



α_w : 1,00
(Class A)



A1



Up to
100% RH.







87% light reflection
>99% light diffusion






Fully recyclable stone
wool



Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
211386	5901193268800	Rockfon Blanka® Activity		600 x 600 x 40	10	3,60	1206x609x200	23,44	12	43,20	1220x1223x1342	293,36	42,39	m ²	1 box
211387	5901193268817	Rockfon Blanka® Activity		1200 x 600 x 40	5	3,60	1206x609x200	23,47	12	43,20	1220x1223x1342	293,66	42,39	m ²	1 box
286780	5902565732141	Rockfon Blanka® Activity		600 x 600 x 40	5	1,80	615x615x200	13,04	10	18,00	1260x630x1142	139,26	51,63	m ²	1 box
287703	5902565732417	Rockfon Blanka® Activity		1200 x 600 x 40	5	3,60	1215x615x200	25,04	5	18,00	1260x630x1138	135,27	51,63	m ²	1 box



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
211401	5901193268824	Rockfon Blanka® Activity		600 x 600 x 40	5	1,80	615x615x200	13,01	10	18,00	1260x630x1142	139,28	57,06	m ²	75m ²	
211403	5902565723156	Rockfon Blanka® Activity		1200 x 600 x 40	5	3,60	1215x615x200	25,05	5	18,00	1260x630x1142	134,45	57,06	m ²	75m ²	
233405	5902565710187	Rockfon Blanka® Activity		2400 x 600 x 40	4	5,76	2453x653x168	42,79	7	40,32	2453x660x1310	318,71	59,12	m ²	75m ²	
227673	5902565707132	Rockfon Blanka® Activity		600 x 600 x 40	5	1,80	622x615x200	13,15	10	18,00	1260x630x1144	140,67	57,75	m ²	75m ²	
300850	5902565737269	Rockfon Blanka® Activity		600 x 600 x 40	5	1,80	603x603x200	12,37	20	36,00	1220x1220x1144	258,85	55,11	m ²	75m ²	
-	-	Rockfon Blanka® Activity		1200 x 600 x 40	-	-	-	-	-	-	-	-	-	55,11	m ²	75m ²
-	-	Rockfon Blanka® Activity		1500 x 600 x 40	-	-	-	-	-	-	-	-	-	56,37	m ²	75m ²
-	-	Rockfon Blanka® Activity		1800 x 600 x 40	-	-	-	-	-	-	-	-	-	56,37	m ²	75m ²
-	-	Rockfon Blanka® Activity		2100 x 600 x 40	-	-	-	-	-	-	-	-	-	56,37	m ²	75m ²
-	-	Rockfon Blanka® Activity		2400 x 600 x 40	-	-	-	-	-	-	-	-	-	56,37	m ²	75m ²



Rockfon Blanka® dB 35

- Combines room-to-room sound insulation as well as good sound absorption for a flexible office layout where confidentiality is not an issue
- Made from a 25mm stone wool core with a high performance membrane on the back which reduces the transmission of noise from room-to-room
- A deep-matt, smooth, super-white surface finish with enhanced durability making it more resistant to dirt and everyday wear and tear
- Basic range of formats in semi-concealed and visible grid options
- Light weight sound insulating tile, easy to install/cut and clean with a vacuum or damp cloth



α_w : 0,80
(Class B)



A2-s1,d0



Up to
100% RH.









87% light reflection
>99% light diffusion



Fully recyclable
stone wool



Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
223401	5902565704506	Rockfon Blanka® dB 35		600 x 600 x 25	22	7,92	1206x609x275	28,35	8	63,36	1220x1223x1242	238,86	32,55	m ²	1 box
239882	5902565713454	Rockfon Blanka® dB 35		1200 x 600 x 25	11	7,92	1206x609x275	28,35	8	63,36	1220x1223x1242	238,83	32,55	m ²	1 box
348213	5905289669151	Rockfon Blanka® dB 35		600 x 600 x 25	8	2,88	607x607x200	11,28	20	57,60	1220x1220x1144	236,99	43,31	m ²	1 box
348143	5905289669328	Rockfon Blanka® dB 35		1200 x 600 x 25	8	5,76	1209x609x200	21,49	10	57,60	1220x1223x1144	226,33	43,31	m ²	75m ²
348095	5905289669496	Rockfon Blanka® dB 35		600 x 600 x 25	8	2,88	607x607x200	10,87	20	57,60	1220x1220x1144	228,94	43,31	m ²	75m ²
348121	5905289669359	Rockfon Blanka® dB 35		1200 x 600 x 25	8	5,76	1203x603x200	21,19	10	57,60	1220x1220x1144	223,38	43,31	m ²	75m ²



Rockfon Blanka® dB 41

- Combines enhanced room-to-room sound insulation as well as a high level of sound absorption (Class A) for a flexible and quiet office layout
- Made from a 35mm stone wool core with a high-performance membrane on the back which reduces the transmission of noise from room-to-room
- The enhanced surface durability makes it more resistant to dirt and everyday wear and tear, enhancing the product lifetime
- Wide range of dimensions in concealed, semi-concealed and visible grid options
- Light weight sound insulating tile, easy to install/cut and clean with a vacuum or damp cloth



$\alpha_w: 0,90$
(Class A)



A2-s1,d0



Up to
100% RH.














87% light reflection
>99% light diffusion



Fully recyclable
stone wool



Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
255837	5902565719784	Rockfon Blanka® dB 41		600 x 600 x 35	12	4,32	1206x609x210	25,52	10	43,20	1220x1223x1192	267,23	35,73	m ²	1 box
255851	5902565719845	Rockfon Blanka® dB 41		1200 x 600 x 35	6	4,32	1206x609x210	25,54	10	43,20	1220x1223x1192	267,49	35,73	m ²	1 box
255838	5902565719890	Rockfon Blanka® dB 41		600 x 600 x 35	6	2,16	615x622x210	14,18	10	21,60	1260x630x1192	151,83	50,42	m ²	75m ²
255858	5902565719852	Rockfon Blanka® dB 41		1200 x 600 x 35	6	4,32	1215x622x210	27,34	5	21,60	1260x630x1192	146,76	50,42	m ²	75m ²
266057	5902565724573	Rockfon Blanka® dB 41		1200 x 600 x 35	6	4,32	1215x622x210	27,35	5	21,60	1260x630x1188	146,78	51,33	m ²	75m ²
260244	5902565722340	Rockfon Blanka® dB 41		1500 x 600 x 35	6	5,40	1553x660x218	36,35	5	27,00	1560x660x1224	195,12	51,84	m ²	75m ²
259062	5902565722111	Rockfon Blanka® dB 41		1800 x 600 x 35	6	6,48	1853x660x218	42,63	5	32,40	1860x660x1224	228,09	51,84	m ²	75m ²
255844	5902565719791	Rockfon Blanka® dB 41		600 x 600 x 35	6	2,16	612x612x210	13,04	20	43,20	1229x1229x1194	287,01	47,66	m ²	75m ²
255860	5902565719876	Rockfon Blanka® dB 41		1200 x 600 x 35	6	4,32	1212x612x210	26,46	10	43,20	1220x1229x1192	257,36	47,66	m ²	75m ²
255846	5902565719807	Rockfon Blanka® dB 41		600 x 600 x 35	6	2,16	603x603x210	13,46	20	43,20	1220x1220x1192	281,26	47,66	m ²	1 box
256765	5902565720223	Rockfon Blanka® dB 41		1200 x 600 x 35	6	4,32	1200x600x210	26,24	10	43,20	1220x1220x1192	253,44	47,66	m ²	75m ²



Rockfon Blanka® dB 43

- Combines enhanced room-to-room sound insulation as well as a high level of sound absorption (Class A) for flexible office layouts where confidentiality is important
- Made from a 40mm stone wool core with a high performance membrane on the back which reduces the transmission of noise from room-to-room
- A deep-matt, smooth, super-white surface finish with enhanced durability making it more resistant to dirt and everyday wear and tear
- Wide range of dimensions in concealed, semi-concealed and visible grid options
- Light weight sound insulating tile, easy to install/cut and clean with a vacuum or damp cloth



α_w : 0,90
(Class A)



A2-s1,d0



Up to
100% RH.













87% light reflection
>99% light diffusion



Fully recyclable
stone wool



Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
255862	5902565719838	Rockfon Blanka® dB 43		600 x 600 x 40	12	4,32	1206x609x240	31,18	10	43,20	1220x1223x1342	323,84	45,42	m ²	1 box
256827	5902565720285	Rockfon Blanka® dB 43		1200 x 600 x 40	6	4,32	1206x609x240	31,23	10	43,20	1220x1223x1342	324,31	45,42	m ²	1 box
256836	5902565720322	Rockfon Blanka® dB 43		600 x 600 x 40	6	2,16	615x622x240	17,33	10	21,60	1260x630x1342	185,32	57,88	m ²	75m ²
-	-	Rockfon Blanka® dB 43		1200 x 600 x 40	-	-	-	-	-	-	-	-	59,12	m ²	75m ²
288649	5902565732851	Rockfon Blanka® dB 43		1500 x 600 x 40	5	4,50	1553x660x208	37,13	5	22,50	1560x660x1174	199,04	62,33	m ²	75m ²
259435	5902565721909	Rockfon Blanka® dB 43		1800 x 600 x 40	5	5,40	1853x660x208	44,42	5	27,00	1860x660x1174	237,05	62,33	m ²	75m ²
256835	5902565720315	Rockfon Blanka® dB 43		600 x 600 x 40	6	2,16	612x612x240	16,65	20	43,20	1229x1229x1342	345,04	54,13	m ²	75m ²
256834	5902565720308	Rockfon Blanka® dB 43		1200 x 600 x 40	6	4,32	1212x612x240	32,45	10	43,20	1220x1229x1342	336,50	54,13	m ²	75m ²
255949	5902565719920	Rockfon Blanka® dB 43		600 x 600 x 40	6	2,16	603x603x240	16,31	20	43,20	1220x1220x1342	338,23	54,13	m ²	75m ²
256833	5902565720292	Rockfon Blanka® dB 43		1200 x 600 x 40	6	4,32	1203x603x240	31,95	10	43,20	1220x1220x1342	331,59	54,13	m ²	75m ²





Product: Rockfon Canva, Rockfon Color-all

Rockfon Blanka® dB 46

- Provides enhanced room-to-room sound insulation as well as a high level of sound absorption (Class A) in areas where privacy and acoustical comfort are important
- Made from a 50mm dual layer stone wool core with a high performance membrane sandwich construction
- The surface is deep-matt, smooth and super-white and has enhanced durability making it more resistant to dirt and everyday wear and tear
- Wide range of dimensions in concealed, semi-concealed and visible grid options
- Light weight sound insulating tile, easy to install/cut and clean with a vacuum or damp cloth



$\alpha_w: 0,90$
(Class A)



A2-s1,d0



Up to
100% RH.









87% light reflection
>99% light diffusion





Fully recyclable
stone wool



Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
255950	5902565719944	Rockfon Blanka® dB 46		600 x 600 x 50	8	2,88	1206x609x200	23,60	12	34,56	1220x1223x1342	295,24	56,32	m ²	1 box
256766	5902565720230	Rockfon Blanka® dB 46		1200 x 600 x 50	4	2,88	1206x609x200	23,63	12	34,56	1220x1223x1344	295,55	56,32	m ²	1 box
256792	5902565720261	Rockfon Blanka® dB 46		600 x 600 x 50	4	1,44	615x622x200	13,23	10	14,40	1260x630x1144	142,29	69,07	m ²	75m ²
281973	5902565730420	Rockfon Blanka® dB 46		1200 x 600 x 50	4	2,88	1215x622x200	25,43	5	14,40	1260x630x1138	123,05	71,08	m ²	75m ²
266230	5902565724672	Rockfon Blanka® dB 46		1500 x 600 x 50	4	3,60	1553x660x208	33,96	5	18,00	1560x660x1174	183,21	74,61	m ²	75m ²
275459	5902565727895	Rockfon Blanka® dB 46		1800 x 600 x 50	4	4,32	1853x660x208	40,62	5	21,60	1860x660x1174	218,02	74,61	m ²	75m ²



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
255953	5902565719968	Rockfon Blanka® dB 46	 E15	600 x 600 x 50	4	1,44	612x612x200	12,72	20	28,80	1229x1229x1142	266,35	65,04	m ²	1 box
256789	5902565720254	Rockfon Blanka® dB 46		1200 x 600 x 50	4	2,88	1209x609x200	24,65	10	28,80	1220x1223x1144	258,51	65,04	m ²	75m ²
255956	5902565719975	Rockfon Blanka® dB 46	 E24	600 x 600 x 50	4	1,44	603x603x200	12,46	20	28,80	1220x1220x1142	261,24	65,04	m ²	1 box
256789	5902565720254	Rockfon Blanka® dB 46		1200 x 600 x 50	4	2,88	1209x609x200	24,65	10	28,80	1220x1223x1144	258,51	65,04	m ²	75m ²



Rockfon Blanka® Bas

- Ideal for areas requiring sound reflection to promote speech intelligibility such as in classrooms and conference rooms
- Smooth, deep matt, super white surface providing visual continuity with entire Rockfon Blanka product range
- High light reflection and light diffusion, which contributes to energy savings and a bright and comfortable indoor environment
- The enhanced surface durability makes Rockfon Blanka Bas more resistant to dirt and everyday wear and tear, extending the product lifetime
- A-edge tile in basic range of dimensions



α_w : 0,25
(Class E)



A2-s1,d0



Up to
100% RH.







87% light reflection
>99% light diffusion



Fully recyclable
stone wool



Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	zMOQ
242993	5902565716011	Rockfon Blanka® Bas		600 x 600 x 20	20	7,20	1206x609x200	25,12	12	86,40	1220x1223x1342	313,32	39,42	m ²	1 box
242995	5902565716028	Rockfon Blanka® Bas		1200 x 600 x 20	10	7,20	1206x609x200	25,09	12	86,40	1220x1223x1342	313,19	39,42	m ²	1 box
242993	5902565716011	Rockfon Blanka® Bas		600 x 600 x 20	20	7,20	1206x609x200	25,12	12	86,40	1220x1223x1342	313,32	39,42	m ²	1 box
242995	5902565716028	Rockfon Blanka® Bas		1200 x 600 x 20	10	7,20	1206x609x200	25,09	12	86,40	1220x1223x1342	313,19	39,42	m ²	1 box



Rockfon Sonar®

- Aesthetic white, micro-textured surface for most applications
- Highest sound absorption/Class A sound absorption and highest fire safety (Class A1)
- Full range of formats and edges for complete design freedom
- Easy to clean with a vacuum and damp cloth



α_w : up to 1,00
(Class A)



A1



Up to
100% RH.



85%






Fully recyclable
stone wool







Vacuum
Damp cloth
Chemical resistance: resistant to diluted
solutions of ammonia, chlorine and
hydrogen peroxide

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
342353	5902565779344	Rockfon Sonar®	A15	600 x 600 x 20	24	8,64	1206x609x200	21,47	10	86,40	1220x1223x1342	226,78	24,22	m ²	1 box
342353	5902565779344	Rockfon Sonar®	A24	600 x 600 x 20	24	8,64	1206x609x200	21,47	10	86,40	1220x1223x1342	226,78	24,22	m ²	1 box
342350	5902565779351	Rockfon Sonar®		1200 x 600 x 20	12	8,64	1206x609x240	21,25	10	86,40	1220x1223x1342	224,50	24,22	m ²	1 box
290707	5902565733537	Rockfon Sonar®	B	600 x 600 x 20	10	3,60	615x615x200	14,14	10	36,00	1260x630x1142	150,58	35,28	m ²	1 box
290713	5902565733544	Rockfon Sonar®		1200 x 600 x 20	10	7,20	1215x615x200	27,31	5	36,00	1260x630x1142	145,76	35,28	m ²	1 box
34329	5708045036309	Rockfon Sonar®	C	600 x 600 x 20	10	3,60	615x615x200	14,12	10	36,00	1260x630x1142	150,40	35,28	m ²	1 box
34475	5708045036668	Rockfon Sonar®		1200 x 600 x 20	10	7,20	1215x615x200	27,28	5	36,00	1260x630x1142	145,57	35,28	m ²	75m ²



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
33063	5708045034442	Rockfon Sonar®		600 x 600 x 20	10	3,60	622x615x200	14,26	10	36,00	1260x630x1142	151,82	36,64	m ²	1 box	
33084	5708045034435	Rockfon Sonar®		1200 x 600 x 20	10	7,20	1215x622x200	27,50	5	36,00	1260x630x1142	146,71	36,64	m ²	1 box	
-	-	Rockfon Sonar®		1500 x 600 x 20	-	-	-	-	-	-	-	-	-	41,29	m ²	75m ²
33210	5708045035203	Rockfon Sonar®		1800 x 600 x 20	8	8,64	1853x660x168	35,36	6	51,84	1860x660x1142	227,11	41,29	m ²	75m ²	
326477	5902565754402	Rockfon Sonar®		900 x 900 x 25	6	4,86	922x915x153	22,47	14	68,04	1860x930x1194	332,90	46,52	m ²	75m ²	
33307	5708045035753	Rockfon Sonar®		1200 x 1200 x 25	6	8,64	1253x1260x158	42,07	7	60,48	1260x1260x1240	311,16	46,52	m ²	75m ²	
-	-	Rockfon Sonar®		2100 x 600 x 25	-	-	-	-	-	-	-	-	-	46,52	m ²	75m ²
33225	5708045035227	Rockfon Sonar®		2400 x 600 x 25	6	8,64	2453x660x158	43,01	7	60,48	2453x680x1240	320,37	46,52	m ²	75m ²	
-	-	Rockfon Sonar®		1200 x 600 x 20	-	-	-	-	-	-	-	-	-	43,22	m ²	75m ²
-	-	Rockfon Sonar®		1500 x 600 x 20	-	-	-	-	-	-	-	-	-	46,06	m ²	75m ²
-	-	Rockfon Sonar®		1800 x 600 x 20	-	-	-	-	-	-	-	-	46,06	m ²	75m ²	
-	-	Rockfon Sonar®		2100 x 600 x 25	-	-	-	-	-	-	-	-	-	46,06	m ²	75m ²
-	-	Rockfon Sonar®		2400 x 600 x 25	-	-	-	-	-	-	-	-	-	46,06	m ²	75m ²
-	-	Rockfon Sonar®		1200 x 600 x 20	-	-	-	-	-	-	-	-	-	46,06	m ²	75m ²
314678	5902565745011	Rockfon Sonar®		600 x 600 x 20	12	4,32	612x612x240	13,92	20	86,40	1229x1229x1342	290,43	28,77	m ²	1 box	
301512	5902565737511	Rockfon Sonar®		1200 x 600 x 20	12	8,64	1212x612x240	26,93	10	86,40	1220x1229x1342	281,39	28,77	m ²	1 box	



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
300854	5902565737252	Rockfon Sonar®		600 x 600 x 20	12	4,32	603x603x240	13,67	20	86,40	1220x1220x1342	285,36	28,77	m ²	1 box
301381	5902565737467	Rockfon Sonar®		1200 x 600 x 20	12	8,64	1203x603x240	26,57	10	86,40	1220x1220x1342	277,78	28,77	m ²	1 box
347053	5902565787837	Rockfon Sonar®		1500 x 600 x 20	8	7,20	1538x638x168	24,42	7	50,40	1560x638x1310	182,40	36,64	m ²	75m ²
306072	5902565740252	Rockfon Sonar®		1800 x 600 x 20	8	8,64	1838x638x168	29,13	7	60,48	1860x660x1310	277,78	36,64	m ²	75m ²
346984	5902565787745	Rockfon Sonar®		900 x 900 x 25	6	4,86	900x900x150	18,11	14	68,04	1805x900x1194	271,83	41,94	m ²	75m ²
347040	5902565787776	Rockfon Sonar®		1200 x 1200 x 25	6	8,64	1238x1238x158	34,71	7	60,48	1260x1238x1240	259,52	41,94	m ²	75m ²
347198	5902565788162	Rockfon Sonar®		2100 x 600 x 25	6	7,56	2138x638x158	30,97	7	52,92	2170x660x1240	234,63	41,94	m ²	75m ²
347212	5902565788179	Rockfon Sonar®		2400 x 600 x 25	6	8,64	2438x638x158	35,28	7	60,48	2438x660x1240	266,11	41,94	m ²	75m ²
33197	5708045034909	Rockfon Sonar®		600 x 600 x 20	10	3,60	607x607x200	13,83	10	36,00	1260x630x1142	147,49	36,64	m ²	1 box
34334	5708045036439	Rockfon Sonar®		1200 x 600 x 20	10	7,20	1207x607x200	26,80	5	36,00	1260x630x1142	143,22	36,64	m ²	1 box
96617	5901193280581	Rockfon Sonar®		600 x 600 x 22	10	3,60	615x615x220	15,35	10	36,00	1260x630x1242	162,65	36,64	m ²	1 box
96620	5901193280918	Rockfon Sonar®		1200 x 600 x 22	10	7,20	1215x615x220	29,64	5	36,00	1260x630x1242	157,39	36,64	m ²	1 box
96644	5901193281281	Rockfon Sonar®		1800 x 600 x 22	10	10,80	1853x653x228	46,96	5	54,00	1860x660x1274	249,72	41,29	m ²	1 box
174212	5901193279059	Rockfon Sonar®		2400 x 600 x 25	6	8,64	2453x653x158	42,60	7	60,48	2453x660x1240	317,36	46,29	m ²	75m ²
164405	5901193275693	Rockfon Sonar®		600 x 600 x 20	10	3,60	615x607x200	13,95	10	36,00	1260x630x1142	148,74	36,64	m ²	75m ²
135546	5901193270667	Rockfon Sonar®		1200 x 600 x 20	10	7,20	1215x607x200	26,99	5	36,00	1260x630x1142	144,14	36,64	m ²	1 box



Rockfon Sonar® Activity

- Designed for classrooms and open plan offices where speech intelligibility is crucial and noise and activity levels are very high
- Comes with an aesthetic white, micro-textured surface and high sound absorption when installed both suspended and direct
- Wide range of dimensions in concealed, semi-concealed and visible grid options
- Easy to clean with a vacuum and damp cloth



α_w : up to 1,00 (Class A)



A1



Up to 100% RH.



85%







Fully recyclable stone wool






Vacuum
Damp cloth

Chemical resistance: resistant to diluted solutions of ammonia, chlorine and hydrogen peroxide

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
342385	5902565779337	Rockfon Sonar® Activity		600 x 600 x 40	20	7,20	1208x608x400	26,52	6	43,20	1220x1221x1342	171,21	38,15	m ²	1 box
342387	5902565779320	Rockfon Sonar® Activity		1200 x 600 x 40	10	7,20	1208x608x400	26,16	6	43,20	1220x1221x1342	168,98	38,15	m ²	75m ²
290682	5902565733513	Rockfon Sonar® Activity		600 x 600 x 40	5	1,80	615x615x200	13,28	10	18,00	1260x630x1142	142,01	46,46	m ²	1 box
290686	5902565733520	Rockfon Sonar® Activity		1200 x 600 x 40	5	3,60	1215x615x200	25,60	5	18,00	1260x630x1142	137,18	46,46	m ²	1 box




SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
51041	5708045058028	Rockfon Sonar® Activity		600 x 600 x 40	5	1,80	615x615x200	13,27	10	18,00	1260x630x1142	141,92	51,33	m ²	1 box	
-	-	Rockfon Sonar® Activity		1200 x 300 x 40	-	-	-	-	-	-	-	-	-	53,16	m ²	75m ²
56832	5708045064630	Rockfon Sonar® Activity		1200 x 600 x 40	5	3,60	1215x615x200	25,58	5	18,00	1260x630x1142	137,09	51,33	m ²	75m ²	
52463	5708045060403	Rockfon Sonar® Activity		2400 x 600 x 40	4	5,76	2453x653x168	43,64	6	34,56	2453x660x1142	280,99	53,16	m ²	75m ²	
218549	5901193249403	Rockfon Sonar® Activity		600 x 600 x 40	5	1,80	622x615x200	13,41	10	18,00	1260x630x1142	143,33	55,95	m ²	75m ²	
342648	5902565779443	Rockfon Sonar® Activity		600 x 600 x 40	5	1,80	603x603x200	10,62	20	36,00	1220x1220x1342	224,09	43,83	m ²	75m ²	
342652	5902565779450	Rockfon Sonar® Activity		1200 x 600 x 40	5	3,60	1203x603x200	20,51	10	36,00	1220x1220x1142	217,17	43,83	m ²	75m ²	
-	-	Rockfon Sonar® Activity		1500 x 600 x 40	-	-	-	-	-	-	-	-	-	50,09	m ²	75m ²
-	-	Rockfon Sonar® Activity		1800 x 600 x 40	-	-	-	-	-	-	-	-	-	50,09	m ²	75m ²
-	-	Rockfon Sonar® Activity		2100 x 600 x 40	-	-	-	-	-	-	-	-	-	50,09	m ²	75m ²
-	-	Rockfon Sonar® Activity		2400 x 600 x 40	-	-	-	-	-	-	-	-	-	50,09	m ²	75m ²



Rockfon Sonar® dB 35

- Combines room-to-room sound insulation as well as good sound absorption for a flexible office layout where confidentiality is not an issue
- Made from a 25mm stone wool core with a high performance membrane on the back which reduces the transmission of noise from room-to-room
- Basic range of dimensions in semi-concealed and visible grid options
- Light weight sound insulating tile, easy to install/cut and clean with a vacuum or damp cloth



α_w : 0,80
(Class B)




A1



Up to
100% RH.









85%



Fully recyclable
stone wool







Vacuum
Damp cloth
Chemical resistance: resistant to diluted
solutions of ammonia, chlorine and
hydrogen peroxide

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
121327	5901193292492	Rockfon Sonar® dB 35		600 x 600 x 25	22	7,92	1206x609x275	29,58	8	63,36	1220x1223x1242	248,66	27,36	m ²	75m ²
126147	5901193297459	Rockfon Sonar® dB 35		1200 x 600 x 25	11	7,92	1206x609x275	29,57	8	63,36	1220x1223x1242	248,63	27,36	m ²	75m ²
-	-	Rockfon Sonar® dB 35		600 x 600 x 25	-	-	-	-	-	-	-	-	33,92	m ²	75m ²
-	-	Rockfon Sonar® dB 35		1200 x 600 x 25	-	-	-	-	-	-	-	-	33,92	m ²	75m ²
-	-	Rockfon Sonar® dB 35		600 x 600 x 25	-	-	-	-	-	-	-	-	33,92	m ²	75m ²
348220	5902565744489	Rockfon Sonar® dB 35		1200 x 600 x 25	6	4,32	1200x606x150	16,58	14	60,48	1220x1220x1194	243,60	33,92	m ²	75m ²



Rockfon Sonar® dB 41

- Combines enhanced room-to-room sound insulation as well as a high level of sound absorption (Class A) for a flexible and quiet office layout
- Made from a 35mm stone wool core with a high-performance membrane on the back which reduces the transmission of noise from room-to-room
- Wide range of dimensions in concealed, semi-concealed and visible grid options
- Light weight sound insulating tile, easy to install and clean with a vacuum or damp cloth




SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
255849	5902565719821	Rockfon Sonar® dB 41	A24	600 x 600 x 35	12	4,32	1206x609x210	26,19	10	43,20	1220x1223x1192	273,91	29,68	m ²	1 box
260293	5902565722357	Rockfon Sonar® dB 41	A24	1200 x 600 x 35	6	4,32	1206x609x210	26,21	10	43,20	1220x1223x1194	274,18	29,68	m ²	75m ²
258722	5902565721442	Rockfon Sonar® dB 41	D	600 x 600 x 35	6	2,16	615x622x210	11,47	10	21,60	1260x630x1192	154,15	45,73	m ²	75m ²
-	-	Rockfon Sonar® dB 41	D	1200 x 600 x 35	-	-	-	-	-	-	-	-	45,73	m ²	75m ²
313864	5902565744502	Rockfon Sonar® dB 41	D/AEX	1200 x 600 x 35	6	4,32	1215x622x210	22,94	5	21,60	1260x630x1188	150,31	46,54	m ²	75m ²
-	-	Rockfon Sonar® dB 41	D/AEX	1500 x 600 x 35	-	-	-	-	-	-	-	-	47,67	m ²	75m ²
-	-	Rockfon Sonar® dB 41	D/AEX	1800 x 600 x 35	-	-	-	-	-	-	-	-	47,67	m ²	75m ²
313859	5902565744496	Rockfon Sonar® dB 41	E15	600 x 600 x 35	6	2,16	612x612x210	11,04	20	43,20	1220x1220x1194	290,44	42,16	m ²	75m ²
313879	5902565744465	Rockfon Sonar® dB 41	E15	1200 x 600 x 35	6	4,32	1209x609x210	22,23	10	43,20	1222x1224x1194	280,10	42,16	m ²	75m ²
258724	5902565721459	Rockfon Sonar® dB 41	E24	600 x 600 x 35	6	2,16	603x603x210	10,79	20	43,20	1220x1220x1192	287,60	42,16	m ²	75m ²
263993	5902565723750	-	E24	1200 x 600 x 35	6	4,32	1200x600x210	21,85	10	43,20	1220x1220x1194	280,80	42,16	m ²	75m ²



Rockfon Sonar® dB 43

- Combines enhanced room-to-room sound insulation as well as a high level of sound absorption (Class A) for flexible office layouts where confidentiality is important
- Made from a 40mm stone wool core with a high performance membrane on the back which reduces the transmission of noise from room-to-room
- Wide range of dimensions in concealed, semi-concealed and visible grid options
- Light weight sound insulating tile, easy to install and clean with a vacuum or damp cloth



$\alpha_w: 0,90$
(Class A)



A1



Up to
100% RH.











85%



Fully recyclable
stone wool



Vacuum
Damp cloth
Chemical resistance: resistant to diluted
solutions of ammonia, chlorine and
hydrogen peroxide

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
255954	5902565719937	Rockfon Sonar® dB 43		600 x 600 x 40	12	4,32	1206x609x240	31,85	10	43,20	1220x1223x1342	330,52	37,85	m ²	1 box
257908	5902565720964	Rockfon Sonar® dB 43		1200 x 600 x 40	6	4,32	1206x609x240	31,90	10	43,20	1220x1223x1342	331,00	37,85	m ²	75m ²
271064	5902565726126	Rockfon Sonar® dB 43		600 x 600 x 40	6	2,16	615x622x240	17,64	10	21,60	1260x630x1342	186,49	54,46	m ²	75m ²
-	-	Rockfon Sonar® dB 43		1500 x 600 x 40	-	-	-	-	-	-	-	-	59,12	m ²	75m ²
278584	5902565729073	Rockfon Sonar® dB 43		600 x 600 x 40	6	2,16	612x612x240	16,97	20	43,20	1229x1229x1342	351,37	49,02	m ²	75m ²
313874	5902565744472	Rockfon Sonar® dB 43		1200 x 600 x 40	5	3,60	1209x609x200	27,45	10	36,00	1220x1223x1144	285,96	49,02	m ²	75m ²
255962	5902565720001	Rockfon Sonar® dB 43		600 x 600 x 40	6	2,16	603x603x240	16,63	20	43,20	1220x1220x1342	344,57	49,02	m ²	1 box
288913	5902565733087	Rockfon Sonar® dB 43		1200 x 600 x 40	6	4,32	1203x603x240	32,36	10	43,20	1220x1220x1344	335,02	49,02	m ²	75m ²



Rockfon Sonar® dB 46

- Combines enhanced room-to-room sound insulation as well as a high level of sound absorption (Class A) in areas where privacy and acoustical comfort is important
- Made from a 50mm dual layer stone wool core with a high performance membrane sandwich construction which reduces the transmission of noise from room-to-room
- Wide range of dimensions in concealed, semi-concealed and visible grid options
- Light weight sound insulating tile, easy to install and clean with a vacuum or damp cloth



α_w : 0,90
(Class A)



A2-s1,d0



Up to
100% RH.












85%



Fully recyclable
stone wool



Vacuum
Damp cloth
Chemical resistance: resistant to diluted
solutions of ammonia, chlorine and
hydrogen peroxide

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
255958	5902565719982	Rockfon Sonar® dB 46		600 x 600 x 50	8	2,88	1206x609x200	24,05	12	34,56	1220x1223x1342	300,59	46,93	m ²	1 box
259191	5902565721701	Rockfon Sonar® dB 46		1200 x 600 x 50	4	2,88	1206x609x200	24,07	12	34,56	1220x1223x1342	300,89	46,93	m ²	1 box
255959	5902565719999	Rockfon Sonar® dB 46		600 x 600 x 50	4	1,44	615x622x200	13,44	10	14,40	1260x630x1142	144,41	61,00	m ²	75m ²
-	-	Rockfon Sonar® dB 46		1200 x 600 x 50	-	-	-	-	-	-	-	-	62,01	m ²	75m ²
-	-	Rockfon Sonar® dB 46		1800 x 600 x 50	-	-	-	-	-	-	-	-	67,98	m ²	75m ²
313925	5902565744533	Rockfon Sonar® dB 46		600 x 600 x 50	4	1,44	607x607x200	12,97	20	28,80	1220x1220x1144	270,76	59,24	m ²	75m ²
313919	5902565744526	Rockfon Sonar® dB 46		1200 x 600 x 50	4	2,88	1207x607x200	24,99	10	28,80	1220x1220x1144	261,38	59,24	m ²	75m ²
258726	5902565721466	Rockfon Sonar® dB 46		600 x 600 x 50	4	1,44	603x603x200	12,67	20	28,80	1220x1220x1144	265,46	59,24	m ²	75m ²
262623	5902565723033	Rockfon Sonar® dB 46		1200 x 600 x 50	4	2,88	1203x603x200	24,70	10	28,80	1220x1220x1144	259,06	59,24	m ²	75m ²



Rockfon Sonar® Bas

- Ideal for areas requiring sound reflection to promote speech intelligibility such as in classrooms and conference rooms
- Basic range of formats in a variety of edges
- Easy to clean with a vacuum or damp cloth



α_w : 0,20
(Class E)



A1



Up to
100% RH.



85%



Fully recyclable
stone wool



Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
126205	5901193295172	Rockfon Sonar® Bas	A15	600 x 600 x 20	20	7,20	1206x609x200	28,97		0,00	1220x1223x1342	359,65	35,80	m ²	1 box
126205	5901193295172	Rockfon Sonar® Bas	A24	600 x 600 x 20	20	7,20	1206x609x200	28,97		0,00	1220x1223x1342	359,65	35,80	m ²	1 box
126207	5901193296544	Rockfon Sonar® Bas	A24	1200 x 600 x 20	10	7,20	1206x609x200	28,96	12	86,40	1220x1223x1342	359,52	35,80	m ²	250m ²
33067	5708045034688	Rockfon Sonar® Bas	D	600 x 600 x 20	10	3,60	622x615x200	15,25	10	36,00	1260x630x1142	161,69	49,20	m ²	250m ²
-	-	Rockfon Sonar® Bas	E15	600 x 600 x 20	-	-	-	-	-	-	-	-	42,35	m ²	250m ²
-	-	Rockfon Sonar® Bas	E24	600 x 600 x 20	-	-	-	-	-	-	-	-	42,35	m ²	250m ²
-	-	Rockfon Sonar® Bas	E24	1200 x 600 x 20	-	-	-	-	-	-	-	-	42,35	m ²	250m ²





Rockfon Color-all®

- 34 exclusive colours for acoustic ceiling and wall solutions to inspire and enhance your interior design scheme
- Subtle yet playful colours made to mix and match either within the same room or in different areas of a building
- Total design freedom due to exposed, semi-concealed and concealed edges in a large variety of module sizes
- Matching grid (main runner, cross tees, perimeter wall angle trim) in an attractive matt finish are also available



α_w : 0,95
(Class A)



A1



Up to
100% RH.




Colour-
dependent



Fully recyclable
stone wool
















Vacuum




NCS codes are closest colour match - contact us for more information. The actual colour of the ceiling tiles may deviate slightly from printed colours due to the texture of the surface and the underlying colour of stone wool. Samples of the coloured surfaces are available upon request.



SAP and EAN numbers





SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
-	-	Rockfon Color-all®		600 x 600 x 15	32	11,52	1206x609x240	23,07	10	115,20	1220x1223x1342	242,74	23,92	m ²	Please see below
-	-	Rockfon Color-all®		600 x 600 x 15	32	11,52	1206x609x240	23,07	10	115,20	1220x1223x1342	242,74	23,92	m ²	Please see below
-	-	Rockfon Color-all®		1200 x 600 x 15	16	11,52	1206x609x240	23,031	10	115,20	1220x1223x1342	242,36	23,92	m ²	Please see below
-	-	Rockfon Color-all®		600 x 600 x 40	5	1,80	615x615x200	13,68	10	18,00	1260x630x1142	145,71	56,02	m ²	Please see below
-	-	Rockfon Color-all®		1200 x 600 x 40	5	3,60	1215x615x200	25,87	5	18,00	1260x630x1142	138,56	56,02	m ²	Please see below
-	-	Rockfon Color-all®		600 x 600 x 20	12	4,32	612x612x240	14,93	20	86,40	1229x1229x1342	310,66	44,82	m ²	Please see below
-	-	Rockfon Color-all®		1200 x 600 x 20	12	8,64	1212x612x240	28,96	10	86,40	1220x1229x1342	301,68	44,82	m ²	Please see below
-	-	Rockfon Color-all®		600 x 600 x 20	12	4,32	603x603x240	14,62	20	86,40	1220x1220x1342	304,42	44,82	m ²	Please see below
-	-	Rockfon Color-all®		1200 x 600 x 20	12	8,64	1203x603x240	28,51	10	86,40	1220x1220x1342	297,18	44,82	m ²	Please see below
-	-	Rockfon Color-all®		1800 x 600 x 20	8	8,64	1838x638x168	29,68	7	60,48	1860x660x1310	222,66	55,20	m ²	Please see below
-	-	Rockfon Color-all®		600 x 600 x 22	10	3,6	615x615x220	14,11	10	36,00	1260x630x1242	150,29	51,48	m ²	Please see below
-	-	Rockfon Color-all®		1200 x 600 x 22	10	7,2	1215x615x220	27,14	5	36,00	1260x630x1242	144,89	51,48	m ²	Please see below
-	-	Rockfon Color-all®		1800 x 600 x 22	10	10,8	1853x653x228	45,41	5	54,00	1860x660x1274	241,99	63,24	m ²	Please see below



	 A				
	600x600x15	600x600x20	1200x600x15	1200x600x20	(other dimensions)*
01 Stone	1 box				
02 Plaster	23 m ²	23 m ²	23 m ²		
03 Gravel					
05 Zinc					
06 Concrete					
08 Anthracite	1 box				
09 Charcoal		1 box	1 box		
10 Moon	23 m ²				
12 Mint					
13 Sandalwood					
17 Mastic	1 box				
18 Iron	23 m ²	23 m ²	23 m ²	23 m ²	23 m ²
20 Stucco					
21 Chalk					
22 Linen					
23 Hemp					
24 Cork					
25 Earth					
26 Clay					
28 Ebony					
30 Sand					
31 Sage					
32 Eucalyptus					
34 Seaweed					
42 Fresh					
47 Azure					
48 Storm					
49 Space					
51 Mustard					
62 Mercury					
71 Scarlet					
74 Petal					
75 Seashell					
76 Coral					

* The minimum order quantity (MOQ) for A-edge panels with standard dimensions is 23 m². The minimum order quantity (MOQ) for A-edge panels with non-standard dimensions is 75 m².
 Standard dimensions A15/A24:
 15mm thickness: 600x600mm and 1200x600mm
 20mm thickness: 1500x600mm, 1800x600mm, 2100x600mm and 2400x600mm












							OTHER EDGES																					
	600x600x40	1200x600x40	600x600x20	600x600x20	1200x600x20	600x600x22	1200x600x22	Other dimensions																				
01 Stone	1 box	1 box	1 box	1 box	75 m ²	1 box	1 box	75 m ²																				
02 Plaster	75 m ²	75 m ²	75 m ²	75 m ²		75 m ²	75 m ²		75 m ²																			
03 Gravel										1 box	1 box	1 box																
05 Zinc																												
06 Concrete	1 box		75 m ²	1 box	1 box	75 m ²	1 box		1 box																			
08 Anthracite	1 box				1 box																							
09 Charcoal	1 box				1 box																							
10 Moon	75 m ²		75 m ²	75 m ²	75 m ²	75 m ²	75 m ²		75 m ²																			
12 Mint										1 box	1 box																	
13 San-dalwood																												
17 Mastic				1 box	1 box	1 box	1 box																					
18 Iron				75 m ²	75 m ²	75 m ²	75 m ²		75 m ²	75 m ²	75 m ²																	
20 Stucco																												
21 Chalk																												
22 Linen																												
23 Hemp																												
24 Cork																												
25 Earth																												
26 Clay																												
28 Ebony																												
30 Sand																												
31 Sage	75 m ²			75 m ²								75 m ²	75 m ²	75 m ²	75 m ²	75 m ²												
32 Eucalyptus																	1 box											
34 Seaweed																	75 m ²											
42 Fresh	75 m ²																75 m ²	75 m ²	75 m ²	75 m ²	75 m ²	75 m ²						
47 Azure																							1 box					
48 Storm																												
49 Space	75 m ²																						75 m ²	75 m ²	75 m ²	75 m ²	75 m ²	75 m ²
51 Mustard																												
62 Mercury																												
71 Scarlet																												
74 Petal																												
75 Seashell																												
76 Coral																												



Rockfon Color-all® Special

- Innovative and aesthetically pleasing smooth, matt surface with an unlimited custom colour range using NCS
- Rockfon Color-all Special is available in exposed, semi-concealed and concealed edges in a large variety of module sizes, allowing for unique design freedom to inspire and enhance your interior design scheme



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
-	-	Rockfon Color-all® Special		600 x 600 x 20	12	4,32	-	-	20	86,40	-	-	40,79	m ²	1 box
-	-	Rockfon Color-all® Special		1200 x 600 x 20	12	8,64	-	-	10	86,40	-	-	40,79	m ²	1 box
-	-	Rockfon Color-all® Special		600 x 600 x 20	12	4,32	-	-	20	86,40	-	-	40,79	m ²	1 box
-	-	Rockfon Color-all® Special		1200 x 600 x 20	12	8,64	-	-	10	86,40	-	-	40,79	m ²	1 box
-	-	Rockfon Color-all® Special		600 x 600 x 40	5	1,80	-	-	10	18,00	-	-	76,26	m ²	1 box
-	-	Rockfon Color-all® Special		1200 x 600 x 40	5	3,60	-	-	5	18,00	-	-	76,26	m ²	1 box
-	-	Rockfon Color-all® Special		600 x 600 x 20	6	2,16	-	-	8	17,28	-	-	62,40	m ²	1 box
-	-	Rockfon Color-all® Special		600 x 600 x 22	10	3,60	-	-	10	36,00	-	-	68,94	m ²	1 box
-	-	Rockfon Color-all® Special		1200 x 600 x 22	10	7,20	-	-	5	36,00	-	-	68,94	m ²	1 box



Rockfon® Koral

- Aesthetic white, micro-textured surface
- High sound absorption/Class A sound absorption and highest fire safety (Class A1)
- Full range of formats in semi-concealed and visible grid options
- Surface can be cleaned with a damp cloth or vacuumed



α_w : up to 1.00
(Class A)



A1



Up to
100% RH.





86%







Fully recyclable
stone wool



Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
138830	5901193273057	Rockfon® Koral		600 x 600 x 15	32	11,52	1206x609x240	22,76	10	115,20	1220x1223x1342	239,63	19,38	m ²	1 box	
138830	5901193273057	Rockfon® Koral		600 x 600 x 15	32	11,52	1206x609x240	22,76	10	115,20	1220x1223x1342	239,63	19,38	m ²	1 box	
138838	5901193273347	Rockfon® Koral		1200 x 600 x 15	16	11,52	1206x609x240	22,69	10	115,20	1220x1223x1342	238,99	19,38	m ²	1 box	
158111	5901193275891	Rockfon® Koral		600x600x20	24	8,64	1206x609x240	21,24	10	86,40	1220x1223x1342	224,46	24,45	m ²	1 box	
77763	5708045094125	Rockfon® Koral		1200x600x20	14	10,08	1206x609x280	24,63	8	80,64	1220x1223x1342	209,09	24,45	m ²	1 box	
217152	5901193247690	Rockfon® Koral			1800 x 600 x 20	12	12,96	1812x612x250	32,23	8	103,68	1840x1229x1144	278,38	25,13	m ²	75m ²
217154	5901193247706	Rockfon® Koral		2100 x 600 x 20	12	15,12	2112x612x250	37,91	8	120,96	2160x1229x1144	328,14	29,24	m ²	75m ²	
217155	5901193247713	Rockfon® Koral		2400 x 600 x 20	12	17,28	2412x612x250	42,76	8	-	2430x1229x1144	368,83	29,24	m ²	75m ²	
-	-	Rockfon® Koral		1200 x 900 x 25	-	-	-	-	-	-	-	-	-	28,16	m ²	75m ²
99404	5901193290696	Rockfon® Koral		1200 x 1200 x 25	11	15,84	1212x1212x285	41,56	4	63,36	1220x1220x1278	177,68	28,16	m ²	75m ²	



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
13527	5708045029882	Rockfon® Koral		600 x 600 x 40	20	7,20	1206x609x400	25,55	6	43,20	1220x1223x1342	165,37	28,16	m ²	1 box
13382	5708045029400	Rockfon® Koral		1200 x 600 x 40	10	7,20	1206x609x400	25,45	6	43,20	1220x1223x1342	164,77	28,16	m ²	1 box
192433	5901193264048	Rockfon® Koral		600 x 600 x 20	24	8,64	1206x609x240	22,62	10	86,40	1220x1223x1342	238,26	29,68	m ²	75m ²
240098	5902565713812	Rockfon® Koral		1200 x 600 x 20	12	8,64	1206x609x240	22,16	10	86,40	1220x1223x1342	233,68	29,68	m ²	75m ²
179226	5901193265595	Rockfon® Koral		600 x 600 x 40	12	4,32	1206x609x240	20,41	8	34,56	1220x1223x1102	175,31	36,34	m ²	75m ²
179242	5901193264055	Rockfon® Koral		1200 x 600 x 40	6	4,32	1206x609x240	19,50	8	34,56	1220x1223x1102	171,64	36,34	m ²	75m ²
139001	5901193273163	Rockfon® Koral		600 x 600 x 15	16	5,76	612x612x240	14,81	20	115,20	1229x1229x1342	308,29	24,83	m ²	1 box
246892	5902565717315	Rockfon® Koral		1200 x 600 x 15	16	11,52	1212x612x240	28,72	10	115,20	1220x1229x1342	299,25	24,83	m ²	1 box
138991	5901193273309	Rockfon® Koral		600 x 600 x 15	16	5,76	603x603x240	14,59	20	115,20	1220x1220x1342	303,22	24,83	m ²	1 box
138962	5901193273316	Rockfon® Koral		1200 x 600 x 15	16	11,52	1203x603x240	28,36	10	115,20	1220x1220x1342	295,64	24,83	m ²	1 box



Rockfon® Koral Tenor

- Aesthetic white, micro-textured surface that is ideal for areas like concert and lecture halls or for low frequency areas
- Providing high sound absorption at low frequencies and low sound absorption at high frequencies
- The highest fire safety (Class A1)
- Surface can be cleaned with a damp cloth or vacuumed
- Basic range of dimensions and edges



α_w : 0,60
(Class C)



A1



Up to
100% RH.



Fully recyclable
stone wool



Vacuum
Damp cloth



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
158119	5901193277741	Rockfon® Koral Tenor		600 x 600 x 15	32	11,52	1206x609x240	24,87	10	115,20	1220x1223x1342	260,71	25,74	m ²	250m ²
318105	5902565746650	Rockfon® Koral Tenor		1200 x 600 x 15	16	11,52	1206x609x240	21,72	10	115,20	1220x1223x1342	229,22	25,74	m ²	250m ²
-	-	Rockfon® Koral Tenor		1200 x 1200 x 25	-	-	-	-	-	-	-	-	-	33,50	m ²



Rockfon® Koral 100 mm

- Aesthetic white, micro-textured surface
- High sound absorption (Class A). Perfect for both high and low frequency areas and the highest fire safety (Class A1)
- Surface can be cleaned with a damp cloth or vacuumed
- Basic range of dimensions and edges



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
69730	5708045075407	Rockfon® Koral 100 mm		600 x 600 x 100	8	2,88	1206x609x400	23,28	6	17,28	1220x1223x1342	151,73	39,36	m ²	250m ²
69732	5708045075414	Rockfon® Koral 100 mm		1200 x 600 x 100	4	2,88	1206x609x400	23,18	6	17,28	1220x1223x1342	151,12	39,36	m ²	250m ²



Rockfon® Tropic

- Smooth attractive white surface for various of applications
- High sound absorption/Class A sound absorption
- Full range of formats in semi-concealed and visible grid options
- Easy to clean with a vacuum



α_w : up to 1.00
(Class A)



A1



Up to
100% RH.



86%



Fully recyclable
stone wool



Vacuum

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
131367	5901193270131	Rockfon® Tropic		600 x 600 x 15	32	11,52	1206x609x240	19,53	10	115,20	1220x1223x1342	207,37	14,18	m ²	1 box
178905	5901193260644	Rockfon® Tropic		600 x 600 x 20	24	8,64	1206x609x240	18,82	10	86,40	1220x1223x1342	200,27	18,25	m ²	1 box
131379	5901193299514	Rockfon® Tropic		1200 x 600 x 15	16	11,52	1206x609x240	19,47	10	115,20	1220x1223x1342	206,73	14,18	m ²	1 box
176951	5901193279707	Rockfon® Tropic		1200 x 600 x 20	12	8,64	1206x609x240	18,76	10	86,40	1220x1223x1342	199,63	18,25	m ²	1 box
131367	5901193270131	Rockfon® Tropic		600 x 600 x 15	32	11,52	1206x609x240	19,53	10	115,20	1220x1223x1342	207,37	14,18	m ²	1 box
178905	5901193260644	Rockfon® Tropic		600 x 600 x 20	24	8,64	1206x609x240	18,82	10	86,40	1220x1223x1342	200,27	18,25	m ²	1 box
131379	5901193299514	Rockfon® Tropic		1200 x 600 x 15	16	11,52	1206x609x240	19,47	10	115,20	1220x1223x1342	206,73	14,18	m ²	1 box
176951	5901193279707	Rockfon® Tropic		1200 x 600 x 20	12	8,64	1206x609x240	18,76	10	86,40	1220x1223x1342	199,63	18,25	m ²	1 box
103616	5901193287214	Rockfon® Tropic		600 x 600 x 40	20	7,20	1206x609x400	23,54	6	43,20	1220x1229x1342	153,28	25,30	m ²	1 box
103618	5901193287405	Rockfon® Tropic		1200 x 600 x 40	10	7,20	1206x609x400	23,44	6	43,20	1220x1229x1342	152,67	25,30	m ²	1 box
291557	5902565733940	Rockfon® Tropic		1800 x 600 x 20	12	12,96	1812x612x250	28,21	8	103,68	1840x1229x1144	246,21	20,54	m ²	1 box
131096	5901193298418	Rockfon® Tropic		600 x 600 x 15	16	5,76	612x612x240	13,39	20	115,20	1220x1229x1342	279,76	17,27	m ²	1 box
240216	5902565714079	Rockfon® Tropic		600 x 600 x 20	12	4,32	612x612x240	12,93	20	86,40	1229x1229x1342	270,63	21,48	m ²	1 box
131098	5901193270179	Rockfon® Tropic		1200 x 600 x 15	16	11,52	1212x612x240	25,77	10	115,20	1220x1229x1342	269,72	17,27	m ²	1 box
138971	5901193276461	Rockfon® Tropic		1200 x 600 x 20	12	8,64	1212x612x240	24,95	10	86,40	1220x1229x1342	261,59	21,48	m ²	1 box
131151	5901193298135	Rockfon® Tropic		600 x 600 x 15	16	5,76	603x603x240	13,13	20	115,20	1220x1220x1342	274,69	17,27	m ²	1 box
131158	5901193298142	Rockfon® Tropic		1200 x 600 x 15	16	11,52	1203x603x240	25,41	10	115,20	1220x1220x1342	266,11	17,27	m ²	1 box
163223	5901193260743	Rockfon® Tropic		600 x 600 x 20	12	4,32	603x603x240	12,68	20	86,40	1220x1220x1342	265,56	21,48	m ²	1 box
240218	5902565714093	Rockfon® Tropic		1200 x 600 x 20	12	8,64	1203x603x240	24,59	10	86,40	1220x1220x1342	257,98	21,48	m ²	1 box



Rockfon® Artic

- Standard surface ideal for most common applications
- Good acoustic properties
- Basic range of dimensions in semi-concealed and visible grid options
- Easy to clean with a vacuum



α_w : up to 1.00
(Class A)



A1



Up to
100% RH.










82%



Fully recyclable
stone wool



Vacuum

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
240067	5902565713607	Rockfon® Artic		600 x 600 x 15	32	11,52	1206x609x240	19,59	10	115,20	1220x1223x1342	207,94	9,47	m ²	1 box
239992	5902565713539	Rockfon® Artic		1200 x 600 x 15	16	11,52	1206x609x240	19,53	10	115,20	1220x1223x1342	207,30	9,47	m ²	1 box
240067	5902565713607	Rockfon® Artic		600 x 600 x 15	32	11,52	1206x609x240	19,59	10	115,20	1220x1223x1342	207,94	9,47	m ²	1 box
239992	5902565713539	Rockfon® Artic		1200 x 600 x 15	16	11,52	1206x609x240	19,53	10	115,20	1220x1223x1342	207,30	9,47	m ²	1 box
240069	5902565713621	Rockfon® Artic		600 x 600 x 20	24	8,64	1206x609x240	17,89	10	86,40	1220x1223x1342	200,71	12,14	m ²	1 box
240004	5902565713553	Rockfon® Artic		1200 x 600 x 20	12	8,64	1206x609x240	18,80	10	86,40	1220x1223x1342	200,06	12,14	m ²	12 pallets
240068	5902565713614	Rockfon® Artic		600 x 600 x 15	16	5,76	612x612x240	13,41	20	115,20	1229x1229x1342	280,33	13,45	m ²	1 box
240029	5902565713577	Rockfon® Artic		1200 x 600 x 15	16	11,52	1212x612x240	25,83	10	115,20	1220x1229x1342	270,29	13,45	m ²	1 box
240041	5902565713584	Rockfon® Artic		600 x 600 x 15	16	5,76	603x603x240	13,16	20	115,20	1220x1220x1342	275,26	13,45	m ²	1 box
240044	5902565713591	Rockfon® Artic		1200 x 600 x 15	16	11,52	1203x603x240	25,46	10	115,20	1220x1220x1342	266,68	13,45	m ²	1 box



Rockfon Pacific®

- Economical tile with standard surface
- Class A sound absorption with lightweight 12mm thickness
- Basic range of tile dimensions in semi-concealed and visible grid options
- Easy to clean with a vacuum



α_w : 0,90
(Class A)



A1









Up to
100% RH.



Fully recyclable
stone wool



Vacuum

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
270144	5902565725617	Rockfon Pacific®		600 x 600 x 12	40	14,40	1206x609x240	20,00	10	144,00	1220x1226x1342	212,03	7,36	m ²	1 pallet
270169	5902565725648	Rockfon Pacific®		1200 x 600 x 12	20	14,40	1206x609x240	20,08	10	144,00	1220x1223x1342	192,03	7,36	m ²	1 pallet
270144	5902565725617	Rockfon Pacific®		600 x 600 x 12	40	14,40	1206x609x240	20,00	10	144,00	1220x1226x1342	212,03	7,36	m ²	1 pallet
270169	5902565725648	Rockfon Pacific®		1200 x 600 x 12	20	14,40	1206x609x240	20,08	10	144,00	1220x1223x1342	212,88	7,36	m ²	1 pallet
306953	5902565740740	Rockfon Pacific®		600 x 600 x 12	20	7,20	612x612x240	13,30	20	144,00	1229x1229x1342	277,99	9,90	m ²	1 pallet
306908	5902565740696	Rockfon Pacific®		600 x 600 x 12	20	7,20	603x603x240	12,96	20	144,00	1220x1220x1342	271,30	9,90	m ²	1 pallet

Pacific tiles are sold in full pallets.









Product: Rockfon Blanka, Rockfon Color-all



Rockfon Pacific® 15mm

- Standard surface ideal for most common applications
- Very good sound absorption lightweight tile
- Basic A-edge tile available in standard dimensions
- Easy to clean with a vacuum

 $\alpha_w: 0,90$ (Class A)
  A1
  Up to 100% RH.
  77 %
  Fully recyclable stone wool
  Vacuum

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
301896	5902565737542	Rockfon Pacific® 15mm		600 x 600 x 15	32	11,52	1206x609x240	17,87	10	115,20	1220x1223x1342	212,03	8,53	m ²	1 pallet
301898	5902565737559	Rockfon Pacific® 15mm		1200 x 600 x 15	16	11,52	1206x609x240	17,95	10	115,20	1220x1223x1342	212,03	8,53	m ²	1 pallet
301896	5902565737542	Rockfon Pacific® 15mm		600 x 600 x 15	32	11,52	1206x609x240	17,87	10	115,20	1220x1223x1342	212,03	8,53	m ²	1 pallet
301898	5902565737559	Rockfon Pacific® 15mm		1200 x 600 x 15	16	11,52	1206x609x240	17,95	10	115,20	1220x1223x1342	212,03	8,53	m ²	1 pallet

Pacific tiles are sold in full pallets.



Rockfon® Sofit

- Plain pre-painted white fleece
- Class C sound absorption lightweight tile
- Basic A-edge tile available in standard 600 X 600 dimension
- Easy to clean with a vacuum



α_w : up to 0,65
(Class C)



A1







Up to
100% RH.



Fully recyclable
stone wool



Vacuum

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
304257	5902565738877	Rockfon® Sofit		600 x 600 x 12	40	14,40	1206x609x240	20,00	10	144,00	1220x1223x1342	212,03	6,90	m ²	1 pallet
274214	5902565727413	Rockfon® Sofit		600 x 600 x 15	32	11,52	1206x609x240	17,87	10	115,20	1220x1223x1342	190,73	7,82	m ²	1 pallet
304257	5902565738877	Rockfon® Sofit		600 x 600 x 12	40	14,40	1206x609x240	20,00	10	144,00	1220x1223x1342	212,03	6,90	m ²	1 pallet
274214	5902565727413	Rockfon® Sofit		600 x 600 x 15	32	11,52	1206x609x240	17,87	10	115,20	1220x1223x1342	190,73	7,82	m ²	1 pallet

Sofit tiles are sold in full pallets.



Rockfon CleanSpace® Essential

- Rockfon CleanSpace Essential has a white, gently cleanable, micro-textured surface
- A-edge tile available in standard dimensions
- High sound absorption (Class A) and highest fire safety (Class A1)
- Surface can be cleaned with a damp cloth or vacuumed
- Low particle emission: ISO Class 4
- Up to 100% humidity resistance



α_w : up to 1,00
(Class A)



A1



Up to
100% RH.



85%



Fully recyclable
stone wool




Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
319412	5902565748661	Rockfon CleanSpace® Essential		600 x 600 x 12	40	14,40	1206x609x240	24,72	10	144,00	1220x1223x1342	259,25	11,70	m ²	1 pallet
319410	5902565748654	Rockfon CleanSpace® Essential		1200 x 600 x 12	20	14,40	1206x609x240	24,78	10	144,00	1220x1223x1342	259,82	11,70	m ²	2 pallets
319936	8718232363702	Rockfon CleanSpace® Essential		600 x 600 x 20	24	8,64	1210x610x240	20,34	10	86,40	1220x1223x1342	203,42	20,04	m ²	1 box
319937	8718232363719	Rockfon CleanSpace® Essential		1200 x 600 x 20	12	8,64	1210x610x240	20,23	10	86,40	1220x1220x1342	202,34	20,04	m ²	1 box

CleanSpace Essential 12mm tiles are sold in full pallets.



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
319412	5902565748661	Rockfon CleanSpace® Essential	 A24	600 x 600 x 12	40	14,40	1206x609x240	24,72	10	144,00	1220x1223x1342	259,25	11,70	m ²	1 pallet	
319410	5902565748654	Rockfon CleanSpace® Essential		1200 x 600 x 12	20	14,40	1206x609x240	24,78	10	144,00	1220x1223x1342	259,82	11,70	m ²	2 pallets	
319936	8718232363702	Rockfon CleanSpace® Essential		600 x 600 x 20	24	8,64	1210x610x240	20,34	10	86,40	1220x1223x1342	203,42	20,04	m ²	1 box	
319937	8718232363719	Rockfon CleanSpace® Essential		1200 x 600 x 20	12	8,64	1210x610x240	20,23	10	86,40	1220x1220x1342	202,34	20,04	m ²	1 box	
319939	8718232363733	Rockfon CleanSpace® Essential		600 x 600 x 25	24	8,64	1210x610x300	24,10	8	69,12	1220x1220x1340	192,80	25,26	m ²	75m ²	
319935	8718232363696	Rockfon CleanSpace® Essential		1200 x 600 x 25	12	8,64	1210x610x300	24,02	8	69,12	1220x1220x1340	192,19	25,26	m ²	75m ²	
-	-	Rockfon CleanSpace® Essential		1500 x 600 x 25	-	-	-	-	-	-	-	-	-	31,62	m ²	75m ²
-	-	Rockfon CleanSpace® Essential		1800 x 600 x 25	-	-	-	-	-	-	-	-	-	31,62	m ²	75m ²
-	-	Rockfon CleanSpace® Essential		2100 x 600 x 25	-	-	-	-	-	-	-	-	-	31,62	m ²	75m ²
-	-	Rockfon CleanSpace® Essential		2400 x 600 x 25	-	-	-	-	-	-	-	-	-	31,62	m ²	75m ²

CleanSpace Essential 12mm tiles are sold in full pallets.





Rockfon CleanSpace® Block

- Rockfon CleanSpace Block is specifically designed for use in high-risk, air pressure controlled environments such as cleanrooms and laboratories where there are demanding sanitation requirements
- Very low particle emission: ISO Class 2
- Resistance to stringent detergents and disinfectants, resulting in 'Excellent' chemical resistance classification
- Does not contribute to the growth of microorganisms

Vacuum
Damp cloth
Steam cleaning (twice a year)
Low pressure foam cleaning (twelve times a year)
High pressure cleaning (only applicable for A-edge installation). Max. 80 bar, min. 1 meter distance, water spread at 30° angle, max. water flow XXL/sec. The tiles should be clipped into the grid.



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
319806	8718232363412	Rockfon CleanSpace® Block		600 x 600 x 25	18	6,48	1210x610x230	15,00	10	64,80	1220x1220x1342	150,00	148,20	m ²	1 box *
319807	8718232363429	Rockfon CleanSpace® Block		1200 x 600 x 25	9	6,48	1210x610x230	15,00	10	64,80	1220x1220x1343	150,00	148,20	m ²	1 box *

Accessories – Rockfon CleanSpace® Block

SAP	Product	pcs/box	Price in EUR/pcs
169258	Rockfon inspection hatch 600x600mm 	1 pcs/box	240,80 *
356018	ALU tape 50m width 75 mm 	1 pcs/box	31,80
237952	Hold down clip 2 	150 pcs/box	0,68



Rockfon CleanSpace® Air

- A high-quality, smooth white acoustic ceiling tile
- Rockfon CleanSpace Air is designed for use in pressurised healthcare environments and where differential air pressure is required
- Does not contribute to the growth of MRSA, low particle emission (ISO Class 3)
- Fulfilling the requirements of Zone 4 (very high risk). Microbiological class M1
- Allows for rigorous cleaning with standard detergents and effectively disinfected by dry steam cleaning
- Class B sound absorption (25 mm) and Class A for 40 mm and highest fire safety (Class A1)



α_w : up to 1,00 (Class A)



A1



Up to 100% RH.



85%



Fully recyclable stone wool



Vacuum
Damp cloth
Steam cleaning (twice a year). Use only soft equipment directly on the tile surface: cloth or sponge. Avoid scraping or stiff brush rubbing.

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
332073	5902565761691	Rockfon CleanSpace® Air		600 x 600 x 25	22	7,92	1206x609x275	24,65	8	63,36	1220x1223x1244	208,61	48,20	m ²	1 box	
332194	5902565761707	Rockfon CleanSpace® Air		1200 x 600 x 25	11	7,92	1206x609x275	24,02	8	63,36	1220x1223x1244	204,21	48,20	m ²	1 box	
-	-	Rockfon CleanSpace® Air		600 x 600 x 40	-	-	-	-	-	-	-	-	-	65,32	m ²	250m ²
346255	5902565786175	Rockfon CleanSpace® Air		1200 x 600 x 40	10	7,20	1206x608x400	32,63	6	43,20	1220x1221x1342	207,86	65,32	m ²	250m ²	

Accessories – Rockfon CleanSpace® Air

SAP	Product	pcs/box	Price in EUR/pcs
100835	Rockfon inspection hatch 600x600mm 	1 pcs/box	240,80 *
356018	ALU tape 50m width 75 mm 	1 pcs/box	31,80
116332	Neopren tape 250 mm 	1 pcs/box	97,50 **
237952	Hold down clip 2 	150 pcs/box	0,68



Rockfon CleanSpace® Pure

- Rockfon CleanSpace Pure is a smooth, deep-matt, pure white cleanable ceiling tile with good acoustic properties. Applicable in various room types with cleanability requirements. The product is long-lasting and withstands numerous cleaning and disinfection methods
- Full range of dimensions and edges for complete design freedom
- High sound absorption (Class A) and highest fire safety (Class A1)
- Low particle emission: ISO Class 3



α_w : up to 1,00
(Class A)



A1



Up to
100% RH.



86% light reflection
>99% light diffusion



Fully recyclable
stone wool



Vacuum
Damp cloth
High pressure cleaning (only applicable for A-edge
installation). Max. 80 bar, min. 1 meter distance,
water spread at 30° angle, max. water flow 360
L/h. The tiles should be clipped into the grid.

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
321883	5902565750831	Rockfon CleanSpace® Pure		600 x 600 x 20	24	8,64	1206x609x240	18,77	10	86,40	1220x1222x1342	199,73	38,86	m ²	1 box
321882	5902565750817	Rockfon CleanSpace® Pure		1200 x 600 x 20	12	8,64	1206x609x240	18,84	10	86,40	1220x1223x1342	200,47	38,86	m ²	1 box
321932	5902565751104	Rockfon CleanSpace® Pure		600 x 600 x 40	20	7,20	1206x608x400	28,78	6	43,20	1220x1223x1342	184,71	44,21	m ²	75m ²
321925	5902565751098	Rockfon CleanSpace® Pure		1200 x 600 x 40	10	7,20	1206x608x400	28,90	6	43,20	1220x1223x1342	185,46	44,21	m ²	75m ²
321992	5902565751135	Rockfon CleanSpace® Pure		600 x 600 x 20	12	4,32	603x603x240	12,98	20	86,40	1220x1220x1342	271,61	46,40	m ²	1 box
321994	5902565751111	Rockfon CleanSpace® Pure		1200 x 600 x 20	12	8,64	1203x603x240	25,20	10	86,40	1220x1220x1342	264,68	46,40	m ²	75m ²
322072	5902565751227	Rockfon CleanSpace® Pure		600 x 600 x 22	10	3,60	615x615x220	14,79	10	36,00	1260x630x1242	157,38	53,68	m ²	75m ²
322063	5902565751234	Rockfon CleanSpace® Pure		1200 x 600 x 22	10	7,20	1215x615x220	28,53	5	36,00	1260x630x1242	152,11	53,68	m ²	75m ²



Rockfon MediCare® Standard

- Fulfills all standard cleaning and hygienic requirements for use in healthcare environments
- Does not contribute to the growth of MRSA and ensures low particle emission (ISO Class 5)
- High sound absorption and highest fire safety (Class A1)
- Basic range of tile dimensions in semi-concealed and visible grid options



α_w : 0,95
(Class A)



A1



Up to
100% RH.











86%



Fully recyclable
stone wool



Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
138825	5901193273064	Rockfon MediCare® Standard		600 x 600 x 15	32	11,52	1206x609x240	22,76	10	115,20	1220x1223x1342	239,63	21,80	m ²	1 box
138882	5901193273897	Rockfon MediCare® Standard		1200 x 600 x 15	16	11,52	1206x609x240	22,69	10	115,20	1220x1223x1342	238,99	21,80	m ²	1 box
138825	5901193273064	Rockfon MediCare® Standard		600 x 600 x 15	32	11,52	1206x609x240	22,76	10	115,20	1220x1223x1342	239,63	21,80	m ²	1 box
138882	5901193273897	Rockfon MediCare® Standard		1200 x 600 x 15	16	11,52	1206x609x240	22,69	10	115,20	1220x1223x1342	238,99	21,80	m ²	1 box
240159	5902565714000	Rockfon MediCare® Standard		600 x 600 x 15	16	5,76	612x612x240	14,81	20	115,20	1229x1229x1342	308,29	29,68	m ²	1 box
138995	5901193273828	Rockfon MediCare® Standard		600 x 600 x 15	16	5,76	603x603x240	14,56	20	115,20	1220x1220x1342	303,22	29,68	m ²	1 box
163222	5901193275754	Rockfon MediCare® Standard		1200x600x15	16	11,52	1212x612x240	28,72	10	115,20	1220x1229x1342	299,25	29,68	m ²	75 m ²
240158	5902565713997	Rockfon MediCare® Standard		1200x600x15	16	11,52	1203x603x240	28,36	10	115,20	1220x1220x1342	295,64	29,68	m ²	1 box



Rockfon MediCare® Plus

- For demanding healthcare applications requiring cleaning with damp cloth using standard detergents and specialist dry steam cleaning
- Does not contribute to the growth of MRSA, low particle emission (ISO Class 3)
- High sound absorption/Class A sound absorption and highest fire safety (Class A1)
- Full range of formats in concealed, semi-concealed and visible grid options



$\alpha_{w,0.5}$: up to 1.00
(Class A)



A1



Up to
100% RH.



85%



Fully recyclable
stone wool




Vacuum
Damp cloth
Dry steam cleaning (twice a year)



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
138960	5901193273507	Rockfon MediCare® Plus		600 x 600 x 20	24	8,64	1206x609x240	20,71	10	86,40	1220x1223x1342	219,19	29,76	m ²	1 box
139281	5901193273514	Rockfon MediCare® Plus		1200 x 600 x 20	12	8,64	1206x609x240	20,68	10	86,40	1220x1223x1342	218,81	29,76	m ²	1 box
129095	5901193295585	Rockfon MediCare® Plus		1800 x 600 x 20	14	15,12	1812x612x290	36,81	8	120,96	1850x1229x1304	315,11	33,77	m ²	1 box
314555	5902565744762	Rockfon MediCare® Plus		2100 x 600 x 25	11	13,86	2112x612x285	40,84	8	110,88	2160x1229x1284	351,65	34,90	m ²	75m ²
121097	5901193299965	Rockfon MediCare® Plus		2400 x 600 x 25	11	15,84	2412x612x285	45,95	8	126,72	2430x1229x1284	394,36	34,90	m ²	75m ²
240155	5902565713966	Rockfon MediCare® Plus		600 x 600 x 20	12	4,32	603x603x240	13,67	20	86,40	1220x1220x1342	285,52	35,10	m ²	1 box
240156	5902565713973	Rockfon MediCare® Plus		1200 x 600 x 20	12	8,64	1203x603x240	26,59	10	86,40	1220x1220x1342	277,94	35,10	m ²	250m ²
97891	5901193282301	Rockfon MediCare® Plus		600 x 600 x 22	10	3,60	615x615x220	15,37	10	36,00	1260x630x1242	162,90	39,17	m ²	1 box
240157	5902565713980	Rockfon MediCare® Plus		1200 x 600 x 22	10	7,20	1215x615x220	29,65	5	36,00	1260x630x1242	157,45	39,17	m ²	250m ²



Rockfon MediCare® Block

- Specifically designed for use in high-risk, pressurised healthcare environments where high cleanability is required such as emergency rooms, washing facilities and intensive care
- Does not contribute to the growth of MRSA, Clean Room Classification ISO Class 2
- Very good cleanability properties for most stringent cleaning methods, chemical resistance classification 'Excellent'



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
127556	8718232094453	Rockfon MediCare® Block		600 x 600 x 25	18	6,48	1210x610x230	15,00	10	64,80	1220x1220x1280	230,00	177,30	m ²	1 box *
127560	8718232094477	Rockfon MediCare® Block		1200 x 600 x 25	9	6,48	1210x610x230	15,00	10	64,80	1220x1220x1280	230,00	177,30	m ²	1 box *

Accessories – Rockfon MediCare® Block

SAP	Product	pcs/box	Price in EUR/pcs
169258	Rockfon inspection hatch 600x600mm 	1 pcs/box	240,80 *
356018	ALU tape 50m width 75 mm 	1 pcs/box	31,80
237952	Klips dociskowy HDC2 	150 pcs/box	0,68



Rockfon MediCare® Air

- Specifically designed for use in pressurised healthcare environments where differential air pressure is required to prevent infection spreading eg. surgeries, recovery rooms, intensive care, etc.
- Does not contribute to the growth of MRSA, low particle emission (ISO Class 3)
- Can be cleaned with standard detergents and effectively disinfected by dry steam cleaning
- Class B sound absorption and highest fire safety (Class A1)
- Basic A-edge tile available in standard dimensions



α_w : 0,80
(Class B)



A1



Up to
100% RH.





85%







Fully recyclable
stone wool



Vacuum
Damp cloth
Dry steam cleaning (twice a year)

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
98908	5901193282547	Rockfon MediCare® Air		600 x 600 x 25	22	7,92	1206x609x275	25,70	8	63,36	1220x1223x1242	217,66	44,82	m ²	1 box
98910	5901193284428	Rockfon MediCare® Air		1200 x 600 x 25	11	7,92	1206x609x275	25,18	8	63,36	1220x1223x1242	213,46	44,82	m ²	1 box

Accessories – Rockfon MediCare® Air

SAP	Product	pcs/box	Price in EUR/pcs
100835	Rockfon inspection hatch 600x600mm 	1 pcs/box	240,80 *
356018	ALU tape 50m width 75 mm 	1 pcs/box	31,80
116332	Neopren tape 250 mm 	1 pcs/box	97,50 **
237952	Hold down clip 2 	150 pcs/box	0,68



Rockfon® Samson

- Impact-resistant white woven surface, ideal for high activity areas
- High sound absorption (Class A) and the highest fire safety (Class A1)
- Basic range of dimensions and edges



α_w : up to 1,00
(Class A)



A1



Up to
100% RH.



72%



Fully recyclable
stone wool



Vacuum

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
37614	5708045053764	Rockfon® Samson		600 x 600 x 40	20	7,20	1206x609x400	29,81	6	43,20	1220x1223x1342	190,89	42,60	m ²	1 box
37616	5708045053757	Rockfon® Samson		1200 x 600 x 40	10	7,20	1206x609x400	29,75	6	43,20	1220x1223x1342	190,52	42,60	m ²	1 box
65517	5708045069765	Rockfon® Samson		2400 x 600 x 40	8	11,52	2412x612x330	49,07	6	69,12	2430x1229x1134	321,14	45,58	m ²	1 box
37614	5708045053764	Rockfon® Samson		600 x 600 x 40	20	7,20	1206x609x400	29,81	6	43,20	1220x1223x1342	190,90	42,60	m ²	1 box
37616	5708045053757	Rockfon® Samson		1200 x 600 x 40	10	7,20	1206x609x400	29,75	6	43,20	1220x1223x1342	190,52	42,60	m ²	1 box
217724	5901193248093	Rockfon® Samson		1166 x 1166 x 40	10	13,596	1186x1186x410	58,40	2	27,192	1220x1200x958	133,04	46,38	m ²	75m ²



Rockfon® Boxer

- Highly impact-resistant micro-textured white, ideal for high activity areas such as schools and sports facilities
- High sound absorption (Class A) and the highest fire safety (Class A1)
- Basic range of dimensions and edges



α_w : up to 1,00
(Class A)



A1



Up to
100% RH.



85 %



Fully recyclable
stone wool



Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
138866	5901193273750	Rockfon® Boxer	<p>A24</p>	600 x 600 x 20	24	8,64	1206x609x240	21,63	10	86,40	1220x1223x1342	228,30	32,40	m ²	1 box	
138874	5901193273354	Rockfon® Boxer		1200 x 600 x 20	12	8,64	1206x609x240	21,59	10	86,40	1220x1223x1342	227,92	32,40	m ²	1 box	
-	-	Rockfon® Boxer		1800 x 600 x 20	-	-	-	-	-	-	-	-	-	38,60	m ²	75m ²
320710	5902565749293	Rockfon® Boxer		2100 x 600 x 20	12	15,12	2112x612x250	37,32	8	120,96	2160x1229x1144	323,41	38,60	m ²	75m ²	
-	-	Rockfon® Boxer		2400 x 600 x 20	-	-	-	-	-	-	-	-	-	38,60	m ²	75m ²
84435	5708045095795	Rockfon® Boxer		<p>AEX</p>	600 x 600 x 40	20	7,20	1206x609x400	31,57	6	43,20	1220x1223x1342	201,46	35,73	m ²	1 box
84436	5708045095801	Rockfon® Boxer			1200 x 600 x 40	10	7,20	1206x609x400	31,51	6	43,20	1220x1223x1342	201,08	35,73	m ²	1 box
100703	5901193284176	Rockfon® Boxer			2400 x 600 x 40	8	11,52	2412x612x330	51,88	6	69,12	2430x1229x1134	338,04	42,94	m ²	75m ²
216749	5901193247348	Rockfon® Boxer	1166 x 1166 x 40		5	6,798	1186x1186x210	32,52	5	33,990	1220x1200x1188	178,85	41,71	m ²	75m ²	



Rockfon® Facett

- Soft structured surface
- High sound absorption (Class A) and the highest fire safety (Class A1)
- Provides premium thermal insulation that is ideal for areas such as parking garages (high thermal conductivity $\lambda_D = 37 \text{ mW/mK}$)
- Full dimensional stability and resistance to 100% relative air humidity
- Tiles recommended for garages, industrial and production facilities



α_w : up to 1,00
(Class A)



A1



Up to
100% RH.



Fully recyclable
stone wool



Vacuum
Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
11305	5708045016813	Rockfon® Facett	<p>A24</p>	1200 x 600 x 40	10	7,20	1206x609x400	29,16	6	43,20	1220x1223x1342	187,01	20,18	m ²	250m ²	
343222	5902565780845	Rockfon® Facett		1200 x 600 x 50	4	2,88	1206x609x200	14,77	10	28,80	1220x1223x1144	159,18	24,29	m ²	250m ²	
-	-	Rockfon® Facett		1200 x 600 x 60	-	-	-	-	-	-	-	-	-	28,60	m ²	250m ²
-	-	Rockfon® Facett		1200 x 600 x 80	-	-	-	-	-	-	-	-	-	30,24	m ²	250m ²
-	-	Rockfon® Facett		1200 x 600 x 100	-	-	-	-	-	-	-	-	-	34,05	m ²	250m ²
271613	8718232279409	Rockfon® Facett	<p>Bp</p>	1200 x 600 x 50	6	4,32	1210x610x300	23,66	8	34,56	1220x1220x1340	199,28	36,52	m ²	1 box*	
271614	8718232279416	Rockfon® Facett		1200 x 600 x 60	4	2,88	1210x610x240	18,82	10	28,8	1220x1220x1340	198,2	42,04	m ²	1 box*	
271615	8718232279423	Rockfon® Facett		1200 x 600 x 80	5	3,6	1210x610x400	29,05	6	21,6	1220x1220x1340	184,3	50,08	m ²	1 box*	
271616	8718232279430	Rockfon® Facett		1200 x 600 x 100	4	2,88	1210x610x400	28,76	6	17,28	1220x1220x1340	182,56	60,04	m ²	1 box*	



Rockfon® Industrial Black

- Soft structured black surface that can be used either as a ceiling or place behind other surfaces
- High sound absorption (Class A) and the highest fire safety (Class A1)
- Basic range of dimensions and edges



α_w : 1,00
(Class A)



A1



Up to
100% RH.



Fully recyclable
stone wool




Vacuum

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
11550	5708045009426	Rockfon® Industrial Black		1200 x 600 x 50	8	5,76	1206x609x400	21,80	6		1220x1223x1342	142,87	20,76	m ²	1 box	
-	-	Rockfon® Industrial Black		1200 x 1200 x 50	-	-	-	-	-	-	-	-	-	27,52	m ²	250m ²
-	-	Rockfon® Industrial Black		1200 x 600 x 80	-	-	-	-	-	-	-	-	-	32,04	m ²	250m ²
158096	5901193276614	Rockfon® Industrial Black		1200 x 600 x 100	4	2,88	1206x609x400	21,56	6	17,28	1220x1223x1342	141,38	35,73	m ²	1 box	



Rockfon® Industrial Opal

- Soft structured off-white surface that can be used either as a ceiling or place behind other surfaces
- High sound absorption (Class A) and the highest fire safety (Class A1)
- Basic range of dimensions and edges



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
173359	5901193279691	Rockfon® Industrial Opal		1200 x 600 x 50	8	5,76	1206x609x400	22,42	6	34,56	1220x1223x1342	146,57	22,10	m ²	1 box
216954	5901193247591	Rockfon® Industrial Opal		1200 x 1200 x 50	6	8,64	1212x1212x310	36,98	3	25,92	1220x1220x1068	122,39	28,76	m ²	1 box
321530	5902565750619	Rockfon® Industrial Opal		1200 x 600 x 80	5	3,60	1206x606x400	21,87	4	14,40	1220x1220x944	98,91	34,97	m ²	250m ²
173361	5901193279820	Rockfon® Industrial Opal		1200 x 600 x 100	4	2,88	1206x609x400	22,04	6	17,28	1220x1223x1342	144,29	35,73	m ²	1 box

Rockfon® Industrial Nature

- Soft structured natural surface that can be used either as a ceiling or place behind other surfaces
- High sound absorption (Class A) and the highest fire safety (Class A1)
- Basic range of dimensions and edges



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
14027	5708045031809	Rockfon® Industrial Nature		1200 x 600 x 50	8	5,76	1206x609x400	22,02	6	34,56	1220x1223x1342	144,15	19,83	m ²	1 box	
259519	5902565721985	Rockfon® Industrial Nature		1200 x 1200 x 50	6	8,64	1212x1212x310	36,38	3	25,92	1220x1220x1068	120,57	26,58	m ²	250m ²	
-	-	Rockfon® Industrial Nature		1200 x 600 x 80	-	-	-	-	-	-	-	-	-	31,21	m ²	250m ²
11562	5708045009310	Rockfon® Industrial Nature		1200 x 600 x 100	6	2,88	1206x609x400	21,84	6	17,28	1220x1223x1342	143,08	35,73	m ²	1 box	



Rockfon® Soundstop

- Acoustic barriers which reduce noise transfer in ceiling and floor plenums
- Easy to install above or below modular partitions




C-s1,d0



Up to 100% RH.



Fully recyclable stone wool



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
26672	8711698835769	Rockfon® Soundstop 30 dB	-	1200 x 1000 x 60	40	-	1200x1000x1300	-	-	48,00	1200x1000x30	182,95	22,26	m ²	5 pallets *

Rockfon® Rocklux

- Sound insulating cap limiting sound transmission through technical installations
- Ideal in combination with Rockfon dB products for optimal confidentiality and privacy
- Suitable for a large range of technical installations in several modular dimensions
- Easy to install




A1



Up to 100% RH.



Fully recyclable stone wool






SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
259227	5415043102249	Rockfon Rocklux®		1105 x 1105 x 30	-	-	-	-	-	-	-	-	140,70	pcs	1 box **
259228	5415043102263	Rockfon Rocklux®		1780 x 745 x 30	-	-	-	-	-	-	-	-	149,41	pcs	1 box **



Rockfon® Eclipse

- Innovative and aesthetically pleasing frameless acoustic island comes in a smooth, deep-matt, and super white surface providing high light reflection, light diffusion and anti-static properties, extending product lifetime
- Rockfon Eclipse is available in a variety of shaped formats with a clean minimalistic A-edge and an unlimited custom colour range using NCS
- Quick and easy to install, Rockfon Eclipse can be used alone or where a traditional suspended ceiling cannot be installed
- Perfect for thermal mass installations with rear surface providing excellent heat and light reflection




SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m²/box	Box dimensions	gross weight kg/box	boxes/pallet	m²/pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
308777	5902565741655	Rockfon® Eclipse Square	A	580 x 580 x 40	4	-	633x633x170	10,64		-	1300x633x1230	110,11	60,56	pcs	1 box	
277643	5902565728779	Rockfon® Eclipse Square		1160 x 1160 x 40	4	-	1213x1213x170	40,55	6	-	1220x1220x1230	254,39	109,58	pcs	1 box	
285845	5902565731762	Rockfon® Eclipse Rectangle		1160 x 580 x 40	4	-	1213x633x170	20,80	6	-	1220x633x1230	135,14	77,86	pcs	1 box	
269344	5902565725426	Rockfon® Eclipse Rectangle		1760 x 1160 x 40	4	-	1813x1213x170	60,39	6	-	1850x1220x1230	382,63	164,38	pcs	1 box	
284447	5902565731472	Rockfon® Eclipse Rectangle		2360 x 1160 x 40	2	-	2413x1213x95	41,26	12	-	2440x1220x1350	521,94	259,55	pcs	1 box	
285846	5902565731779	Rockfon® Eclipse Circle		800 x 800 x 40	4	-	846x862x170	19,59	12	-	1760x862x1230	251,43	129,70	pcs	1 box	
285847	5902565731786	Rockfon® Eclipse Circle		1160 x 1160 x 40	4	-	1208x1220x170	39,81	6	-	1220x1220x1230	249,12	149,32	pcs	1 box	
285851	5902565731816	Rockfon® Eclipse Triangle		1160 x 1160 x 40	4	-	1208x1067x170	33,85	6	-	1220x1220x1230	181,36	149,32	pcs	1 box	
285848	5902565731793	Rockfon® Eclipse Hexagon		1160 x 1160 x 40	4	-	1208x1067x170	34,62	6	-	1220x1220x1230	217,95	161,47	pcs	1 box	
285850	5902565731809	Rockfon® Eclipse Oval		1760 x 1160 x 40	4	-	1808x1222x170	59,28	6	-	1850x1222x1230	375,08	238,10	pcs	1 box	
-	-	Rockfon® Eclipse Free-form		1760 x 1160 x 40	-	-	-	-	-	-	-	-	-	Contact Rockfon	pcs	1 box
300466	5902565737115	Rockfon Eclipse XL		2360 x 580 x 40	2	2,74	2413 x 633 x 100	23,43	12	32,88	2413 x 660 x 1350	298,69	237,20	pcs	1 box	



Rockfon® Eclipse Colour












- Innovative and aesthetically pleasing frameless acoustic island comes in a smooth coloured, matt surface
- Rockfon Eclipse Colour is available in two formats (circle and square) and 11 exclusive colours from the Rockfon Color-All range to inspire and enhance your interior design scheme
- Subtle yet playful colours made to mix and match either within the same room or in different areas of a building
- Quick and easy to install, Rockfon Eclipse Colour can be used alone or where a traditional suspended ceiling cannot be installed
- Perfect for thermal mass installations with rear surface providing excellent heat and light reflection



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m²/box	Box dimensions	gross weight kg/box	boxes/pallet	m²/pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
-	-	Rockfon® Eclipse Colour Circle	A	1160 x 1160 x 40	2	-	1213x1213x90	16,68	12	-	1220x1220x1350	200,17	251,60	pcs	1 box
-	-	Rockfon® Eclipse Colour Square	A	1160 x 1160 x 40	2	-	1213x1213x90	20,24	12	-	1220x1220x1350	242,87	187,90	pcs	1 box

Available colours

SAP and EAN numbers

 Sand <small>NCS S 2020-Y20R</small>	 Seashell <small>NCS S 1510-Y60R</small>	 Sage <small>NCS S 3010-G10Y</small>	 Azure <small>NCS S 3020-B</small>	 Gravel <small>NCS S 3502-B</small>	
Light reflection: 55%	Light reflection: 56%	Light reflection: 34%	Light reflection: 34%	Light reflection: 34%	
 Mustard <small>NCS S 2050-Y10R</small>	 Coral <small>NCS S 3040-Y90R</small>	 Storm <small>NCS S 6020-R90B</small>	 Eucalyptus <small>NCS S 6020-B90G</small>	 Concrete <small>NCS S 6000-N</small>	 Charcoal <small>NCS S 8500-N</small>
Light reflection: 37%	Light reflection: 22%	Light reflection: 55%	Light reflection: 12%	Light reflection: 16%	Light reflection: 4%

NCS codes are closest colour match. The actual colour of the islands may deviate slightly from printed colours due to the texture of the surface and the underlying colour of stone wool.



Rockfon Contour®

- Aesthetically superior, frameless acoustic baffles
- Very quick and easy to install
- Create strong statement ceiling design using wave shapes in playful and mood creating patterns
- Ideally suited for enhancing acoustics in thermal mass areas or where frequent and unhindered access to services is required
- Use alone or in combination with an existing acoustic ceiling to enhance the sound absorption



A_{eq} (m²/item)




A1



Up to 100% RH.



79%



Fully recyclable stone wool




Vacuum

SAP	EAN	Name	Edge detail	Shape	Module size (mm)	pcs/box	m ² /box	Box dimensions	kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	Price in EUR	Unit	MOQ
324472	5902565753146	Rockfon Contour®		Rectangle 	1200 x 300 x 50	8	2,88	1253x660x230	22,48	5	14,40	1260x660x1284	44,98	pcs	1 box
318100	5902565753115	Rockfon Contour®			1200 x 600 x 50	4	2,88	1253x660x230	21,95	5	14,40	1260x660x1284	67,47	pcs	1 box
324470	5902565753139	Rockfon Contour®			1800 x 300 x 50	8	4,32	1853x660x230	33,15	5	21,60	1860x660x1284	80,96	pcs	64 pcs
318091	5902565753108	Rockfon Contour®			1800 x 600 x 50	4	4,32	1853x660x230	32,35	5	21,60	1860x660x1284	89,96	pcs	64 pcs
324473	5902565753153	Rockfon Contour®		Wave 	1200 x 150/300 x 50	8	2,16	1253x510x230	21,47	10	21,60	1260x1100x1284	67,74	pcs	1 box
324476	5902565753160	Rockfon Contour®			1200 x 300/450 x 50	4	1,8	1253x510x230	16,81	10	18,00	1260x1100x1284	80,96	pcs	1 box
318101	5902565753122	Rockfon Contour®			1200 x 450/600 x 50	4	2,52	1253x660x230	21,83	5	12,60	1260x600x1284	87,42	pcs	1 box

Accessories - Rockfon® Baffle Design/Classic

SAP	Product		pcs/box	Price in EUR/pcs
233134	Contour Design suspension kit		12 pcs/box	8,91
233139	Contour Classic suspension kit		12 pcs/box	6,51
322149	Contour spacer		200 pcs/box	1,15 **



Rockfon® Universal Baffle

- Creative and innovative acoustic solutions, available Universal White and in 33, subtle to bold, long-lasting colours that will inspire and compliment any open plenum design
- Ideal for thermal mass areas or where frequent or unhindered access to services is required
- Comes with a robust frame that protects the panel edges from damages
- Available with multiple suspension design possibilities



A_{eq} (m²/item)



A2-s1,d0



Up to 100% RH.



White (77%)
Charcoal (4%)
Color-all (Colour dependent)



Fully recyclable stone wool




Vacuum

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
280067	5902565729608	Rockfon® Universal Baffle White		1200 x 300 x 50	12	4,32	1257x342x652	22,75	9	38,88	1260x1050x2086	222,22	46,93	pcs	1 box
280066	5902565729592	Rockfon® Universal Baffle White		1200 x 450 x 50	6	3,24	1257x342x492	16,83	12	38,88	1260x1050x2098	219,43	57,75	pcs	1 box
280064	5902565729585	Rockfon® Universal Baffle White		1200 x 600 x 50	6	4,32	1257x342x652	22,29	9	38,88	1260x1050x2086	218,04	63,59	pcs	1 box
280063	5902565729578	Rockfon® Universal Baffle White		1200 x 300 x 50	12	4,32	1257x342x652	32,94	9	38,88	1260x1050x2086	313,96	63,59	pcs	1 box
280060	5902565729561	Rockfon® Universal Baffle White		1200 x 450 x 50	6	3,24	1257x342x492	21,93	12	38,88	1260x1050x2098	280,59	75,70	pcs	1 box
280059	5902565729554	Rockfon® Universal Baffle White		1200 x 600 x 50	6	4,32	1257x342x652	27,38	9	38,88	1260x1050x2086	263,91	87,81	pcs	1 box
287989	5902565735081	Rockfon® Universal Baffle White		1800 x 300 x 50	6	3,24	1857x342x342	23,08	15	48,60	1870x1050x3613	369,36	89,92	pcs	78 pcs
290930	5902565734015	Rockfon® Universal Baffle White		1800 x 600 x 50	6	6,48	1857x342x642	37,05	9	58,32	1870x1050x2056	360,69	101,21	pcs	78 pcs



Rockfon Humitec® Baffle


- Flexible free-hanging acoustic solutions, perfect for humid or harsh indoor atmospheres or for areas that require regular cleaning
- Built to withstand humid and corrosive Class D environments
- Comes with a robust and durable frame that protects the panel edges from damages and ensures cleanliness
- Ideal for areas where frequent or unhindered access to services is required



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m²/box	Box dimensions	gross weight kg/box	boxes/pallet	m²/pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
280151	5902565732189	Rockfon Humitec® Baffle		1200 x 450 x 50	6	3,24	1257x342x492	21,96	12	38,88	1260x1050x2098	281,02	98,10	pcs	78 pcs
280146	5902565732042	Rockfon Humitec® Baffle		1200 x 600 x 50	6	4,32	1257x342x652	27,43	9	38,88	1260x1050x2086	264,33	105,98	pcs	1 box

Rockfon® Industrial Baffle

- Functional free-hanging acoustic solutions for noisy industrial environments
- Available in a natural, durable surface
- Ideal for areas where frequent or unhindered access to services is required
- Comes with a variety of quick and easy mounting options



SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m²/box	Box dimensions	gross weight kg/box	boxes/pallet	m²/pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
280143	5902565733117	Rockfon® Industrial Baffle		1200 x 450 x 50	6	3,24	1257x342x492	15,63	12	38,88	1260x1050x2098	204,97	45,42	pcs	78 pcs
280141	5902565730796	Rockfon® Industrial Baffle		1200 x 600 x 50	6	4,32	1257x342x652	20,84	9	38,88	1260x1050x2086	205,01	49,96	pcs	1 box



Rockfon VertiQ®

- Attractive and impact resistant, highly sound-absorbent acoustic wall panels (Class A) suitable for class rooms, sports activity areas and offices
- Panels can be installed full height, either horizontally or vertically with no limits to wall dimensions, providing numerous design possibilities
- Available in four colours - white, light grey, grey and black



α_w : 1,00
(Class A)



A2-s1,d0



Up to
100% RH



White 72%
Lightgrey 61%
Grey 33%
Black 5%



Fully recyclable
stone wool



Vacuum

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
-	-	Rockfon VertiQ®		1200 x 1200 x 40	6	8,64	1220x1220x250	49,26	4	34,56	1200x1200x1123	207,52	84,78	m ²	1 box *
-	-	Rockfon VertiQ®		2700 x 1200 x 40	4	12,96	2710x1210x180	76,27	6	77,76	2730x1220x1210	496,49	84,78	m ²	1 box *
-	-	Rockfon VertiQ®		1172x1172x 40	6	8,64	1180x1180x50	47,18	4	34,56	1200x1200x1123	199,21	84,78	m ²	1 box *
-	-	Rockfon VertiQ®		2672x1172x40	4	12,96	2700x1180x170	74,01	6	77,76	2730x1220x1210	482,92	84,78	m ²	1 box *
-	-	Rockfon VertiQ®		2400 x 600 x 40	4	5,76	2453x653x168	43,37	6	34,56	2453x660x1138	278,17	117,67	m ²	1 box

SAP and EAN numbers

White



NCS S 0500-N

Light grey



NCS S 2005-R80B

Grey



NCS S 3502-B








Black






NCS S 8500-N



Rockfon VertiQ® A24







SAP	Product		pcs/box	Price in EUR
166772	Rockfon VertiQ® Perimeter profile J 25 40 13, L=3050 mm, white		18 pcs/box	€ 2,20/m
166874	Rockfon VertiQ® Perimeter profile J, L=3050 mm, grey		18 pcs/box	€ 2,80/m **
227312	Rockfon VertiQ® Perimeter profile J, L=3050 mm, black		18 pcs/box	€ 3,40 /m **
203708	Rockfon VertiQ® Internal profile T24, L=3000 mm, white		12 pcs/box	€ 2,80 **
203709	Rockfon VertiQ® Internal profile T24, L=3000 mm, grey		12 pcs/box	Contact Rockfon
238382	Rockfon VertiQ® Internal profile T24, L=3000 mm, black		12 pcs/box	5,34 /m **
283999	VertiQ supporting bracket 16-50-35		50 pcs/box	€ 1,08/pcs
99332	VertiQ fixing bracket		50 pcs/box	€ 1,08/pcs
353870	Uchwyt montażowy T24 ECR klasa D		50 pcs/box	€ 3,44/pcs**
314291	SMF clip		100 pcs/box	€ 0,82/pcs

Rockfon VertiQ® HAT

SAP	Product		pcs/box	Price in EUR
100339	VertiQ HAT profile L = 2700 1.0 mm white 10/C		10 pcs/box	€ 11,38/m **
100340	VertiQ HAT profile L = 2700 1.0 mm white 10/C, grey		10 pcs/box	€ 11,90/m **
100343	Rockfon VertiQ® HAT profile, L=1148 mm, white		20 pcs/box	€ 17,20/m **
100341	Rockfon VertiQ® HAT profile, L=2700 mm, white		10 pcs/box	€ 17,20/m **
100345	Rockfon VertiQ® HAT profile, L=1148 mm, white		20 pcs/box	Contact Rockfon
100344	Rockfon VertiQ® HAT profile, L=2700 mm, white		10 pcs/box	€ 17,80 **
304805	Rockfon VertiQ® OMEGA profile 1350, L=588 mm, white		15 pcs/box	5,74 m **
304817	Rockfon VertiQ® OMEGA profile 1350, L=1188 mm, white		15 pcs/box	5,74 m **
304818	Rockfon VertiQ® OMEGA profile 1350, L=3600 mm, white		12 pcs/box	5,74 m **




Rockfon VertiQ® C

SAP	Product		pcs/box	Price in EUR
155792	VertiQ cover 2380 mm 8/C		8 pcs/box	€ 14,20/pcs
129766	VertiQ C fixing bracket 150 mm 50/C		50 pcs/box	€ 2,64/pcs
127590	VertiQ connector 50/C 150x25x2 mm		50 pcs/box	€ 3,20/pcs
156073	VertiQ internal corner 4/C 44 mm		4 pcs/box	€ 10,28/pcs
247532	VertiQ external corner 4/c 44 mm		4 pcs/box	€ 10,28/pcs
130662	VertiQ lock screw		500 pcs/box	€ 9,50/box



Rockfon Eclipse® wall panel

- Aesthetic, frameless acoustic wall panel suitable for offices, reception areas etc. where extra absorption combined with nice design is needed
- A smooth, deep-matt, and super-white surface providing high light reflection, light diffusion and anti-static properties, extending product lifetime
- Available in a variety of shaped formats with a clean minimalistic A-edge and an unlimited custom colour range using NCS
- Quick and easy to install with the special wall fixing kit. The fixing kit allows for the absorber to be installed in different distances from the wall creating interesting patterns



A_{eq} (m²/item)
 A1
 Up to 100% RH.
 87% light reflection (rear side: 79%) >99% light diffusion
 Fully recyclable stone wool
 Vacuum Damp cloth

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	Box dimensions	gross weight kg/box	boxes/pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ	
308777	5902565741655	Rockfon® Eclipse Square, white		580 x 580 x 40	4	633x633x170	10,64	-	1300x633x1230	110,11	60,56	pcs	1 box	
277643	5902565728779	Rockfon® Eclipse Square, white		1160 x 1160 x 40	4	1213x1213x170	40,55	6	1220x1220x1786	254,39	109,58	pcs	1 box	
308777	5902565741655	Rockfon® Eclipse Square, white		1160 x 580 x 40	4	-	20,80	6	1220x633x1230	135,14	77,86	pcs	1 box	
269344	5902565725426	Rockfon® Eclipse Rectangle, white		1760 x 1160 x 40	4	1813x1213x170	60,39	6	1850x1220x1230	382,63	164,38	pcs	1 box	
284447	5902565731472	Rockfon® Eclipse Rectangle, white		2360 x 1160 x 40	2	2413x1213x95	41,26	12	2440x1220x1350	521,94	259,55	pcs	1 box	
285846	5902565731779	Rockfon® Eclipse Circle, white		800 x 800 x 40	4	846x862x170	19,59	12	1760x862x1230	251,43	129,70	pcs	1 box	
285847	5902565731786	Rockfon® Eclipse Circle, white		1160 x 1160 x 40	4	1208x1220x170	39,81	6	1220x1220x1230	249,12	149,32	pcs	1 box	
285851	5902565731816	Rockfon® Eclipse Triangle, white		1160 x 1160 x 40	4	1208x1067x170	33,85	6	1220x1220x1230	213,32	149,32	pcs	1 box	
285848	5902565731793	Rockfon® Eclipse Hexagon, white		1160 x 1160 x 40	4	1208x1067x170	34,62	6	1220x1220x1230	217,95	161,47	pcs	1 box	
285850	5902565731809	Rockfon® Eclipse Oval, white		1760 x 1160 x 40	4	1808x1222x170	59,28	6	1850x1222x1230	375,08	238,10	pcs	1 box	
-	-	Rockfon® Eclipse Free-form, white		1760 x 1160 x 40	-	-	-	-	-	-	-	Contact Rockfon	pcs	1 box

Accessories – Rockfon® Eclipse Wall

SAP	Product	Image	pcs/box	Price in EUR/pcs
319426	Direct wall fixing kit		2 pcs/box	22,60
319427	Stepped wall fixing kit		2 pcs/box	27,22
314149	Rockfon® Eclipse Repair Filler Kit		250 g	12,80

* The number of kits depends on the selected panel's shape and size.



Rockfon® Samson wall panel

- Highly impact-resistant white or grey woven surface, ideal for high activity areas such as schools and sports facilities
- Good sound absorption for noisy and reverberant areas
- For use in areas where there is a high risk of occasional impact



α_w : 0,85
(Class B)



A1



Up to
100% RH





72%



Fully recyclable
stone wool



Vacuum

SAP	EAN	Name	Edge detail	Module size (mm)	pcs/box	m ² /box	Box dimensions	gross weight kg/box	boxes/pallet	m ² /pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
37616	5708045053757	Rockfon® Samson (wall panel)	 A24	1200 x 600 x 40	10	7,20	1206x609x400	29,75	6	43,20	1220x1223x1342	171,33	42,60	m ²	1 box
231167	5902565708832	Rockfon® Samson (wall panel)		1800 x 600 x 40	6	6,48	1812x612x250	27,60	8	51,84	1840x1229x1144	205,44	45,57	m ²	75m ²
65517	5708045069765	Rockfon® Samson (wall panel)		2400 x 600 x 40	8	11,52	2412x612x330	49,07	6	69,12	2430x1229x1134	273,82	45,57	m ²	1 box
179532	5901193263973	Rockfon® Samson (wall panel)		1200 x 1200 x 40	5	7,20	1212x1212x210	33,44	5	36,00	1220x1220x1188	142,45	46,38	m ²	75m ²
37616	5708045053757	Rockfon® Samson (wall panel)	 A HAT	1200 x 600 x 40	10	7,20	1206x609x400	29,75	6	43,20	1220x1223x1342	171,33	42,60	m ²	1 box
231167	5902565708832	Rockfon® Samson (wall panel)		1800 x 600 x 40	6	6,48	1812x612x250	27,60	8	51,84	1840x1229x1144	205,44	45,57	m ²	75m ²
65517	5708045069765	Rockfon® Samson (wall panel)		2400 x 600 x 40	8	11,52	2412x612x330	49,07	6	69,12	2430x1229x1134	273,82	45,57	m ²	1 box
179532	5901193263973	Rockfon® Samson (wall panel)		1200 x 1200 x 40	5	7,20	1212x1212x210	33,44	5	36,00	1220x1220x1188	142,45	46,38	m ²	75m ²



Rockfon® Senses

- Rockfon Senses acoustic wall panels are available in five natural surfaces for a fresh wind and a sense of well-being in your interior
- The visible fleece made of organic materials: fragrant flowers, grasses and leaves of alpine meadows
And finished by hand for the perfect look
- Rockfon Senses was created in collaboration with Organoid
- Optimal acoustics thanks to the stonewool panel behind the visible fleece

Moss



Alpine



Bloom



Liberty



Leaves



SAP	EAN	Name	Module size (mm)	pcs/box	Box dimensions	gross weight kg/box	boxes/pallet	Pallet dimensions	gross kg/pallet	Price in EUR	Unit	MOQ
310996	5708045139581	Moss	1160 x 1160 x 40	1	1213x1213x45	11,68	24	1220x1220x1350	259,51	1.500,00	pcs	1 box ****
311363	5708045139840		1760 x 1160 x 40	1	1813x1213x45	17,60	24	1850x1220x1350	391,22	1.700,00	pcs	1 box ****
310950	5708045139536	Alpine	1160 x 1160 x 40	1	1213x1213x45	11,68	24	1220x1220x1350	259,51	1.500,00	pcs	1 box ****
311006	5708045139598		1760 x 1160 x 40	1	1813x1213x45	17,60	24	1850x1220x1350	391,22	1.700,00	pcs	1 box ****
310968	5708045140013	Bloom	1160 x 1160 x 40	1	1213x1213x45	11,68	24	1220x1220x1350	259,51	1.200,00	pcs	1 box ****
311354	5415043153203		1760 x 1160 x 40	1	1813x1213x45	17,60	24	1850x1220x1350	391,22	1.400,00	pcs	1 box ****
310966	5708045139567	Liberty	1160 x 1160 x 40	1	1213x1213x45	11,68	24	1220x1220x1350	259,51	1.000,00	pcs	1 box ****
311243	5708045139819		1760 x 1160 x 40	1	1813x1213x45	17,60	24	1850x1220x1350	391,22	1.200,00	pcs	1 box ****
310967	5708045140006	Leaves	1160 x 1160 x 40	1	1213x1213x45	11,68	24	1220x1220x1350	259,51	1.000,00	pcs	1 box ****
311350	5415043153197		1760 x 1160 x 40	1	1813x1213x45	17,60	24	1850x1220x1350	391,22	1.200,00	pcs	1 box ****

Accessories – Rockfon® Eclipse Wall

SAP	Product		pcs/box	Price in EUR/pcs
319426	Rockfon® Eclipse Direct wall fixing kit		2 pcs/box	22,60
319427	Rockfon® Eclipse Stepped wall fixing kit		2 pcs/box	27,22

* The number of kits depends on the selected panel's shape and size.





Rockfon® Lamella

- Patented modular platform provides over 650,000 different design possibilities in just one system
- Complimentary wood veneers can be combined to create attractive aesthetical expressions
- Contrasting lamella widths and profile heights let you experiment with diverse relief patterns and interspacing ideas
- Reduction of wall-based reverberation reduces occupant stress levels, improving concentration & performance
- Use of natural materials & colours reconnects building occupants with the outside world




This is what you need to create one Lamella unit: 1 frame (step 1), 2 boxes of Rockfon Lamella sound absorbing panel Charcoal (step 2) and in total 40 lamella slats (step 3). Accessories can be ordered at step 4. One ruler per project is needed.

Step 1: Order the Rockfon Lamella frame*

Size W x H x D (mm)	Frame colour	Material number	Kg/pcs	Pcs/box	Price	
2418 x 2474 x 45	Black	326371	9,7	1	€ 800	pcs

* The frame includes all components needed to build the frame. In case separate components are needed, they can be ordered as well. Please contact our Customer Service department.




Step 2: Order the Rockfon Lamella sound absorbing panels Charcoal*

Size W x H x D (mm)	Panel colour	Material number	Pcs/box	Price		
600 x 600 x 40		Rockfon Lamella Charcoal	311454	8	€ 240	box

* Each frame of 2418 x 2474mm (W x H) needs 2 boxes of 8pcs Rockfon Lamella sound absorbing panel Charcoal. Resulting in 16pcs in total.





Step 3: Order the Rockfon Lamella slats*

Type of wood veneer	Size L x W x D (mm)	Material number	Pcs/box	Price		
Oak		2474 x 44 x 12	317119	10	€ 620	box
		2474 x 39 x 21	317123	10	€ 620	box
		2474 x 34 x 30	317128	10	€ 620	box
Light Oak		2474 x 44 x 12	317118	10	€ 620	box
		2474 x 39 x 21	317121	10	€ 620	box
		2474 x 34 x 30	317125	10	€ 620	box
Smoked Oak		2474 x 44 x 12	317115	10	€ 620	box
		2474 x 39 x 21	317120	10	€ 620	box
		2474 x 34 x 30	317124	10	€ 620	box

* For each frame of 2418 x 2474mm (W x H) a total of 40 lamella slats are needed. Depending on the chosen design and the number of frames, the lamella slats are available in different veneer types and dimensions. When ordering, always round up single veneer types and dimensions to tens (one box of lamella slats = 10 pieces).

Step 4: Order the necessary accessories

Description	Material number	Pcs/box	Price	
Rockfon Lamella ruler* 	316560	1	€ 80	box
Rockfon Lamella Connector Bracket** 	316248	10	€ 100	box


* At least one ruler per project is needed to correctly align the lamella slats. Use the installation guide or installation video for more info.

** The horizontal connector is used to connect multiple frames horizontally. Per connection 5 horizontal connectors are needed.



Rockfon Canva® Wall panel

- Rockfon Canva Wall Panel is a versatile solution for improving acoustics in a variety of environments
- Size and print can be customised to suit the user's mood, room purpose, or brand preference
- Detachable, washable and replaceable canvas
- Panels arrive fully assembled, so installation is fast and easy
- Choose from our 34 inspirational Colours of Wellbeing range or design your own graphic layout for that personal touch
- High performing product with a long performance life
- Rockfon Canva is a design cooperation with Danish acoustic design company Akuart



Frame: Vacuum, damp cloth, and low pressure foam cleaning
 Canvas: Vacuum, damp cloth, and washing in normal machine wash cycle up to 70 degrees

Order a frame incl. a canvas

Size* W x H x D (mm)	kg/panel	Frame colours	Canvas colours	pcs/box	Price	
600 x 900 x 61	5,0	white or black	34 standard Rockfon Color-all colours or custom design**	1	€ 260	pcs
1200 x 900 x 61	8,5			1	€ 420	pcs
900 x 1800 x 61	12,0			1	€ 540	pcs
1800 x 1200 x 61	14,5			1	€ 600	pcs
2400 x 1200 x 61	18,5			1	€ 760	pcs
3000 x 1200 x 61	22,5			1	€ 950	pcs
2400 x 1800 x 61	25,0			1	€ 1200	pcs

*Other dimensions possible on request

**Customised design possible. Custom design costs an additional 150 euros.

For multiple copies of the same Canva custom canvas, you pay only the set-up costs once.

Optional to be ordered separately: Loose canvas

Size* W x H x D (mm)	Canvas colours	pcs/box	Price loose canvas	
600 x 900 x 61	34 standard Rockfon Color-all colours or custom design**	1	€ 48	pcs
1200 x 900 x 61		1	€ 97	pcs
900 x 1800 x 61		1	€ 145	pcs
1800 x 1200 x 61		1	€ 194	pcs
2400 x 1200 x 61		1	€ 259	pcs
3000 x 1200 x 61		1	€ 324	pcs
2400 x 1800 x 61		1	€ 388	pcs


*Other dimensions possible on request

**Customised design possible. Custom design costs an additional 150 euros.

For multiple copies of the same Canva custom canvas, you pay only the set-up costs once.



Frame colours



Canvas colours



Custom graphic options



Contact your local Rockfon partner to get your choice of image, artwork, graphic design or other visual layout on the canvas surface in high resolution quality print.

All standard colours are printed on the textile with a texture weave pattern. The Canva surface colours are close textile colour matches to the Rockfon Color-All products. Colours may vary slightly between different production batches. Reproduction of colours may vary between print and reality. Please note that black frames combined with light coloured canvas can create a shadow effect close to the Canva. Surface textile in 'Mercury' colour does not have a metallic appearance.

Wall panel: The Rockfon Canva textile has a "visual direction". This means that the colours might differ depending on whether the element is hung in vertical or horizontal orientation.



Rockfon Canva® Floor screen

- Rockfon Canva Floor Screens are a flexible approach to improve acoustics in spaces with zones and shielded areas while still allowing for focus and creativity
- Size and print can be customised to suit the user's mood, room purpose, or brand preference
- Detachable, washable and replaceable canvas
- Choose from our 34 inspirational Colours of Wellbeing range or design your own graphic layout for that personal touch
- Panels arrive fully assembled, so installation is fast and easy by securing the feet to the panel frame
- Rockfon Canva is a design cooperation with Danish acoustic design company Akuart



A_{eq} (m²/element)



B-s1,d0



Fully recyclable stone wool



Frame: Vacuum, damp cloth, and low pressure foam cleaning
Canvas: Vacuum, damp cloth, and washing in normal machine wash cycle up to 70 degrees

Step 1: Order a frame incl. canvas

Size* W x H x D (mm)	Kg/panel	Frame colours	Canvas colours	pcs/box	Price	
1000 x 1300 x 61	10,0	white or black	34 standard Rockfon Color-all colours or custom design**	1	€ 640	pcs
1200 x 1800 x 61	15,0			1	€ 900	pcs
1700 x 1300 x 61	17,0			1	€ 940	pcs

*Other dimensions possible on request

**Customised design possible. Custom design costs an additional 150 euros.

For multiple copies of the same Canva custom canvas, you pay only the set-up costs once.

Step 2: Order a base

Type	Base colours	pcs/box	Price	
Flat base	white or black	1 set*	€ 100	set
Elevated base		1 set*	€ 100	set
Wheel base		1 set*	€ 160	set

Flat base



Elevated base



Wheeled base



* For 1 Canva Floor Screen you need 1 set, this set consists of 2 separate elements.

Optional to be ordered separately: Loose canvas

Size* W x H x D (mm)	Canvas colours	pcs/box	Price loose canvas***	
1000 x 1300 x 61	34 standard Rockfon Color-all colours or custom design**	1	€ 117	pcs
1200 x 1800 x 61		1	€ 145	pcs
1700 x 1300 x 61		1	€ 194	pcs


* Other dimensions possible on request

** Customised design possible. Custom design costs an additional 150 euros. For multiple copies of the same Canva custom canvas, you pay only the set-up costs once.

*** If you order new canvases for a Floor Screen. Keep in mind that it has two sides. You can choose to replace one or both sides. If you opt for both sides, order two cloths.



Frame colours



Canvas colours



Custom graphic options



Contact your local Rockfon partner to get your choice of image, artwork, graphic design or other visual layout on the canvas surface in high resolution quality print.

All standard colours are printed on the textile with a texture weave pattern. The Canva surface colours are close textile colour matches to the Rockfon Color-All products. Colours may vary slightly between different production batches. Reproduction of colours may vary between print and reality. Please note that black frames combined with light coloured canvas can create a shadow effect close to the Canva. Surface textile in 'Mercury' colour does not have a metallic appearance.

Wall panel: The Rockfon Canva textile has a "visual direction". This means that the colours might differ depending on whether the element is hung in vertical or horizontal orientation.



Rockfon Canva® Hanging divider

- The Rockfon Canva Hanging Divider is a versatile zoning solution that is perfect for open plenum spaces where both acoustics and aesthetics need to be perfect
- Size and print can be customised to suit the user's mood, room purpose, or brand preference
- Detachable, washable and replaceable canvas
- Choose from our 34 inspirational Colours of Wellbeing range or design your own graphic layout for that personal touch
- Panels arrive fully assembled, so installation is fast and easy
- Rockfon Canva is a design cooperation with Danish acoustic design company Akuart



A_{eq} (m²/element)



B-s1,d0
Based on
EN 13501-1



Fully
recyclable
stone wool



Frame: Vacuum, damp cloth, and low pressure foam cleaning
Canvas: Vacuum, damp cloth, and washing in normal machine wash cycle up to 70 degrees

Order a frame incl. suspension set and a canvas

Size* W x H x D (mm)	kg/panel	Frame colours	Canvas colours	pcs/box	Price	
600 x 1800 x 61	9,0	white/ black	34 standard Rockfon Color-all colours or custom design**	1	€ 650	pcs
900 x 1800 x 61	12,0			1	€ 800	pcs
1200 x 1800 x 61	15,0			1	€ 900	pcs

*Other dimensions possible on request

**Customised design possible. Custom design costs an additional 150 euros.

For multiple copies of the same Canva custom canvas, you pay only the set-up costs once.

Optional to be ordered separately: Loose canvas

Size* W x H x D (mm)	Canvas colours	pcs/box	Price loose canvas***	
600 x 1800 x 61	34 standard Rockfon Color-all colours or custom design**	1	€ 117	pcs
900 x 1800 x 61		1	€ 145	pcs
1200 x 1800 x 61		1	€ 194	pcs

*Other dimensions possible on request

**Customised design possible. Custom design costs an additional 150 euros.

For multiple copies of the same Canva custom canvas, you pay only the set-up costs once.

*** If you order new canvases for a Hanging Divider. Keep in mind that it has two sides. You can choose to replace one or both sides.

If you opt for both sides, order two cloths.




Frame colours



Canvas colours



Custom graphic options



Contact your local Rockfon partner to get your choice of image, artwork, graphic design or other visual layout on the canvas surface in high resolution quality print.

All standard colours are printed on the textile with a texture weave pattern. The Canva surface colours are close textile colour matches to the Rockfon Color-All products. Colours may vary slightly between different production batches. Reproduction of colours may vary between print and reality. Please note that black frames combined with light coloured canvas can create a shadow effect close to the Canva. Surface textile in 'Mercury' colour does not have a metallic appearance.

Wall panel: The Rockfon Canva textile has a "visual direction". This means that the colours might differ depending on whether the element is hung in vertical or horizontal orientation.



Rockfon® Hub®

- The platform brings multipurpose flexibility to your interiors by creating breakout spaces where people can think, work or talk in peace
- The soft island shapes can be enhanced with a felt frame cover, mood lighting and curtains to create calm or cosy areas where people can work productively without disturbance
- Rockfon® Hub® is delivered as a complete kit contributing to easy and hassle-free installation



α_{wv} : 0,95
(Class A)



A1



Fully recyclable
stone wool



Vacuum

Step 1: Order the desired Rockfon Hub dimension

Size	Dimension (mm)	Material number	Kg/pcs*	Price**	
S	3000 x 4800	-	135,5	€ 5600	pcs
M	3600 x 4200	-	136,1	€ 5800	pcs
L	4800 x 4800	-	203,2	€ 7400	pcs
XL	4800 x 7200	-	287,6	€ 10 000	pcs

* Weight listed includes Rockfon ceiling panels in X edge, 600 x 600 x 22 mm.

** Price does not include Rockfon ceiling panels in X edge. Choose from: Rockfon Blanka® X or Rockfon Color-all® X. See step 3.

Step 2: Order the desired accessories

Description	Size	Colour	Material number	Price	
Felt cover*	8 lm	White	-	€ 300	roll
	8 lm	Light grey	-	€ 300	roll
	8 lm	Dark grey	-	€ 300	rolls
Felt tool	-	-	327677	€ 4,46	pcs
Curtain rollers**	25 lm	-	-	€ 500	rolls


* Sizes S and M require 2 felt cover rolls per HUB, sizes L and XL require 3 rolls per HUB.

** Curtains must be purchased separately from third parties.


White



Light grey



Dark grey



Size S



Size M



Size L



Size XL



Step 3: Order the desired Rockfon ceiling tiles with X edge

Hub size	Required quantity Rockfon ceiling panels	Panel dimension (mm)	pcs/box	Rockfon ceiling panel in m ²	
				Rockfon Blanka® X*	Rockfon Color-all® X**
S	40 pcs	600 x 600 x 22	10	46,05	44,23
M	42 pcs	600 x 600 x 22	10		
L	64 pcs	600 x 600 x 22	10		
XL	96 pcs	600 x 600 x 22	10		

* Rockfon Blanka® X is available in white.

** The Rockfon Color-all colors Stone, Charcoal, Anthracite, Concrete, Storm, Azure, Sage and Eucalyptus are available with a minimum order quantity of 1 box.

Other colors can also be applied, for minimum quantity order please contact your local sales representative.


Rockfon Blanka



Rockfon Color-all



For transport costs, please contact your local Rockfon representative.



Suspended grids

Rockfon® System Fusion H	106
Rockfon® System T24 X	107
Rockfon® System T24 X DLC	108
Rockfon® System T24 Z	109
Rockfon® System T24 M	110
Rockfon® System T15 E	111
Rockfon® System T24 E	113
Rockfon® System Bandraster Dznl/AEX	115
Rockfon® System Ultraline E	116
Rockfon® System T15 A	119
Rockfon® System T24 A	121
Rockfon® System Bandraster A	123
Rockfon® System Maxispan T24 A, E	126
Rockfon® System B Adhesive	126
Rockfon® System T24 A, E ECR	127
Rockfon® System Olympia ^{Plus} A Impact 1A	129
Rockfon® System T24 A Impact 2A/3A	131
Rockfon® System dB T24 A, E	132
Rockfon® System dB Bandraster A	133
Rockfon® System MediCare T24 A, E (ECR)	135
Rockfon® System CleanSpace T24 A, E (ECR)	137
Rockfon® System T24 Stepped Z D	139
Rockfon® System Eclipse Island	141
Rockfon® System Universal Baffle	142
Rockfon® System Humitec Baffle	143
Rockfon® System Industrial Baffle	144
Chicago Metallic Alugrey 2890	145
Chicago Metallic Matt White 2890	145
Chicago Metallic Matt White 2790	146
Chicago Metallic Matt Black 2890	146
Chicago Metallic Matt Black 2790	147
Chicago Metallic Alu 740	147
Chicago Metallic Alu Transitions	148
Chicago Metallic F Profiles	148
Chicago Metallic Flexible Wall Angles	149
Chicago Metallic J Profiles	149
Chicago Metallic C Profiles	149
Chicago Metallic Screenline	151
Rockfon OneFrame	153
Hangers	155
Corners	156
Accessories for different edges	157





Product: Rockfon Blanka,
Chicago Metallic Matt White



Product: Rockfon Mono Acoustic















Rockfon® System Fusion H

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
FUSION MR	176881	-	5708045105814	Decorative lower ALU profile, exposed 	3600	10	-	17,00	€ 19,60	pcs ***
FUSION MR HI	176882	-	5708045105937	Decorative lower ALU profile, hidden 	3600	10	-	17,00	€ 19,60	pcs ***
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
FUSION L	233067	668020-00-08-0174	5708045049972	Perimeter trim special ALU 4000 mm 	4000	25	-	21,00	€ 15,20	pcs ***
SBH 600/625	157951	--82600001	5415043000880	Space bar for modules 600/625 mm 	656	50	32,8	6,99	€ 1,29	pcs
DLC	211183	--123	5415043034458	Double layer clip 	-	100	-	3,90	€ 0,60	pcs
WSF	237264	Wall Spring Fixt	5415043088819	Wall spring fixt 	-	100	-	0,60	€ 0,60	pcs
AB T	211181	1714ANGLE	5415043010544	Angle bracket 	-	100	-	2,60	€ 0,65	pcs
QH HH 200	182119	QH012012	5415043013194		120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs












Rockfon® System T24 X

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Click white 	600	45	27	8,20	€ 1,28	m
T24 CT CLICK	163734	-289330001	5415043003959	Cross tee T24 Click white 	900	50	45	13,10	€ 1,49	m **
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click white 	1200	45	54	15,70	€ 1,28	m
T24 CT CLICK	155135	-2896S3001	5415043031389	Cross tee T24 Click white 	1800	25	45	16,20	€ 1,49	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 	120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs
SH 80	211165	---21.8	5415043009562	Direct suspension clip H = 80 	-	100	-	3,20	€ 1,96	pcs
WSF	237264	Wall Spring Fixt	5415043088819	Wall spring fixt 	-	100	-	0,60	€ 0,60	pcs
AB T	211181	1714ANGLE	5415043010544	Angle bracket 	-	100	-	2,60	€ 0,65	pcs
SP C11 880	207742	-10333000	5415043052421	Stiffening profile for tiles 900x900 mm, L = 880 mm 	880	80	70,4	9,90	€ 1,62	m **












Rockfon® System T24 X DLC

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packiz zng: gross weight	Price in EUR	Unit
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Click white 	600	45	27	8,20	€ 1,28	m
T24 CT CLICK	163734	-289330001	5415043003959	Cross tee T24 Click white 	900	50	45	13,10	€ 1,49	m **
DLC	211183	--123	5415043034458	Double layer clip 	-	100	-	3,90	€ 0,60	pcs
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
W8x12	190369	-1461--001	5415043046802	Shadow wall angle 15x12x8x15 mm 	3050	30	91,5	17,90	€ 2,14	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
AB T	211181	1714ANGLE	5415043010544	Angle bracket 	-	100	-	2,60	€ 0,65	pcs
SBH 600/625	157951	--82600001	5415043000880	Space bar for modules 600/625 mm 	656	50	32,8	6,99	€ 1,29	pcs
WSF	237264	Wall Spring Fixt	5415043088819	Wall spring fixt 	-	100	-	0,60	€ 0,60	pcs
SP C11 595	166873	-10323000	5415043009180	Profil C 15x11x13 mm 	595	80	47,6	6,70	€ 1,68	pcs **
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 	120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs












Rockfon® System T24 Z

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Clickw hite 	600	45	27	8,20	€ 1,28	m
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click white 	1200	45	54	15,70	€ 1,28	m
T24 CT CLICK	155135	-2896S3001	5415043031389	Cross tee T24 Click white 	1800	25	45	16,20	€ 1,49	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
SH 80	211165	---21.8	5415043009562	Direct suspension clip H = 80 	-	100	-	3,20	€ 1,96	pcs
WSF	237264	Wall Spring Fixt	5415043088819	Wall spring fixt 	-	100	-	0,60	€ 0,60	pcs
QH HH 200	182119	QH012012	5415043013194		120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs



Rockfon® System T24 M

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Click white 	600	45	27	8,20	€ 1,28	m
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click white 	1200	45	54	15,70	€ 1,28	m
T24 CT CLICK	155135	-2896S3001	5415043031389	Cross tee T24 Click white 	1800	25	45	16,20	€ 1,49	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
SH 80	211165	---21.8	5415043009562	Direct suspension clip H = 80 	-	100	-	3,20	€ 1,96	pcs
WSF	237264	Wall Spring Fixt	5415043088819	Wall spring fixt 	-	100	-	0,60	€ 0,60	pcs
QH HH 200	182119	QH012012	5415043013194		120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs



Rockfon® System T15 E

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T15 MR CL&HK	166733	-2700S1001	5415043033086	Main runner T15 Click/Hook white 	3600	15	54	17,10	€ 1,28	m
T15 CT CLICK	166730	-2792S3001	5415043035141	Cross tee T15 Click white 	600	45	27	7,10	€ 1,28	m
T15 CT CLICK	166727	-2794S3001	5415043033840	Cross tee T15 Click white 	1200	45	54	13,70	€ 1,28	m
W8x12	190369	-1461--001	5415043046802	Shadow wall angle 15x12x8x15 mm 	3050	30	91,5	17,90	€ 2,14	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
WH 4,0 2500	182175	964025	5415043013538	Suspension rope Ø4 mm / L = 2500 mm 	-	100	-	25,00	€ 0,92	pcs **
WSF	237264	Wall Spring Fixt	5415043088819	Wall spring fixt 	-	100	-	0,60	€ 0,60	pcs
QH TC	231681	17010	5415043080387	Hanger with adjustable clip 	-	100	-	3,85	€ 0,68	pcs **



Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 	120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs
SH 50	263490	---21.5	5415043104786	Direct suspension clip H = 50 	-	100	-	2,50	€ 1,23	pcs
WBB T	269746	-1714ANGLE NEW	5415043109019	Wall & bridging bracket 	-	50	-	1,60	€ 0,65	pcs
HDC 1	237949	--823	5415043083586	Hold down clip 1 	-	100	-	1,34	€ 0,62	pcs
HDC 2	237952	--824	5415043083593	Hold down clip 2 	-	150	-	1,65	€ 0,68	pcs
HDC 3	237954	--825	5415043083609	Hold down clip 3 	-	100	-	1,12	€ 1,06	pcs
FB T15 001	182935	OPV08-15001	5415043013095	Filler Block for T15 - White 	-	500	-	0,60	€ 0,35	pcs



Rockfon® System T24 E

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Click white 	600	45	27	8,20	€ 1,28	m
T24 CT CLICK	163734	-289330001	5415043003959	Cross tee T24 Click white 	900	50	45	13,10	€ 1,49	m **
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click white 	1200	45	54	15,70	€ 1,28	m
T24 CT CLICK	155135	-2896S3001	5415043031389	Cross tee T24 Click white 	1800	25	45	16,20	€ 1,49	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
W8x12	190369	-1461--001	5415043046802	Shadow wall angle 15x12x8x15 mm 	3050	30	91,5	17,90	€ 2,14	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 	120-200 mm	100		4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100		7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100		12,01	€ 0,68	pcs
WSF	237264	Wall Spring Fixt	5415043088819	Wall spring fixt 		100		0,60	€ 0,60	pcs
SH 50	263490	---21.5	5415043104786	Direct suspension clip H = 50 	-	100	-	2,50	€ 1,23	pcs



Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
DLC	211183	--123	5415043034458	Double layer clip 	-	100	-	3,90	€ 0,60	pcs
WBB T	269746	-1714ANGLE NEW	5415043109019	Wall & bridging bracket 	-	50	-	1,60	€ 0,65	pcs
HDC 1	237949	--823	5415043083586	Hold down clip 1 	-	100	-	1,34	€ 0,62	pcs
HDC 2	237952	--824	5415043083593	Hold down clip 2 	-	150	-	1,65	€ 0,68	pcs
HDC 3	237954	--825	5415043083609	Hold down clip 3 	-	100	-	1,12	€ 1,06	pcs
FCT T24 EYE M6	291555	10803	5415043124142	Twist clip eye 	-	100	-	1,52	€ 2,03	pcs **
FB T24 001	211208	OPV08-24001	5415043013118	Filler Block for T24 - White 	-	500	-	0,60	€ 0,35	pcs
















Rockfon® System Bandraster Dznl/AEX

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
BR100	163506	-3100S1001	5415043024374	Main runner Bandraster 100 mm - slots 100 mm 	3600	8	28,8	30,90	€ 9,98	m **
Z40	188958	--Z401100	5415043002068	Z-section 40 mm 	1720	20	34,4	14,50	€ 2,26	m **
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
BR100 LC	165476	-3101	5415043010698	Length coupling for Bandraster 100 mm 	-	25	-	3,50	€ 1,64	pcs **
BR100 WC	165497	-3104	5415043010728	Wall connector for Bandraster 100 mm 	-	25	-	2,70	€ 1,44	pcs **
NH 90	211169	10200	5415043011664	Nonius hanger upper part 	-	100	-	2,40	€ 0,66	pcs **
NH CLIP	165409	10228	5415043011770	Nonius hanger clip 	-	200	-	1,30	€ 0,16	pcs **
NH BR100	211174	-3237	5415043010865	Nonius hanger for Bandraster 100 mm 	-	100	-	4,10	€ 0,82	pcs **
WSF	237264	Wall Spring Fixt	5415043088819	Wall spring fixt 	-	100	-	0,60	€ 0,60	pcs



Rockfon® System Ultraline E

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
UL MR	286202	-3500308WW	5415043004376	Ultraline® main runner 3600 white 	3600	20	72	28,90	€ 3,09	m
UL CT	286193	-3512308WW	5415043004611	Ultraline® cross tee 600 white 	600	70	42	16,40	€ 3,09	m
UL CT	286195	-3514308WW	5415043004758	Ultraline® cross tee 1200 - one slot white 	1200	40	48	18,70	€ 3,09	m
UL CT	166839	-3524308WW	5415043004901	Ultraline® cross tee 1200 no slots white 	1200	40	48	18,70	€ 3,29	m **
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
UL MR	182742	-3530308WB	5415043030726	Ultraline® main runner 3600 white - black 	3600	20	72	28,93	€ 3,50	m **
UL CT	182744	-3512308WB	5415043004604	Ultraline® cross tee 600 white - black 	600	70	42	16,45	€ 3,50	m **
UL CT	182773	-3514308WB	5415043004741	Ultraline® cross tee 1200 - one slot white - black 	1200	40	48	18,83	€ 3,50	m **
L24x24	170583	-1420--04	5415043002358	Wall angle 24/24 3050 alugrey 	3050	40	122,00	25,47	€ 1,30	m**
UL MR	182737	-3500308GB	5415043004352	Ultraline® main runner 3600 grey - black 	3600	20	72	28,93	€ 3,90	m **
UL CT	182745	-3512308GB	5415043004598	Ultraline® cross tee 600 grey - black 	600	70	42	16,45	€ 3,90	m **
UL CT	182774	-3514308GB	5415043004734	Ultraline® cross tee 1200 - one slot grey - black 	1200	40	48	18,83	€ 3,90	m **
L24x24	227313	-1420--88	5415043076045	Wall angle 24/24 3050 black 	3050	40	122	25,47	€ 1,30	m



Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
TR M6	170536	10012	5415043011459	Threaded wire rod M6/D = 1000 mm	1000	100	-	16,70	€ 0,99	pcs **
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 	120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs
FH B	211187	---11	5415043009463	Special movable hanger, for T-profiles Chicago Metallic 	-	100	-	1,50	€ 0,30	pcs
NUT M6	182180	10014	5415043011473	Nut M6	-	100	-	0,20	€ 0,16	pcs **
UL BOLT M6	211185	-7608	5415043011428	Bolt M6X20 	-	100	-	0,70	€ 1,60	pcs **
UL CAP	355554	-3599	5415043010964	End cap Ultraline 	-	100	-	0,50	€ 0,60	pcs **











Product: Rockfon Blanka



Rockfon® System T15 A

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T15 MR CL&HK	166733	-2700S1001	5415043033086	Main runner T15 Click/Hook white 	3600	15	54	17,10	€ 1,28	m
T15 CT CLICK	166730	-2792S3001	5415043035141	Cross tee T15 Click white 	600	45	27	7,10	€ 1,28	m
T15 CT CLICK	166727	-2794S3001	5415043033840	Cross tee T15 Click white 	1200	45	54	13,70	€ 1,28	m
W8x12	190369	-1461--001	5415043046802	Shadow wall angle 15x12x8x15 mm 	3050	30	91,5	17,90	€ 2,14	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
WH 4,0 2500	182175	964025	5415043013538	Suspension rope Ø4 mm / L = 2500 mm 	-	100	-	25,00	€ 0,92	pcs **
QH TC	231681	17010	5415043080387	Hanger with adjustable clip 	-	100	-	3,85	€ 0,68	pcs **










Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 	120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs
SH 50	263490	---21.5	5415043104786	Direct suspension clip H = 50 	-	100	-	2,50	€ 1,23	pcs
HDC 1	237949	--823	5415043083586	Hold down clip 1 	-	100	-	1,34	€ 0,62	pcs
HDC 2	237952	--824	5415043083593	Hold down clip 2 	-	150	-	1,65	€ 0,68	pcs
HDC 3	237954	--825	5415043083609	Hold down clip 3 	-	100	-	1,12	€ 1,06	pcs



Rockfon® System T24 A













Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Click white 	600	45	27	8,20	€ 1,28	m
T24 CT CLICK	163734	-289330001	5415043003959	Cross tee T24 Click white 	900	50	45	13,10	€ 1,49	m **
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click white 	1200	45	54	15,70	€ 1,28	m
T24 CT CLICK	155135	-2896S3001	5415043031389	Cross tee T24 Click white 	1800	25	45	16,20	€ 1,49	m
W8x12	190369	-1461--001	5415043046802	Shadow wall angle 15x12x8x15 mm 	3050	30	91,5	17,90	€ 2,14	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m



Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 	120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs
SH 50	263490	---21.5	5415043104786	Direct suspension clip H = 50 	-	100	-	2,50	€ 1,23	pcs
HDC 1	237949	--823	5415043083586	Hold down clip 1 	-	100	-	1,34	€ 0,62	pcs
HDC 2	237952	--824	5415043083593	Hold down clip 2 	-	150	-	1,65	€ 0,68	pcs
HDC 3	237954	--825	5415043083609	Hold down clip 3 	-	100	-	1,12	€ 1,06	pcs
FCT T24 EYE M6	291555	10803	5415043124142	Twist clip eye 	-	100	-	1,52	€ 2,03	pcs **
FB T24 001	211208	OPV08-24001	5415043013118	Filler Block for T24 - White 	-	500	-	0,60	€ 0,35	pcs



Rockfon® System Bandraster A

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
BR100	163506	-3100S1001	5415043024374	Main runner Bandraster 100 mm - slots 100 mm 	3600	8	28,8	30,90	€ 9,98	m **
T24 CT HOOK	176422	--85430001	5415043001689	Cross tee T24 Hook 1200 	1200	50	60	21,20	€ 1,22	m **
T24 CT HOOK	183962	--85530001	5415043001948	Cross tee T24 Hook 1500 	1500	50	75	26,40	€ 1,22	m **
T24 CT HOOK	176909	--85630001	5415043001986	Cross tee T24 Hook 1800 	1800	50	90	31,70	€ 1,40	m **
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
W8x12	190369	-1461--001	5415043046802	Shadow wall angle 15x12x8x15 mm 	3050	30	91,5	17,90	€ 2,14	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
BR100 LC	165476	-3101	5415043010698	Length coupling Bandraster 100 mm 	-	25	-	3,50	€ 1,64	pcs **
BR100 WC	165497	-3104	5415043010728	Wall connector Bandraster 100 mm 	-	25	-	2,70	€ 1,44	pcs **
NH 90	211169	10200	5415043011664	Nonius hanger upper part 	-	100	-	2,40	€ 0,66	pcs **
NH BR100	211174	-3237	5415043010865	Nonius hanger for Bandraster 100 mm 	-	100	-	4,10	€ 0,82	pcs **
NH CLIP	165409	10228	5415043011770	Nonius hanger clip 	-	200	-	1,30	€ 0,16	pcs **



Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
BR125	188213	-312530001	5415043004192	Main runner Bandraster 125 mm - no slots 	3600	4	14,40	21,11	€ 11,80	m**
BR125 LC	211199	-3126	5415043010742	Length coupling Bandraster 125 mm 	-	25	-	3,85	€ 1,68	pcs**
BR125/C100,5 H	181105	-3127	5415043010759	Flat hanger for Bandraster 125 mm 	-	100	-	4,54	€ 0,86	pcs**
BR125 CC	211200	-3128	5415043010766	Cross connector for Bandraster 125 mm 	-	25	-	3,55	€ 1,56	pcs**
BR125/C100,5 HB	188185	-3130	5415043010780	Bent hanger for Bandraster 125 mm 	-	100	-	4,59	€ 0,86	pcs**
	188409	-3136	5415043024442	90° angle connector for Bandraster 125 mm 	-	2	-	0,91	€ 13,80	pcs**
NH BR125	188410	-3238	5415043010872	Nonius hanger - lower part for Bandraster 125 mm 	-	100	-	6,10	€ 1,26	pcs**
BR125 WC	211201	-3129	5415043010773	Wall connector for Bandraster 125 mm 	-	25	-	3,55	€ 1,58	pcs**
-	211217	-3301	5415043010896	Nonius hanger - lower part for Bandraster foot 100, 125, 150 mm 	-	25	-	1,34	€ 1,26	pcs**
-	211218	-3326	5415043010919	Nonius hanger foot for Bandraster 125 mm 	-	25	-	2,48	€ 1,62	pcs**






Rockfon® System Maxispan T24 A, E










Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24x75 SC CL&HK	173056	-827024001	5415043037107	Main runner T24 x 75 mm Straight-cut 	2400	8	19,2	14,60	€ 8,80	m **
T24x75 SC CL&HK	173057	-827030001	5415043037121	Main runner T24 x 75 mm Straight-cut 	3000	8	24	17,50	€ 8,80	m **
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Click white 	600	45	27	8,20	€ 1,28	m
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click white 	1200	45	54	15,70	€ 1,28	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
-	178773	-6021	5415043011374	Fixing bracket 	-	50	-	3,76	€ 1,59	pcs

Rockfon® System B Adhesive









Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
GSF	216747	-	5708045115899	Rockfon SwiftFix 	-	-	-	13,00	€ 88,40	pcs



Rockfon® System T24 A, E ECR



Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 D MR CL&HK	158036	D2800S1001	5415043031686	Main runner T24 Click ECR Class D 	3600	15	54	23,60	€ 3,80	m
T24 D CT CLICK	216987	D2892S3001	5415043063373	Cross tee T24 Click 600 mm ECR Class D 	600	45	27	9,80	€ 3,80	m
T24 D CT CLICK	216991	D2894S3001	5415043063410	Cross tee T24 Click 1200 mm ECR Class D 	1200	45	54	18,90	€ 3,80	m
L24x24 D	170580	D1420--001	5415043007636	Wall angle 24/24 Class D 3050 white 	3050	40	122	27,00	€ 2,42	m
TR D M6	211195	D10012	5415043012333	Threaded wire rod ECR/Class D/D = 1000 mm 	1000	100	-	16,70	€ 5,80	pcs
FH B D	211193	--D11	5415043010087	Special movable hanger / ECR Class D 	-	100	-	1,50	€ 0,60	pcs
NUT D M6	211196	D10014	5415043012357	Nut M6/ECR Class D 	-	100	-	0,20	€ 0,44	pcs
CAP D M6	211197	D10416	5415043012500	Plastic protection cup M6/ECR Class D 	-	100	-	0,17	€ 0,32	pcs
SS D M6	211215	D10013	5415043012340	Distance sleeve M6/ECR Class D 	-	100	-	0,80	€ 2,60	pcs










Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
NH D 85	189230	D10200B	5415043028297	Nonius hanger upper part ECR/Class D 	85 mm	50	-	1,40	€ 4,49	pcs **
NH D 540	189231	D10205B	5415043028358	Nonius hanger upper part (Curved) ECR/Class D 	540 mm	50	-	5,50	€ 5,80	pcs **
NH D 540	189236	D10205S	5415043028419	Nonius hanger upper part (Straight) ECR/Class D	540 mm	50	-	5,50	€ 5,80	pcs **
WBB T D	353869	D1714ANGLE NEW	5415043203939	Wall & Bridging bracket ECR class D 	-	50	-	1,60	€3,52	pcs **
NH D CLIP	211172	D10228	5415043012470	Nonius hanger clip ECR/ Class D 	-	100	-	0,70	€ 2,24	pcs **
HDC 1	237949	--823	5415043083586	Hold down clip 1 	-	100	-	1,34	€ 0,62	pcs
HDC 2	237952	--824	5415043083593	Hold down clip 2 	-	150	-	1,65	€ 0,68	pcs
HDC 3	237954	--825	5415043083609	Hold down clip 3 	-	100	-	1,12	€ 1,06	pcs
FB T24 001	211208	OPV08-24001	5415043013118	Filler Block for T24 - White 	-	500	-	0,60	€ 0,35	pcs



Rockfon® System Olympia Plus A Impact 1A




Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
BR50	162644	-3050S1001	5415043004130	Main runner Bandraster 50 mm 	3600	8	28,8	23,70	€ 9,20	m **
BR50	162648	-305430001	5415043004147	Cross tee Bandraster 50 mm 	1150	8	9,2	7,60	€ 7,80	m **
1A HDF CT600	163519	-51323069	5415043009210	Hold-down C-profile 18x45x18 mm, L = 555 mm of anti-impact frame 	555	20	11,1	4,50	€ 4,00	m **
1A HDF CT1200	163517	-51343069	5415043009234	Hold-down C-profile 18x45x18 mm, L = 1168.6 mm of anti-impact frame 	1168,6	20	23,372	9,60	€ 4,00	m **
1A HDF CC	211180	-5139	5415043011152	Straight C-profile connector of anti-impact frame 	-	40	-	2,20	€ 1,30	pcs **
1A HDF CC B	211179	-5138	5415043011145	Angled C-profile connector of anti-impact frame 	-	40	-	2,20	€ 1,30	pcs **
-	162645	-1470--001	5415043003102	Perimeter trim 24/24 reinforced 3050 white 	3050	25	76,25	23,53	€ 2,52	m **
BR50 LC	165427	-3051	5415043010599	Length coupling for Bandraster 50 mm 	-	25	-	1,60	€ 0,90	pcs **



Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
BR50 CC	165422	-3053	5415043010612	Bandraster cross connector: main runner-cross tee 	-	25	-	1,50	€ 1,35	pcs **
NH 90	211169	10200	5415043011664	Nonius hanger for Bandraster 50 mm - upper part 	-	100	-	2,40	€ 0,66	pcs **
NH CLIP	165409	10228	5415043011770	Nonius hanger clip 	-	200	-	1,30	€ 0,16	pcs **
NH BR50	165428	-3235	5415043010841	Nonius hanger for Bandraster 50 mm - lower part 	-	100	-	3,40	€ 0,60	pcs **
BR50 WC	165426	-3054	5415043010629	Bandraster 50 mm wall connector 	-	25	-	1,50	€ 1,20	pcs **
1A KEY	204057	--925	5415043051042	Access key for 1A 	-	1	-	0,04	€ 16,00	pcs **
FB T24 001	211208	OPV08-24001	5415043013118	Filler Block for T24 - White 	-	500	-	0,60	€ 0,35	pcs










Rockfon® System T24 A Impact 2A/3A

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Click white 	600	45	27	8,20	€ 1,28	m
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click white 	1200	45	54	15,70	€ 1,28	m
C37 D	188424	D1449--001	5415043028020	Profile U 40 Class D white 	3050	32	97,6	32,50	€ 2,65	m **
HDC 1	237949	--823	5415043083586	Hold down clip 1 	-	100	-	1,34	€ 0,62	pcs
HDC 2	237952	--824	5415043083593	Hold down clip 2 	-	150	-	1,65	€ 0,68	pcs
HDC 3	237954	--825	5415043083609	Hold down clip 3 	-	100	-	1,12	€ 1,06	pcs
HDC W1	211164	---88	5415043009654	Hold down clip wall 1 	-	250	-	2,10	€ 0,36	pcs
LC	187344	H8Q21613	5708045106934	Plastic clips Z and M edge, grey 	-	100	-	0,26	€ 0,30	pcs
QH HH 200	182119	QH012012	5415043013194		120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs












Rockfon® System dB T24 A, E

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Click white 	600	45	27	8,20	€ 1,28	m
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click white 	1200	45	54	15,70	€ 1,28	m
W8x12	190369	-1461--001	5415043046802	Shadow wall angle 15x12x8x15 mm 	3050	30	91,5	17,90	€ 2,14	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
WSF	237264	Wall Spring Fixt	5415043088819	Wall spring fixt 	-	100	-	0,60	€ 0,60	pcs
SH 50	263490	---21.5	5415043104786	Direct suspension clip H = 50 	-	100	-	2,50	€ 1,23	pcs
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 	120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs















Rockfon® System dB Bandraster A

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
BR100	163506	-3100S1001	5415043024374	Main runner Bandraster 100 mm - slots 100 mm 	3600	8	28,8	30,90	€ 9,98	m **
T24 CT HOOK	176422	--85430001	5415043001689	Cross tee T24 Hook 1200 	1200	50	60	21,20	€ 1,22	m **
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
W8x12	190369	-1461--001	5415043046802	Shadow wall angle 15x12x8x15 mm 	3050	30	91,5	17,90	€ 2,14	m
BR100 LC	165476	-3101	5415043010698	Length coupling for Bandraster 100 mm 	-	25	-	3,50	€ 1,64	pcs **
BR100 WC	165497	-3104	5415043010728	Wall connector for Bandraster 100 mm 	-	25	-	2,70	€ 1,44	pcs **
NH 90	211169	10200	5415043011664	Nonius hanger upper part 	-	100	-	2,40	€ 0,66	pcs **
NH BR100	211174	-3237	5415043010865	Nonius hanger for Bandraster 100 mm 	-	100	-	4,10	€ 0,82	pcs **
NH CLIP	165409	10228	5415043011770	Nonius hanger clip 	-	200	-	1,30	€ 0,16	pcs **





Rockfon® System MediCare T24 A, E (ECR)

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Click white 	600	45	27	8,20	€ 1,28	m
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click white 	1200	45	54	15,70	€ 1,28	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
T24 D MR CL&HK	158036	D2800S1001	5415043031686	Main runner T24 Click ECR Class D 	3600	15	54	23,60	€ 3,80	m
T24 D CT CLICK	216987	D2892S3001	5415043063373	Cross tee T24 Click 600 mm ECR Class D 	600	45	27	9,80	€ 3,80	m
T24 D CT CLICK	216991	D2894S3001	5415043063410	Cross tee T24 Click 1200 mm ECR Class D 	1200	45	54	18,90	€ 3,80	m
L24x24 D	170580	D1420--001	5415043007636	Wall angle 24/24 Class D 3050 white 	3050	40	122	27,00	€ 2,42	m
BF DFK	283335	-	5902565731038	Direct fixing bracket kit ECR class D 	-	24	-	-	€ 4,98	pcs
NH D 540	189231	D10205B	5415043028358	Nonius hanger upper part ECR/Class D (bent) 	540 mm	50	-	5,50	€ 5,80	szt. **
NH D 540	189236	D10205S	5415043028419	Nonius hanger upper part ECR/Class D (straight) 	540 mm	50	-	5,50	€ 5,80	szt. **
WBB T D	353869	D1714ANGLE NEW	5415043203939	Wall and bridging bracket ECR/Class D 	-	50	-	1,60	€3,52	szt. **















Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
NH 540	211171	10205	5415043011718	Nonius hanger - upper part 	-	100	-	10,60	€ 0,72	pcs **
HDC 2	237952	--824	5415043083593	Hold down clip 2 	-	150	-	1,65	€ 0,68	pcs
NH D T	211173	D10230	5415043012487	Nonius hanger T24 ECR/Class D - lower part 	-	50	-	2,20	€ 3,69	pcs **
NH D CLIP	211172	D10228	5415043012470	Nonius hanger clip ECR/Class D 	-	100	-	0,70	€ 2,24	pcs **
HDC 7	309668	--823	5415043150691	Steel hold down clip HDC 7 ECR/Class D for 40 mm tiles 	-	100	-	-	€ 1,60	pcs **
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click 1200 white 	1200	45	54	15,70	€ 1,28	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
WSF	237264	Wall Spring Fixt	5415043088819	Wall spring fixt 	-	100	-	0,60	€ 0,60	pcs
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 	120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner 24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Click 600 white 	600	45	27	8,20	€ 1,28	m



Rockfon® System CleanSpace T24 A, E (ECR)

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158089	-2892S3001	5415043031303	Cross tee T24 Click white 	600	45	27	8,20	€ 1,28	m
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click white 	1200	45	54	15,70	€ 1,28	m
L24x24	286203	-1420--001	5415043120892	Wall angle 24/24 3050 white 	3050	40	122	25,50	€ 0,90	m
T24 D MR CL&HK	158036	D2800S1001	5415043031686	Main runner T24 Click ECR Class D 	3600	15	54	23,60	€ 3,80	m
T24 D CT CLICK	216987	D2892S3001	5415043063373	Cross tee T24 Click 600 mm ECR Class D 	600	45	27	9,80	€ 3,80	m
T24 D CT CLICK	216991	D2894S3001	5415043063410	Cross tee T24 Click 1200 mm ECR Class D 	1200	45	54	18,90	€ 3,80	m
L24x24 D	170580	D1420--001	5415043007636	Wall angle 24/24 Class D 3050 white 	3050	40	122	27,00	€ 2,42	m
W10x15	190368	-1460--001	5415043046789	Shadow wall angle 15x15x10x15 mm 	3050	30	91,5	19,90	€ 2,14	m
WSF	237264	Wall Spring Fixt	5415043088819	Wall spring fixt 	-	100	-	0,60	€ 0,60	pcs
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 	120-200 mm	100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs



Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
HDC 2	237952	--824	5415043083593	Hold down clip 2 	-	150	-	1,65	€ 0,68	pcs
T24 D MR CL&HK	158036	D2800S1001	5415043031686	Main runner T24 Click ECR Class D 	3600	15	54	23,60	€ 3,80	m
T24 D CT CLICK	216987	D2892S3001	5415043063373	Cross tee T24 Click 600 mm ECR Class D 	600	45	27	9,80	€ 3,80	m
T24 D CT CLICK	216991	D2894S3001	5415043063410	Cross tee T24 Click 1200 mm ECR Class D 	1200	45	54	18,90	€ 3,80	m
L24x24 D	170580	D1420--001	5415043007636	Wall angle 24/24 Class D 3050 white 	3050	40	122	27,00	€ 2,42	m
BF DFK	283335	-	5902565731038	Direct fixing bracket kit ECR class D	-	24	-		€ 4,98	pcs
NH 540	211171	10205	5415043011718	Nonius hanger - upper part 	-	100	-	10,60	€ 0,72	pcs **
NH D 540	189231	D10205B	5415043028358	Nonius hanger upper part ECR/Class D (bent) 	540 mm	50	-	5,50	€ 5,80	szt. **
NH D 540	189236	D10205S	5415043028419	Nonius hanger upper part ECR/Class D (straight) 	540 mm	50	-	5,50	€ 5,80	szt. **
WBB T D	353869	D1714ANGLE NEW	5415043203939	Wall and bridging bracket ECR/Class D 	-	50	-	1,60	€3,52	szt. **
NH D T	211173	D10230	5415043012487	Nonius hanger T24 ECR / Class D - lower part 	-	50	-	2,20	€ 3,69	pcs **
NH D CLIP	211172	D10228	5415043012470	Nonius hanger clip ECR/ Class D 	-	100	-	0,70	€ 2,24	pcs **
HDC 7	309668	--823	5415043150691	Steel hold down clip HDC 7 ECR/Class D for 40 mm tiles 	-	100	-	-	€ 1,60	pcs **



Rockfon® System T24 Stepped Z D

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
-	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white	3600	15	54	19,50	€ 1,28	m
-	163516	151-00	5415043009135	Stepped Z-profiles 58mm 4000mm	4000	10	40	21,95	€ 3,82	m**
-	166796	-110	5415043009753	Connector Z	-	100	-	5,14	€ 1,62	pcs **
-	166794	-120	5415043009777	Wire clip for Z	-	500	-	3,90	€ 0,59	pcs **


















Rockfon® System Eclipse Island

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
EC DFB	121293	A38797	8718232085888	Direct fixing bracket 	-	-	-	0,03	€ 2,70	pcs *
EC SA	242224	66803600080003	5902565731441	Spiral anchor 	-	100	-	1,20	€ 0,70	pcs
EC CSK	233131	-	5415043081247	Rockfon Eclipse Classic suspension kit 	-	16	-	0,91	€ 8,20	pcs
EC DSK	233121	-	5415043081223	Rockfon Eclipse Design suspension kit 	-	8	-	0,44	€ 10,20	pcs
-	233132	-	5415043081254	Rockfon Eclipse Classic suspension kit 	-	24	-	1,40	€ 8,20	pcs
FCT T24 EYE M6	291555	-	5415043124142	Twist clip eye 	-	100	-	1,52	€ 2,03	pcs **
PLUG M6 TILT	182185	10027	5415043011558	Tilting plug & rosette	-	100	-	1,90	€ 0,29	pcs **
TR M6	170536	10012	5415043011459	Threaded wire rod M6	1000	100	-	16,70	€ 0,99	pcs **
EC SFK	282839	SFK 1350	5415043118776	Rockfon® Eclipse Direct fixing Kit 1350	1350	4	-	12,10	€ 38,00	pcs **
EC SFK	282842	SFK 2100	5415043118783	Rockfon® Eclipse Direct fixing Kit 2100	2100	2	-	9,40	€ 48,00	pcs **
EC SFK	282828	SFK 750	5415043118769	Rockfon® Eclipse Direct fixing Kit 750	750	4	-	6,70	€ 26,00	pcs **
-	314149	-	5902565744380	Rockfon® Eclipse Repair Filler Kit 250 g	-	-	-	0,25	12,80	pcs





Rockfon® System Universal Baffle

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
C30 TRACK	283326	-	5902565731007	Support track 3000 mm, black 	3000	8	-	20,00	€ 40,00	pcs
C30 TRACK	283313	-	5902565731045	Support track 3000 mm, galvanized 	3000	8	-	20,00	€ 20,00	pcs
C30 TRACK	283324	-	5902565730994	Support track 3000 mm, white 	3000	8	-	20,00	€ 40,00	pcs
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 		100	-	4,20	€ 0,42	pcs
QH HH 620	182127	QH033033	5415043013217		330-620 mm	100	-	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		530-1020 mm	100	-	12,01	€ 0,68	pcs
FC C30 TRACK M6	283330	-	5902565731328	Fixing clip for support track 	-	24	-	-	€ 1,30	pcs
C30 TRACK EC	283337	-	5902565731021	Support track end cap, galva, 48pcs/box 	45	48	-	-	€ 4,60	pcs
C30 TRACK LC	283327	-	5902565731014	Support track coupling, galva, 48pcs/box 	100	48	-	-	€ 4,60	pcs
NUT M6	182180	10014	5415043011473	Nut M6 	-	100	-	0,20	€ 0,16	pcs **
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click white 	1200	45	54	15,70	€ 1,28	m
T24 CT CLICK	155135	-2896S3001	5415043031389	Cross tee T24 Click white 	1800	25	45	16,20	€ 1,49	m
CO DSK	233134	66910000071001	5415043081261	Contour Design suspension kit 	-	12	-	0,66	€ 8,91	pcs
CO CSK	233139	66910000071001	5415043081278	Contour Classic suspension kit 	-	12	-	0,52	€ 6,51	pcs



Rockfon® System Humitec Baffle

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
BF DFK	283335	-	5902565731038	Direct fixing bracket kit ECR class D 		24			€ 4,98	pcs
NUT D M6	211196	D10014	5415043012357	Nut M6/ECR Class D 		100		0,20	€ 0,44	pcs
CAP D M6	211197	D10416	5415043012500	Protecting plastic cap M6/ECR Class D 		100		0,17	€ 0,32	pcs
TR D M6	211195	D10012	5415043012333	Threaded bar ECR/Class D/L = 1000 mm 	1000	100		16,70	€ 5,80	pcs
FH B D	211193	--D11	5415043010087	Special hanger bent / ECR class D 		100		1,50	€ 0,60	pcs
T24 D MR CL&HK	158036	D2800S1001	5415043031686	Main runner T24 Click ECR Class D 	3600	15	54	23,60	€ 3,80	m
T24 D CT CLICK	216991	D2894S3001	5415043063410	Cross tee T24 Click 1200 mm ECR Class D 	1200	45	54	18,90	€ 3,80	m
NH D 85	189230	D10200B	5415043028297	Nonius hanger upper part ECR/Class D 		50		1,40	€ 4,49	pcs **
NH D T	211173	D10230	5415043012487	Nonius hanger T24 ECR/Class D - lower part 		50		2,20	€ 3,69	pcs **
NH D CLIP	211172	D10228	5415043012470	Nonius hanger clip ECR/Class D 		100		0,70	€ 2,24	pcs **
TR D M6X30	288098	-	5415043122148	Threaded bar M6X30 ECR Class D 		100		0,50	€ 0,74	pcs **



Rockfon® System Industrial Baffle







Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
C30 TRACK	283326	-	5902565731007	Support track 3000 mm, black 	3000	8	-	20,00	€ 40,00	pcs
C30 TRACK	283313	-	5902565731045	Support track 3000 mm, galvanized 	3000	8	-	20,00	€ 20,00	pcs
C30 TRACK	283324	-	5902565730994	Support track 3000 mm, white 	3000	8	-	20,00	€ 40,00	pcs
FC C30 TRACK M6	283330	-	5902565731328	Fixing clip for support track 	-	24	-	-	€ 1,30	pcs
NUT M6	182180	10014	5415043011473	Nut M6 	-	100	-	0,20	€ 0,16	pcs **
C30 TRACK LC	283327	-	5902565731014	Support track coupling, galva, 48pcs/box 	100	48	-	-	€ 4,60	pcs
T24 MR CL&HK	155132	-2800S1001	5415043031341	Main runner T24 Click/Hook white 	3600	15	54	19,50	€ 1,28	m
T24 CT CLICK	158088	-2894S3001	5415043031334	Cross tee T24 Click 1200 white 	1200	45	54	15,70	€ 1,28	m
-	182123	-	5415043013200	Hanger HH 4,0 MM 180 320 100/C 	-	100	-	-	€ 0,60	pcs
C30 TRACK EC	283337	-	5902565731021	Support track End Cap, galva, 48pcs/box 	45	48	-	-	€ 4,60	pcs



Chicago Metallic Alugrey 2890

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
-	166859	-2800S104	5415043034465	Main runner T24 Click/Hook alugrey 04	3600	15	54,00	19,46	€ 1,88	m**
-	166861	-2894S304	5415043034502	Cross tee T24 Click alugrey 04	1200	45	54,00	15,94	€ 1,88	m**
-	166860	-2892S304	5415043034489	Cross tee T24 Click alugrey 04	600	45	27,00	8,20	€ 1,88	m**
-	170583	-1420--04	5415043002358	Straight wall angle 24/24 3050 alugrey 04	3050	40	122,00	2,47	€ 1,30	m**

Chicago Metallic Matt White 2890




Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
-	222377	-2800S111	5415043071354	Main runner T24 Click/Hook white matt 	3600	15	54	19,46	€ 1,51	m
-	222387	-2894S311	5415043071415	Cross tee T24 Click white matt 	1200	45	54	15,71	€ 1,51	m
-	222383	-2892S311	5415043071378	Cross tee T24 Click white matt 	600	45	27	8,20	€ 1,51	m
-	254270	-1420--11	5415043098450	Wall angle 24/24 3050 white matt 	3050	40	122	25,47	€ 0,99	m
-	248437	-1460--11	5415043094605	Shadow wall angle 15x15x10x15 mm white matt 	3050	30	91,5	19,85	€ 3,04	m
-	254228	-1461--11	5415043098375	Shadow wall angle 15x12x8x15 mm white matt 	3050	30	91,5	17,91	€ 3,04	m




Chicago Metallic Matt White 2790

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
-	254222	-2700S111	5415043098252	Main runner T15 Click/Hook white matt 	3600	15	54	17,12	€ 1,51	m
-	254224	-2794S311	5415043098290	Cross tee T15 Click white matt 	1200	45	54	13,73	€ 1,51	m
-	254223	-2792S311	5415043098276	Cross tee T15 Click white matt 	600	45	27	7,05	€ 1,51	m
-	254270	-1420--11	5415043098450	Wall angle 24/24 3050 white matt 	3050	40	122	25,47	€ 0,99	m
-	248437	-1460--11	5415043094605	Shadow wall angle 15x15x10x15 mm white matt 	3050	30	91,5	19,85	€ 3,04	m
-	254228	-1461--11	5415043098375	Shadow wall angle 15x12x8x15 mm white matt 	3050	30	91,5	17,91	€ 3,04	m

Chicago Metallic Matt Black 2890

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
-	166785	-2800S188	5415043034335	Main runner T24 Click/Hook black matt 	3600	15	54	19,46	€ 1,88	m
-	166792	-2894S388	5415043034373	Cross tee T24 Click black matt 	1200	45	54	15,94	€ 1,88	m
-	166791	-2892S388	5415043034359	Cross tee T24 Click black matt 	600	45	27	8,20	€ 1,88	m



Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
	227313	-1420--88	5415043076045	Wall angle 24/24 3050 black matt 	3050	40	122	25,47	€ 1,30	m
	238402	-1461--88	5415043084507	Shadow wall angle	3050	30	91,50	17,91	€ 2,34	m**
	227310	-1460--88	5415043076007	Shadow wall angle	3050	30	91,50	19,85	€ 2,34	m**

Chicago Metallic Matt Black 2790






Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
	194257	-2700S188	5415043048813	Main runner T15 Click/Hook black matt	3600	15	54	17,12	€ 1,88	m
	194259	-2794S388	5415043048790	Cross tee T15 Click black matt	1200	45	54	13,72	€ 1,88	m
	194258	-2792S388	5415043048776	Cross tee T15 Click black matt	600	45	27	7,05	€ 1,88	m

Chicago Metallic Alu 740





Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
T24 ALU MR	220870	--7403001	5415043069559	Main runner T24 Hook ALU 740 	3600	20	72	16,00	€ 5,40	m**
T24 ALU CT	220877	--7423001	5415043069610	Cross tee T24 Hook ALU 740 	600	60	36	7,00	€ 5,40	m**
T24 ALU CT	220881	--7443001	5415043069641	Cross tee T24 Hook ALU 740 	1200	60	72	15,00	€ 5,40	m**
L19/24 ALU CAP	174003	-1479--01	5415043003171	Wall angle 24x19x3050 ALU 740 	3050	25	76,25	9,48	€ 3,72	m**
WH ALU	182176	--7964015	5415043013453	Hanger ALU 740 	1500	100		6,00	€ 2,90	pcs**



Chicago Metallic Alu Transitions




Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
TP ALU 15	219686	-5119-001	5415043068088	TP JS 15 PA 3000 001 10/C 	3000	10	30	10,63	€ 8,20	m **
TP ALU15C	188463	-5120-001	5415043027535	TP JC 15 PA 3000 001 10/C 	3000	10	30	14,00	€ 8,20	m **
TP ALU L0	182994	-5121-001	5415043027566	TP JA 0 PA 3000 001 10/C 	3000	10	30	9,00	€ 8,20	m **
TP ALU 15L	183142	-5122-001	5415043027597	TP JA 15 PA 3000 001 10/C 	3000	10	30	12,00	€ 8,20	m **
TP ALU L8	188464	-5123-001	5415043027610	TP JS 8 PA 3000 001 20/C 	3000	20	60	18,00	€ 7,90	m **

Chicago Metallic F Profiles




Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
F13	221079	-145312001	5415043069955	Transition profile F13 	3200	16	51,2	19,80	€ 2,30	m
F15	219975	-145315001	5415043068408	Transition profile F15 	3200	16	51,2	20,19	€ 2,52	m **
F18	221081	-145318001	15043069979	Transition profile F18 	3200	16	51,2	20,79	€ 2,73	m **
F13	227300	-14531288	5415043075925	Transition profile F13 black matt 	3200	16	51,20	19,80	€ 2,62	m**





Chicago Metallic Flexible Wall Angles

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
L24x24 FLEX	211166	-1480-FLW	5415043003195	Flexible wall angle 24x24 white 	2500	10	25	5,14	€ 11,08	m
L24x24 FLEX	165514	-1480-FLB	5415043003188	Flexible wall angle 24x24 black 	2500	10	25	5,14	€ 11,08	m **
L20x25 FLEX ALU	175476	-1482--916	5415043038180	Flexible wall angle 25x20 3000mm 	3000	10	30	6,90	€ 12,20	m

Chicago Metallic J Profiles

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
J25	166784	-142325001	5415043033222	Perimeter profile J 25 25 13 	3050	24	73,2	21,09	€ 2,08	m **
J40	166772	-142340001	5415043033246	Perimeter profile J 25 40 13 	3050	18	54,9	19,72	€ 2,20	m
J50	166778	-1423500001	5415043033260	Perimeter profile J 25 50 13 	3050	18	54,9	21,98	€ 2,68	m **


Chicago Metallic C Profiles

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
C37	173536	-1449--001	5415043002679	Profile U 40 white 	3050	32	97,6	32,50	€ 1,80	m
C37 D	188424	D1449--001	5415043028020	Profile U 40 ECR Class D white 	3050	32	97,6	32,38	€ 2,65	m **






STANDARD
WHITE PROFILES












PROFILE
CHICAGO METALLIC
MATT WHITE 11



Chicago Metallic Screenline

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
SCR C40	181915	SE40160001	5415043008756	Profile Screenline SE 	540	8	4,32	1,46	€ 6,04	m **
SCR C40	182190	SE40260001	5415043008787	Profile Screenline SE 	1140	8	9,12	3,08	€ 6,04	m **
SCR C40	182191	SE40530001	5415043008893	Profile Screenline SE 	1440	8	11,52	3,89	€ 4,62	m **
SCR C40	182192	SE40360001	5415043008824	Profile Screenline SE 	1740	8	13,92	4,69	€ 4,62	m **
SCR C40	182193	SE40730001	5415043008978	Profile Screenline SE 	2040	8	16,32	5,50	€ 4,62	m **
SCR C40	182194	SE40460001	5415043008855	Profile Screenline SE 	2340	8	18,72	6,31	€ 4,62	m **
SCR C40	182195	SE40560001	5415043008909	Profile Screenline SE 	2940	8	23,52	7,93	€ 4,62	m **
SCR C40	182196	SE40660001	5415043008930	Profile Screenline SE 	3540	8	28,32	9,37	€ 4,62	m **
SCR C40	183377	SD40730001	5415043008657	Profile Screenline SD 	2070	8	16,56	5,58	€ 4,62	m **
SCR C40	182197	SD40460001	5415043008558	Profile Screenline SD 	2370	8	18,96	6,39	€ 4,62	m **
SCR C40	183384	SD40930001	5415043008688	Profile Screenline SD 	2670	8	21,36	7,20	€ 4,62	m **



Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
SCR C40	182198	SD40560001	5415043008589	Profile Screenline SD 	2970	8	23,76	8,01	€ 4,62	m **
SCR C40	188598	SD41130001	5415043008701	Profile Screenline SD 	3270	8	26,16	8,82	€ 4,62	m **
SCR C40	182199	SD40660001	5415043008626	Profile Screenline SD 	3570	8	28,56	9,63	€ 4,62	m **
SCR C40	180876	SP40660001	5415043009050	Profile Screenline SP 	3600	8	28,80	9,71	€ 4,62	m **
SCR FC T	211209	D4004	5415043012524	Fixation bracket Screenline 	-	50	-	0,60	€ 0,80	pcs **
SCR SUSP	183234	D4006	5415043012531	Hanger clip Screenline 	-	24	-	0,75	€ 4,20	pcs **
SCR LC 001	211198	40CL--001	5415043011008	Screenline length coupling 	-	8	-	0,24	€ 3,00	pcs **
SCR OC001	211213	-40CO--001	5415043011022	Screenline outside corner 	-	24	-	0,75	€ 3,00	pcs **
SCR IC001	183246	-40IC--001	5415043011053	Screenline inside corner 	-	8	-	0,29	€ 3,00	pcs **
DHS1	183254	--4156--250	5415043011077	Screenline design hanger set 	-	2	-	0,10	€ 6,20	pcs **
SCR WB	183255	--109	5415043009739	Screenline wall bracket 	-	250	-	7,26	€ 0,60	pcs **



Rockfon OneFrame**

MATT WHITE

Product	SAP	CMC	EAN	Item name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
OF OCK W	343128	OF OCK W	5415043192530	ONEFRAME Outside Corner Kit White		1 set/carton	-	4,86	€ 242,40€	CAR
OF EXT 600 W	343132	OF EXT 600 W	5415043192554	ONEFRAME Extension Kit White	600	1 set/carton	-	0,92	€ 44,00€	CAR
OF EXT 1200 W	343135	OF EXT 1200 W	5415043192578	ONEFRAME Extension Kit White	1200	1 set/carton	-	1,74	€ 64,30€	CAR
OF EXT 1800 W	343167	OF EXT 1800 W	5415043192592	ONEFRAME Extension Kit White	1800	1 set/carton	-	2,47	€ 83,70€	CAR
OF EXT 2400 W	347282	OF EXT 2400 W	5415043195357	ONEFRAME Extension Kit White	2400	1 set/carton	-	3,29	€ 102,90€	CAR
OF EXT 3000 W	347285	OF EXT 3000 W	5415043195371	ONEFRAME Extension Kit White	3000	1 set/carton	-	3,97	€ 124,80€	CAR
OF EXT 3600 W	343169	OF EXT 3600 W	5415043192615	ONEFRAME Extension Kit White	3600	1 set/carton	-	4,70	€ 145,90€	CAR

MATT BLACK 88

Product	SAP	CMC	EAN	Item name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
OF OCK B	343131	OF OCK B	5415043192547	ONEFRAME Outside Corner Kit Black		1 set/carton	-	4,86	€ 242,40€	CAR
OF EXT 600 B	343134	OF EXT 600 B	5415043192561	ONEFRAME Extension Kit Black	600	1 set/carton	-	0,92	€ 44,00€	CAR
OF EXT 1200 B	343166	OF EXT 1200 B	5415043192585	ONEFRAME Extension Kit Black	1200	1 set/carton	-	1,74	€ 64,30€	CAR
OF EXT 1800 B	343168	OF EXT 1800 B	5415043192608	ONEFRAME Extension Kit Black	1800	1 set/carton	-	2,47	€ 83,70€	CAR
OF EXT 2400 B	347284	OF EXT 2400 B	5415043195364	ONEFRAME Extension Kit Black	2400	1 set/carton	-	3,29	€ 102,90€	CAR
OF EXT 3000 B	347286	OF EXT 3000 B	5415043195388	ONEFRAME Extension Kit Black	3000	1 set/carton	-	3,97	€ 124,80€	CAR
OF EXT 3600 B	343170	OF EXT 3600 B	5415043192622	ONEFRAME Extension Kit Black	3600	1 set/carton	-	4,7	€ 145,90€	CAR







ACCESSORIES

Product	SAP	CMC	EAN	Item name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
FGC	343223	FGC	5415043192639	ONEFRAME Frame to grid clip		25 pcs/carton	-	0,55	€ 40,80€	CAR
TSK	343289	TSK	5415043192653	ONEFRAME Twist wire suspension		1 set/bag	-	2,02	€ 83,60€	CAR









Hangers

Product	SAP	CMC	EAN	Name	Load bearing capacity	Height (mm)	Packing: pcs	Packing: gross weight	Price in EUR	Unit
NH 90	211169	10200	5415043011664	Nonius hanger - upper part 	40 kg	85	100	2,4	0,66	pcs **
NH 140	165459	10201	5415043011671		40 kg	135	100	3,3	0,68	pcs **
NH 240	165451	10202	5415043011688		40 kg	235	100	5	0,70	pcs **
NH 340	211170	10203	5415043011695		40 kg	340	100	7,1	0,73	pcs **
NH 440	211167	10204	5415043011701		40 kg	440	100	8,4	0,75	pcs **
NH 540	211171	10205	5415043011718		40 kg	540	100	10,6	0,77	pcs **
NH 640	211168	10206	5415043011725		40 kg	640	100	12,6	0,79	pcs **
NH 740	165468	10207	5415043011732		40 kg	740	100	13,6	0,81	pcs **
NH 840	194651	K10208	5415043048912		40 kg	840	50	8	0,97	pcs **
NH 940	194653	K10209	5415043048929		40 kg	940	50	9	1,16	pcs **
NH 1040	165434	10210	5415043011763		40 kg	1040	25	4,9	1,39	pcs **
NH 1140	189250	10211	5415043026873		40 kg	1140	25	5,4	1,48	pcs **
NH 1240	189251	10212	5415043027863		40 kg	1240	25	5,9	1,53	pcs **
NH 1340	189252	10213	5415043026880		40 kg	1340	25	6,4	1,82	pcs **
NH CLIP	165409	10228	5415043011770	Nonius hanger - clip 	40 kg	-	200	1,3	0,16	pcs **
NH T	249343	10230HD	5415043095213	Nonius hanger - upper part 	40 kg	-	100	3,9	0,80	pcs **
NH BR50	165428	-3235	5415043010841	Nonius hanger for Bandarster 50 mm 	40 kg	133,3	100	3,4	0,60	pcs **
NH BR100	211174	-3237	5415043010865	Nonius hanger for Bandarster 100 mm 	40 kg	107,9	100	4,1	0,82	pcs **
QH HH 200	182119	QH012012	5415043013194	Quick hanger with 2 hooks 	30 kg	120-200 mm	100	4,20	€ 0,42	pcs.
QH HH 620	182127	QH033033	5415043013217		30 kg	330-620 mm	100	7,61	€ 0,49	pcs
QH HH 1020	182140	QH053053	5415043013231		30 kg	530-1020 mm	100	12,01	€ 0,68	pcs




Corners

Product	SAP	CMC	EAN	Name	Length (mm)	Packing: pcs	Packing: lm	Packing: gross weight	Price in EUR	Unit
CC 24 OUT	211224	K1334--001	5415043048516	Corner out for PT L 24 001 50/C 	-	50	-	-	€ 0,35	pcs
CC 19 OUT	194622	K1332--001	5415043048899	Corner out for PT L 19 001 50/C 	-	50	-	-	€ 0,35	pcs **
CC 24 IN	194627	K1348--001	5415043048905	Corner in for PT L 24 001 50/C 	-	50	-	-	€ 0,35	pcs
CC 19 IN	211225	K1346--001	5415043048523	Corner in for PT L 19 001 50/C 	-	50	-	-	€ 0,35	pcs **
CC W8&12 OUT	263500	-1331--001	5415043104823	Corner out for PT W15 8 12 15 001 50/C 	-	50	-	-	€ 1,96	pcs **
CC W15 OUT	236956	-1339--001	5415043083074	Corner out for PT W 001 50/C 	-	50	-	-	€ 1,96	pcs
CC W20 OUT	189339	-1335--001	5415043010124	Corner out for PT W 20 20 20 20 001 100/C 	-	100	-	-	€ 1,96	pcs **
CC W8x12 IN	263498	-1341--001	5415043104816	Corner in for PT W15 8 12 15 001 50/C 	-	50	-	-	€ 1,96	pcs **
CC W20 IN	189341	-1347--001	5415043010155	Corner in for PT W 20 20 20 20 001 100/C 	-	100	-	-	€ 1,96	pcs **
CC W15 IN	236955	-1349--001	5415043083067	Corner in for FOR PT W 001 50/C 	-	50	-	-	€ 1,96	pcs



Accessories for different edges


Accessories - B Edge



For gluing B-edge tiles (Rockfon Blanka, Rockfon Blanka Activity, Rockfon Sonar, Rockfon Sonar Activity, Rockfon Color-all, Rockfon Color-all Special, Rockfon Facett) we recommend using Rockfon SwiftFix.

SAP	Nazwa elementu		Ilość	Cena EUR
110759	Hook Rockfon Facett 38 mm, for thickness 50/60 mm		100 pcs/carton	€ 1,78 / szt.**
110760	Hook Rockfon Facett 58 mm, for thickness 80/100 mm		50 pcs/carton	€ 2,12 / szt.**


Accessories - D Edge






SAP	Name		Quantity	Price in EUR
166873	Reinforcing profile C D-600mm 15x13x9 mm		80 pcs/box	Contact Rockfon
290610	Reinforcing profile C D-900mm 15x13x9 mm - cut out		20 pcs/box	Contact Rockfon
226621	Reinforcing profile C D-1200 mm 17x22x10 mm – cut out.		20 pcs/box	€ 3,62/pcs
188406	Space bar for modules 875/900 mm		50 pcs/box	Contact Rockfon
157951	Space bar for modules 600/625 mm		50 pcs/box	€ 1,29/pcs
189075	Space bar for modules 1200/1250 mm		50 pcs/box	Contact Rockfon
237264	Wall spring fixt		100 pcs/box	€ 0,60/pcs




Accessories - E Edge




SAP	Name	Quantity	Price in EUR
182935	Filler Block for T15 - White 	500 pcs/box	€ 0,35/pcs
211208	Filler Block for T24 - White 	500 pcs/box	€ 0,35/pcs
235564	Knife E-edge	1 pcs/box	€ 42/pcs
336194	Filler block for T24 - Black 	500 pcs/box	€ 0,35/pcs

Accessories - G Edge



SAP	Name	Quantity	Price in EUR
314695	G-Hook 20 mm 	100 pcs/box	€ 0,30 /pcs**
89261	G-Hook 40 mm	50 pcs/box	€ 1,90 /pcs

Accessories - X/M/Z Edge



SAP	Name	Quantity	Price in EUR
314292	Clips for X, M, Z-edge tiles 	100 pcs/box	€ 1,60/pcs
158326	Block 	50 pcs/box	Contact Rockfon
207742	C Profile -900 mm 	80 pcs/box	Contact Rockfon
259250	Knife X-edge 	1 pcs/box	€ 57,20/pcs
237040	Light frame - Edge detail X 600mm 	1 pcs/box	€ 54,00/pcs
237264	Wall spring fixt 	100 pcs/box	€ 0,60/pcs
269746	Wall & bridging bracket 	50 pcs/box	€ 0,65/pcs
211181	Angle bracket 	100 pcs/box	€ 0,65/pcs
187344	Plastic clips (flat) for Z and M-edge tiles (100 pcs/pack) 	100 pcs/box	€ 0,34/pcs



Accessories for different edges

SAP	Product		Quantity	Price in EUR
343199	Edge paint, white, 1l		1 liter/pcs	€ 18,40/pcs
237264	Wall spring fixt		100 pcs/box	€ 0,60/pcs
269746	Wall & bridging bracket		50 pcs/box	€ 0,65/pcs
211181	Angle bracket		100 pcs/box	€ 0,65/pcs
291555	Twist clip eye		100 pcs/box	€ 2,03/pcs **
189344	Mounting clip for T15/24		50 pcs/box	€ 1,12/pcs **
195280	Hanger hook/flat hanger		100 pcs/box	€ 1,62/pcs
211227	Klips HDC 4		100 pcs/box	€ 0,86/pcs





Product: Eclipse Customised, Rockfon Lamella

GENERAL TERMS OF DELIVERY

for Rockfon products

sold by ROCKWOOL Polska Sp. z o.o.

within Rockfon CEE

§ 1. Scope of application and definitions

1. These General Terms of Delivery (hereinafter GTC) apply to the sale of Rockfon products (Products) to the European Union countries and outside the European Union conducted by ROCKWOOL Polska Sp. z o.o. based in Cigacice (hereinafter ROCKWOOL or the Seller) within Rockfon CEE.
2. The GTC constitute an integral part of all offers and declarations of will, in particular all agreements regarding the sale of Rockfon products to the European Union countries and outside the European Union, unless the Parties agree otherwise.
3. Deviating terms or conditions only apply if they have been expressly agreed in writing between ROCKWOOL and the Buyer.
4. The Buyer, in the meaning of the GTC, means the party to the contract, the addressee of the offer, while the Parties mean both ROCKWOOL and the Buyer.
5. If individual provisions of the GTC are or will be invalid or ineffective, this shall not affect the validity and effectiveness of the remaining provisions. In place of invalid or ineffective provisions, the provisions of the Polish Civil Code, which are as close as possible to the assumptions of the GTC, shall apply.
6. The Polish text will be decisive for purposes of the interpretation of these GTC.
7. ROCKWOOL reserves the right to amend these GTC. The introduction of changes is possible under the condition of providing the Buyer with the new version of the GTC or sending information about the changes in writing or by e-mail 1 month before their entry into force.
8. In matters not covered by these GTC, the provisions of the Polish Civil Code shall apply.
9. Polish law shall apply to the interpretation and application of the agreement between the Parties and the GTC.

§ 2. Offers, orders and agreements

1. ROCKWOOL sells products, the standard assortment of which is offered in the current price list, based on a confirmed order.
2. All offers from ROCKWOOL regarding quantity, quality, performance and/or other characteristics related to the Products are prepared with the greatest care, but ROCKWOOL cannot guarantee that minor deviations will not occur. These indications should therefore be considered approximate and are not binding. The Buyer should check compliance with the quantities, quality, performance and/or other characteristics specified or agreed with ROCKWOOL prior to placing the order.
3. The Buyer should place all orders to the Rockfon CEE Customer Service by e-mail to the following address: biuro@rockfon.com.
4. Rockfon CEE Customer Service is available to customers on business days in accordance with the provisions of Polish law, from 8.00 to 16.00 of Polish time.
5. The order should contain the following information:
 - a. Assortment and dimensions of the ordered products;
 - b. quantity of ordered goods in m²/lm/pcs depending on product;
 - c. full address of the place of delivery;
 - d. reference to the supplementary agreement number (if any) separately for each item;
 - e. price list price;
 - f. Buyer's full name and address
 - g. name and address of the Payer;
 - h. suggested loading date within the designated pickup warehouse;
 - i. information about additional documents that, at the Buyer's special request, should be attached to the export documents, e.g. additional specifications and other attachments received from the Buyer;
 - j. instructions on how to fill in the CMR, if special remarks are required in the transport document;
 - k. an order for long-term deliveries should contain a detailed delivery schedule, i.e. the exact delivery address, delivery dates for specific assortments and their quantities, delivery conditions.

6. The Buyer is responsible for the truthfulness and correctness of the data provided in the order and other documents. The Buyer cannot refuse to accept the goods delivered in accordance with the order.
7. The Seller is not responsible for errors in orders and has the right to charge the Buyer with the costs of production and transport resulting from such error (production costs, storage costs, transport costs).
8. ROCKWOOL is only obligated to fulfil the order if the Buyer provides all the data and information required by ROCKWOOL.

§3. Delivery time

1. Rockfon CEE will confirm the acceptance of the order for the Products included in the price list no later than within 2 working days of receiving the order. In the case of Products that are not included in the price list, but can be manufactured upon request, the time of order confirmation will be agreed individually.
2. The delivery time will be determined by the product with the longest lead time.
3. The date specified in the Order Confirmation is the closest possible date for the availability of the entire quantity of ordered products.
4. For products for which full or partial prepayment has been agreed, the delivery date is counted from the next business day after the indicated amount is credited to ROCKWOOL's bank account indicated in the order confirmation.
5. If it is not possible to complete the order within the time limit specified in the confirmation, Rockfon CEE will confirm the next possible delivery date.
6. After receiving the Order Confirmation, the Buyer can make changes to the order. The changes will be accepted in the form of a correctly listed, amended order, indicating what the change is. The changes made by the Buyer may result in the postponement of the previously confirmed delivery date. The change of the delivery schedule will also be treated as a change of the order.
7. The Buyer is obliged to carefully check the Order Confirmation.

8. The delivery date specified in the Order Confirmation is the date of loading. Order Confirmation acknowledges acceptance of the order for execution.
9. For Buyers with prepayment, the order is confirmed after receiving the payment on the Seller's account.
10. In the event that the Buyer is in arrears with payments or its purchase limit has been exceeded, ROCKWOOL may suspend the acceptance of new orders and delivery of the already confirmed ones. The arrears also entitle ROCKWOOL to cancel accepted and confirmed orders. The deadline for the delivery of orders suspended in the course of their execution will be agreed individually.
11. The Seller reserves the right to change the confirmed and expected dates of delivery in the event of «force majeure», in particular: random accidents, wars, armed conflicts, catastrophes, riots, natural disasters, strikes, blockades, labour disputes, changes in the legal status, sanctions, administrative decisions and orders of state authorities, fire, flood, snow, civil unrest, breakdowns, shortages of energy, water and fuel supplies. This also applies when such events occur at ROCKWOOL's suppliers or subcontractors. In the period of force majeure, the deadlines for performance of obligations are extended accordingly. The Seller shall inform the Buyer about the commencement and cessation of force majeure no later than 7 days from the moment of its occurrence or termination by post, courier or e-mail. If the new delivery date exceeds the confirmed date by more than 72 hours, the Buyer has the right to cancel the delivery of the ordered goods without incurring any additional costs. If the Seller is unable to execute the confirmed order due to «force majeure», he will immediately notify the Buyer of this fact. In this case, the Seller has the right to withdraw from the order without incurring any additional costs.



12. If there is no production capacity, the Seller may extend the expected delivery dates and change the delivery dates of already confirmed orders. Rockfon CEE will inform the Buyer of the lack of production possibilities via post, courier or e-mail. New delivery dates will be agreed individually. If there is no production capacity, ROCKWOOL may refuse to accept the order.
13. ROCKWOOL shall also not be liable for the consequences of any interruption or disruption of supply chains due to circumstances beyond ROCKWOOL's control, including those related to armed conflict, pandemic or their aftermath. Prices and delivery dates may change, in such case ROCKWOOL will inform the Buyer immediately.
14. All standard products are sold in packaging appropriate for the given products.

§4. Terms of delivery

I. Delivery to the address indicated by the Buyer:

1. ROCKWOOL delivers the goods to the indicated place of delivery at the expense of the Buyer, without incurring the costs of unloading and extended parking at the place of delivery. Deliveries are made from 7.00 to 16.00 o'clock. ROCKWOOL does not guarantee deliveries for specific hours.
2. The delivery is deemed completed when the goods are delivered for unloading at the place of delivery and the shipping documents are handed over to the Buyer or a person authorized by the Buyer.
3. The Buyer or the recipient authorized by the Buyer is obliged to sign the delivery note/CMR document including the date and time of delivery. Any damage to the goods during unloading shall be borne by the Buyer.
4. The person collecting the goods on behalf of the Buyer should have an authorization issued by the Buyer, including the name and surname of the recipient, order confirmation number and the Buyer's signature.
5. If the Buyer provides the wrong address and thus ROCKWOOL delivers the goods to the wrong place or returns the goods for reasons beyond ROCKWOOL's control, ROCKWOOL shall be entitled to charge the Buyer with the costs of transport resulting from the error.
6. Extended unloading at the Buyer's premises is considered to be the unloading of a delivery exceeding 3 hours. ROCKWOOL may charge the Buyer an additional fee for prolonged unloading.
7. ROCKWOOL reserves that deliveries as described in point 1. will be made only if the place of delivery is accessible by means of transport organized by ROCKWOOL, regardless of weather conditions.

8. The carrier has the right to refuse to deliver the goods to the unloading place if there is a risk of damaging the vehicle or causing damage.
9. If it is not possible to unload at the indicated place of delivery, the goods will be transported at the Buyer's expense to the place of unloading indicated by the Buyer.

II. Self-collection of the goods by the Buyer from the warehouse indicated by Rockfon CEE.

1. ROCKWOOL delivers goods on means of transport provided by the Buyer in accordance with the conditions in the order.
2. The Buyer shall be bound to keep number of the order confirmation secret (OC) and to make it available exclusively to an authorised transport agent. The transport agent/driver who uses the correct number of order confirmation (OC) is assumed to be the authorised transport agent for goods collection. Any potential opposite proof will charge the Buyer. ROCKWOOL shall be bound to keep the Client order confirmation number in confidence and don't share it to a third party without consent of the Client.
3. ROCKWOOL organizes and covers the costs of loading the goods onto the means of transport.
4. Loading takes place in accordance with the confirmed date of loading at the site of the indicated warehouse, in the hours specified by the Buyer.
5. Duration of loading may last up to 4 hours, if the transport was provided at the time specified by ROCKWOOL. Not providing transport on time may result in extension of loading time.
6. The delivery of the goods is deemed as completed at the moment the goods are loaded on the provided means of transport.
7. Upon arrival for picking up the goods, the driver must provide the order confirmation number. The driver is obliged to sign the Loading List and Delivery Note, specifying date and time of goods collection.
8. Orders not collected within 24 hours may result in their cancellation. Additionally, ROCKWOOL may encumber the Buyer with the equivalent of:
 - 50% of the value of the non-collected goods in the case of standard products,
 - 100% of the value of the non-collected goods in the case of non-standard products and the costs of storing the goods in the amount of 10% of their value

9. The means of transport provided by the Buyer should guarantee transport of the entire order. ROCKWOOL is not liable for damage to the goods transported in vehicles not adapted to the transport of products produced by Rockfon.
10. The provided means of transport should be clean, have sideboards that open for safe loading of the goods. If the provided means of transport do not meet the above requirements, the Supplier may refuse to load the goods.
11. The driver bears responsibility for the correct securing and preparation for transport of the loaded goods.

§ 5. Complaints procedure

1. All Products meet the quality requirements specified in the relevant certificates and technical approvals, which are the condition for allowing these products to be used in construction. Product certificates and technical approvals are available for inspection at the Buyer's request and are not delivered with the goods.
2. In the event of a defect in the products or services provided by ROCKWOOL, ROCKWOOL has the right to repair (or have them repaired) or replace the Products, at ROCKWOOL's discretion and sole discretion.
3. The Buyer must inform ROCKWOOL in writing of any inaccuracies in the invoices within 5 working days from the date of the invoice, otherwise the invoice will be deemed approved.
4. Possible complaints may relate to non-conformities relating to: the quality of the goods, the date of loading, differences resulting from the shipping document and the delivered products (their quantity or type), the lack of labels and the correctness of the information displayed on them, the condition of the goods packaging or an incorrectly issued invoice.
5. The Buyer is obliged to confirm the delivery and check its conditions (both in terms of quantity and quality) immediately after receiving the goods. Any damage and deficiencies should be documented on the CMR document. The Seller is not responsible for damage caused during unloading and faulty storage of the goods.
6. The Buyer makes a complaint in writing or by e-mail, attaching a copy of the delivery note/CMR latest within 2 days from the date of receipt of the delivery and before handing over the goods for use.

7. The complaint should include the compensation method expected by the Buyer (e.g. a discount). If the Buyer has incurred additional costs related to the complaint and applies for their reimbursement, he should provide a detailed specification of the costs incurred and copies of relevant bills, invoices, etc.
8. Complaints about delivered quantity and goods damage in transit:
 - a. Complaints about quantitative shortages and damage caused in the transport of a given product must be reported within 2 days of receipt of the delivery, in writing together with the CMR document. All discrepancies must be noted on the CMR documentation and obligatory confirmed by the driver's signature. A confirmed document with a marked discrepancy should be sent by e-mail or by post to the Rockfon CEE Customer Service.
 - b. The Seller will reply to complaints about quantity as soon as possible, not exceeding 10 working days from the date of making the complaint. If the complaint is not submitted correctly, the Seller shall notify the person submitting the Complaint about this fact no later than 5 working days from the date of its receipt. In this case, the Buyer is obliged to send the corrected or supplemented complaint within 5 working days from the date of receipt of the notification of deficiencies, and the deadline is considered met if the corrected or supplemented complaint is received by Rockfon CEE within the above-mentioned period. In this case, the deadline for handling of the complaint is counted from the moment of correcting or supplementing the complaint. In the event of failure to supplement the formal defects within the indicated deadline, the complaint shall be deemed not submitted. Rockfon CEE will notify the claimant once the complaint is processed.



9. Complaints about quality concerning doubts related to the technical parameters of the delivered products:
 - a. In the case of complaints about quality, the Buyer is obliged to secure the defective goods and store them in a way that prevents their damage, and is obliged to issue all sales documentation together with a label informing about the batch of the goods (production date and production line) at the disposal of the Seller and to allow a ROCKWOOL representative to perform the inspection and sampling.
 - b. In the case of a complaint regarding the entire batch of the goods, its incorrectness is determined in accordance with the procedure contained in the PN-ISO 2859-1 + AC1 standard of 2003 and EN13162.
 - c. Complaints about quality of the goods should be reported immediately, but not later than within 3 days from the date of finding the irregularity.
 - d. In the case of hidden defects, complaints about quality of the goods should be reported immediately after detection of the defect, but not later than 3 days from its detection.
 - e. A complaint should include: a detailed description and quantity of the affected goods, a photo or a copy of the label, the CMR or invoice number, a proposal on how to resolve the complaint. In the case of complaints about quality of the goods, it is recommended to attach photos showing the reported quality problem.
 - f. The Seller will reply to complaints about quality of the goods as soon as possible, not exceeding 15 working days from the date of making the complaint. If the complaint is not submitted correctly, the Seller shall notify the person submitting the Complaint about this fact no later than 5 working days from the date of its receipt. In this case, the Buyer is obliged to send the corrected or supplemented complaint within 5 working days from the date of receipt of the notification of deficiencies, and the deadline is considered met if the corrected or supplemented complaint is received by Rockfon CEE within the above-mentioned period. In this case, the deadline for handling of the complaint is counted from the moment of correcting or supplementing the complaint. In the event of failure to supplement the formal defects within the indicated deadline, the complaint shall be deemed not submitted. Rockfon CEE will notify the claimant once the complaint is processed. If the complaint is accepted, the Seller reserves the right to decide on the method of resolving the complaint.

- g. If the product raises doubts as to its quality, and the investor or contractor decides to install or use it despite of that, the Seller shall not be liable for any defects or costs related thereto.
- h. The Seller is not responsible neither for the Buyer's errors, nor for design and execution errors of third parties.
10. Other logistic complaints should be reported to the Rockfon CEE Customer Service within 5 days from the date of receipt of the order, together with the attached documents confirming the irregularities found.
11. If the complaint handling process requires the collection of additional information, the deadline for processing the complaint may be extended, about which the Buyer will be informed within the standard complaint processing time.

§ 6. Prices

1. Rockfon CEE refers to the current price list.
2. Terms of sale, prices and discounts are subject to change by ROCKWOOL without notice. This does not apply to orders confirmed by Rockfon CEE prior to the above-mentioned changes.
3. However, ROCKWOOL reserves the right to change prices at any time during delivery due to changes in customs duties, taxes or devaluation.
4. All prices include the cost of disposable packaging.
5. Prices published in the price list, commercial offers, contracts and supply contracts are exclusive of VAT and other government taxes and charges, unless expressly agreed otherwise in writing.
6. Prices quoted by ROCKWOOL will be paid in the agreed currency.
7. If ROCKWOOL undertakes to provide additional services without a price expressly stated for that purpose in the Agreement or if the order was made for smaller quantity than agreed by ROCKWOOL, ROCKWOOL is entitled to charge a reasonable fee for these additional services or orders.

§ 7 Intellectual property

1. All intellectual and industrial property rights, such as design rights, trademark rights, copyrights, patent rights, domain name rights, trade secrets and other (semi) intellectual property rights («intellectual property») relating to the goods and services provided, design, source code, preparatory material and its nomenclature, and in relation to everything ROCKWOOL develops, designs, manufactures or supplies and collects belongs exclusively to ROCKWOOL.

§ 8. Responsibility

1. ROCKWOOL shall not be liable to the Buyer for any indirect damage or loss, including property damage, non-material damage, loss of income, consequential damage (commercial and/or downtime losses) etc.
2. In all cases where ROCKWOOL is required to pay compensation, such damages will never exceed the invoice value for the goods and/or services delivered which caused the damage.
3. All claims against ROCKWOOL, except those recognized by ROCKWOOL, expire 12 months after the claim arose.

§ 9 Export Controls and Sanctions

1. The ROCKWOOL Group complies with applicable EU, US, UN and national export control laws prohibiting the sale of certain products and services to certain countries and to individual companies and individuals.
2. In the event that the Buyer exports Goods and Services, it shall comply with applicable export control laws and sanctions.

§ 10 ROCKWOOL's Code of Conduct

1. ROCKWOOL applies a Code of Conduct establishing a high level of integrity for the ROCKWOOL Group. The group joined the UN Global Compact, committing it to fulfil its basic obligations in the areas of human rights, labour, the environment and the fight against corruption. The ROCKWOOL Group expects the Buyer to follow the same rules.
2. The ROCKWOOL Group operates a whistleblowing system which enables third parties to report suspected business ethics violations. More information on the ROCKWOOL Group Code of Conduct can be found at www.ROCKWOOLgroup.com.

These General Terms of Delivery apply from 01.03.2025





Sounds Beautiful

